




















| DESCRIZIONE                                                                        | MAT.                                                                                |     |    |    |     | DIAMETRO NOM. | CODICE     | €     |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|----|----|-----|---------------|------------|-------|
| Clamping ring                                                                      | Al                                                                                  |     |    |    |     |               |            |       |
|    |    | A   | B  | C  | D   |               |            |       |
|                                                                                    |                                                                                     | 43  | 22 | 16 | 72  | DN 10-16 KF   | EV-A01-016 | 3,30  |
|                                                                                    |                                                                                     | 55  | 32 | 16 | 72  | DN 20-25 KF   | EV-A01-025 | 3,80  |
|                                                                                    |                                                                                     | 70  | 47 | 16 | 90  | DN 32-40 KF   | EV-A01-040 | 4,60  |
|                                                                                    |                                                                                     | 95  | 63 | 25 | 123 | DN 50 KF      | EV-A01-050 | 7,60  |
| Clamping ring for metal seal                                                       | SS                                                                                  |     |    |    |     |               |            |       |
|   |   | A   | B  | C  | D   |               |            |       |
|                                                                                    |                                                                                     | 55  | 22 | 18 |     | DN 10-16 KF   | EV-A02-016 | 51,30 |
|                                                                                    |                                                                                     | 64  | 32 | 18 |     | DN 20-25 KF   | EV-A02-025 | 60,80 |
|                                                                                    |                                                                                     | 82  | 47 | 18 |     | DN 32-40 KF   | EV-A02-040 | 64,60 |
|                                                                                    |                                                                                     | 112 | 62 | 18 |     | DN 50 KF      | EV-A02-050 | 83,60 |
| Isolated clamping ring Zelamit                                                     |                                                                                     |     |    |    |     |               |            |       |
|  |  | A   | B  | C  | D   |               |            |       |
|                                                                                    |                                                                                     | 54  | 22 | 18 |     | DN 10-16 KF   | EV-A03-016 | 11,40 |
|                                                                                    |                                                                                     | 64  | 32 | 18 |     | DN 20-25 KF   | EV-A03-025 | 13,30 |
|                                                                                    |                                                                                     | 82  | 47 | 18 |     | DN 32-40 KF   | EV-A03-040 | 17,10 |
|                                                                                    |                                                                                     | 112 | 62 | 18 |     | DN 50 KF      | EV-A03-050 | 26,60 |
| Claw grip                                                                          | SS                                                                                  |     |    |    |     |               |            |       |
|  |  | A   | B  | C  | D   |               |            |       |
|                                                                                    |                                                                                     | 20  | 12 | 14 | 22  | DN 10-50 KF   | EV-A04-000 | 15,20 |





| DESCRIZIONE                                                                        | MAT.                                                                                |    |    |   |     |             | DIAMETRO NOM. | CODICE | € |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|----|---|-----|-------------|---------------|--------|---|
| Centering ring                                                                     | SS-Viton                                                                            |    |    |   |     |             |               |        |   |
|    |    | A  | B  | C | D   |             |               |        |   |
|                                                                                    |                                                                                     | 12 | 10 | 8 | 3,8 | DN 10 KF    | EV-A05-010    | 2,90   |   |
|                                                                                    |                                                                                     | 17 | 16 | 8 | 3,9 | DN 16 KF    | EV-A05-016    | 2,90   |   |
|                                                                                    |                                                                                     | 26 | 25 | 8 | 3,9 | DN 25 KF    | EV-A05-025    | 3,80   |   |
|                                                                                    |                                                                                     | 41 | 40 | 8 | 3,9 | DN 40 KF    | EV-A05-040    | 5,00   |   |
|                                                                                    |                                                                                     | 52 | 50 | 8 | 3,9 | DN 50 KF    | EV-A05-050    | 6,50   |   |
| O-Ring                                                                             | Viton                                                                               |    |    |   |     |             |               |        |   |
|   |   | A  | B  |   | D   |             |               |        |   |
|                                                                                    |                                                                                     | 15 | 5  |   | 5   | DN 10 KF    | EV-A06-010    | 3,80   |   |
|                                                                                    |                                                                                     | 18 | 5  |   | 5   | DN 16 KF    | EV-A06-016    | 3,80   |   |
|                                                                                    |                                                                                     | 28 | 5  |   | 5   | DN 25 KF    | EV-A06-025    | 5,70   |   |
|                                                                                    |                                                                                     | 42 | 5  |   | 5   | DN 40 KF    | EV-A06-040    | 6,70   |   |
|                                                                                    |                                                                                     | 52 | 5  |   | 5   | DN 50 KF    | EV-A06-050    | 9,50   |   |
| External centering ring                                                            | Al-Viton                                                                            |    |    |   |     |             |               |        |   |
|  |  | A  | B  | C | D   |             |               |        |   |
|                                                                                    |                                                                                     | 30 | 32 | 7 | 3,9 | DN 10-16 KF | EV-A07-016    | 4,60   |   |
|                                                                                    |                                                                                     | 40 | 42 | 7 | 3,9 | DN 20-25 KF | EV-A07-025    | 5,40   |   |
|                                                                                    |                                                                                     | 55 | 57 | 7 | 3,9 | DN 32-40 KF | EV-A07-040    | 6,50   |   |
|                                                                                    |                                                                                     | 75 | 77 | 7 | 3,9 | DN 50 KF    | EV-A07-050    | 9,50   |   |
| Centering ring with optical baffle                                                 | SS-Viton                                                                            |    |    |   |     |             |               |        |   |
|  |  | A  | B  | C | D   |             |               |        |   |
|                                                                                    |                                                                                     | 17 | 16 | 8 | 3,9 | DN 16 KF    | EV-A08-016    | 5,40   |   |
|                                                                                    |                                                                                     | 26 | 25 | 8 | 3,9 | DN 25 KF    | EV-A08-025    | 6,50   |   |
|                                                                                    |                                                                                     | 41 | 40 | 8 | 3,9 | DN 40 KF    | EV-A08-040    | 9,50   |   |

A diagram of a vertical pipe. Dimension A is the total height. Dimension B is the height of the lower section. Dimension C is the diameter of the top flange. Dimension D is the diameter of the main pipe body.

| DESCRIZIONE                                                                                                                                                            | MAT. |    |    |    |     | DIAMETRO NOM. | CODICE     | €     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|----|----|-----|---------------|------------|-------|
| Blanking flange                                                                                                                                                        | SS   |    |    |    |     |               |            |       |
|       |      | A  | B  | C  | D   |               |            |       |
|                                                                                                                                                                        |      | 30 | 5  |    |     | DN 10 KF      | EV-A12-010 | 3,80  |
|                                                                                                                                                                        |      | 30 | 5  |    |     | DN 16 KF      | EV-A12-016 | 3,80  |
|                                                                                                                                                                        |      | 40 | 5  |    |     | DN 25 KF      | EV-A12-025 | 4,20  |
|                                                                                                                                                                        |      | 55 | 5  |    |     | DN 40 KF      | EV-A12-040 | 5,40  |
|                                                                                                                                                                        |      | 75 | 5  |    |     | DN 50 KF      | EV-A12-050 | 7,60  |
|                                                                                                                                                                        |      |    |    |    |     |               |            |       |
|                                                                                                                                                                        | Al   | A  | B  | C  | D   |               |            |       |
|                                                                                                                                                                        |      | 30 | 5  |    |     | DN 10 KF      | EV-A12-110 | 3,50  |
|                                                                                                                                                                        |      | 30 | 5  |    |     | DN 16 KF      | EV-A12-116 | 3,50  |
|                                                                                                                                                                        |      | 40 | 5  |    |     | DN 25 KF      | EV-A12-125 | 3,90  |
|                                                                                                                                                                        |      | 55 | 5  |    |     | DN 40 KF      | EV-A12-140 | 4,50  |
|                                                                                                                                                                        |      | 75 | 5  |    |     | DN 50 KF      | EV-A12-150 | 6,50  |
| Weld flange                                                                                                                                                            | SS   |    |    |    |     |               |            |       |
|   |      | A  | B  | C  | D   |               |            |       |
|                                                                                                                                                                        |      | 30 | 14 | 10 | 3,5 | DN 10 KF      | EV-A13-010 | 4,20  |
|                                                                                                                                                                        |      | 30 | 20 | 16 | 3,5 | DN 16 KF      | EV-A13-016 | 4,20  |
|                                                                                                                                                                        |      | 40 | 28 | 24 | 3,5 | DN 25 KF      | EV-A13-025 | 5,30  |
|                                                                                                                                                                        |      | 55 | 45 | 41 | 3,5 | DN 40 KF      | EV-A13-040 | 6,10  |
|                                                                                                                                                                        |      | 75 | 57 | 50 | 3,5 | DN 50 KF      | EV-A13-050 | 9,50  |
|                                                                                                                                                                        |      |    |    |    |     |               |            |       |
| Short weld flange                                                                                                                                                      | SS   |    |    |    |     |               |            |       |
|   |      | A  | B  | C  | D   |               |            |       |
|                                                                                                                                                                        |      | 30 | 14 | 10 |     | DN 10 KF      | EV-A14-010 | 7,60  |
|                                                                                                                                                                        |      | 30 | 20 | 16 |     | DN 16 KF      | EV-A14-016 | 7,60  |
|                                                                                                                                                                        |      | 30 | 28 | 24 |     | DN 25 KF      | EV-A14-025 | 9,50  |
|                                                                                                                                                                        |      | 30 | 45 | 41 |     | DN 40 KF      | EV-A14-040 | 15,20 |
|                                                                                                                                                                        |      | 30 | 57 | 50 |     | DN 50 KF      | EV-A14-050 | 22,80 |

| DESCRIZIONE                                                                        | MAT.                                                                                |     |     |    |   | DIAMETRO NOM. | CODICE     | €     |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|----|---|---------------|------------|-------|
| Long weld flange                                                                   | SS                                                                                  |     |     |    |   |               |            |       |
|    |    | A   | B   | C  | D |               |            |       |
|                                                                                    |                                                                                     | 55  | 14  | 10 |   | DN 10 KF      | EV-A15-010 | 11,40 |
|                                                                                    |                                                                                     | 55  | 20  | 16 |   | DN 16 KF      | EV-A15-016 | 13,30 |
|                                                                                    |                                                                                     | 55  | 28  | 24 |   | DN 25 KF      | EV-A15-025 | 15,20 |
|                                                                                    |                                                                                     | 55  | 45  | 41 |   | DN 40 KF      | EV-A15-040 | 19,00 |
|                                                                                    |                                                                                     | 55  | 57  | 50 |   | DN 50 KF      | EV-A15-050 | 30,40 |
| Intermediate piece                                                                 | SS                                                                                  |     |     |    |   |               |            |       |
|   |   | A   | B   | C  | D |               |            |       |
|                                                                                    |                                                                                     | 60  |     |    |   | DN 10 KF      | EV-A16-010 | 23,10 |
|                                                                                    |                                                                                     | 80  |     |    |   | DN 16 KF      | EV-A16-016 | 25,00 |
|                                                                                    |                                                                                     | 100 |     |    |   | DN 25 KF      | EV-A16-025 | 29,60 |
|                                                                                    |                                                                                     | 130 |     |    |   | DN 40 KF      | EV-A16-040 | 41,80 |
|                                                                                    |                                                                                     | 140 |     |    |   | DN 50 KF      | EV-A16-050 | 49,40 |
| Elbow 90°                                                                          | SS                                                                                  |     |     |    |   |               |            |       |
|  |  | A   | B   | C  | D |               |            |       |
|                                                                                    |                                                                                     | 30  |     |    |   | DN 10 KF      | EV-A17-010 | 28,50 |
|                                                                                    |                                                                                     | 40  |     |    |   | DN 16 KF      | EV-A17-016 | 30,40 |
|                                                                                    |                                                                                     | 50  |     |    |   | DN 25 KF      | EV-A17-025 | 34,20 |
|                                                                                    |                                                                                     | 65  |     |    |   | DN 40 KF      | EV-A17-040 | 38,00 |
|                                                                                    |                                                                                     | 70  |     |    |   | DN 50 KF      | EV-A17-050 | 45,60 |
| T-piece                                                                            | SS                                                                                  |     |     |    |   |               |            |       |
|  |  | A   | B   | C  | D |               |            |       |
|                                                                                    |                                                                                     | 30  | 60  |    |   | DN 10 KF      | EV-A18-010 | 38,00 |
|                                                                                    |                                                                                     | 40  | 80  |    |   | DN 16 KF      | EV-A18-016 | 38,00 |
|                                                                                    |                                                                                     | 50  | 100 |    |   | DN 25 KF      | EV-A18-025 | 49,40 |
|                                                                                    |                                                                                     | 65  | 130 |    |   | DN 40 KF      | EV-A18-040 | 57,00 |
|                                                                                    |                                                                                     | 70  | 140 |    |   | DN 50 KF      | EV-A18-050 | 68,40 |

| DESCRIZIONE                                                                        | MAT.                                                                                |    |     |    |     | DIAMETRO NOM. | CODICE     | €      |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|-----|----|-----|---------------|------------|--------|
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
| Cross-piece                                                                        | SS                                                                                  |    |     |    |     |               |            |        |
|    |    | A  | B   | C  | D   |               |            |        |
|                                                                                    |                                                                                     | 30 | 60  |    |     | DN 10 KF      | EV-A19-010 | 49,40  |
|                                                                                    |                                                                                     | 40 | 80  |    |     | DN 16 KF      | EV-A19-016 | 55,10  |
|                                                                                    |                                                                                     | 50 | 100 |    |     | DN 25 KF      | EV-A19-025 | 68,40  |
|                                                                                    |                                                                                     | 65 | 130 |    |     | DN 40 KF      | EV-A19-040 | 83,60  |
|                                                                                    |                                                                                     | 70 | 140 |    |     | DN 50 KF      | EV-A19-050 | 95,00  |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
| Double cross-piece                                                                 | SS                                                                                  |    |     |    |     |               |            |        |
|  |   | A  | B   | C  | D   |               |            |        |
|                                                                                    |                                                                                     | 30 | 60  |    |     | DN 10 KF      | EV-A20-010 | 121,60 |
|                                                                                    |                                                                                     | 40 | 80  |    |     | DN 16 KF      | EV-A20-016 | 121,60 |
|                                                                                    |                                                                                     | 50 | 100 |    |     | DN 25 KF      | EV-A20-025 | 159,60 |
|                                                                                    |                                                                                     | 65 | 130 |    |     | DN 40 KF      | EV-A20-040 | 190,00 |
|                                                                                    |                                                                                     | 70 | 140 |    |     | DN 50 KF      | EV-A20-050 | 228,00 |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
| Reducing T-piece                                                                   | SS                                                                                  |    |     |    |     |               |            |        |
|  |  | A  | B   | C  | D   |               |            |        |
|                                                                                    |                                                                                     | 50 | 100 | 40 |     | DN 25-16 KF   | EV-A21-125 | 53,20  |
|                                                                                    |                                                                                     | 65 | 130 | 40 |     | DN 40-16 KF   | EV-A21-140 | 60,80  |
|                                                                                    |                                                                                     | 65 | 130 | 50 |     | DN 40-25 KF   | EV-A21-240 | 60,80  |
|                                                                                    |                                                                                     | 70 | 140 | 50 |     | DN50-25 KF    | EV-A21-250 | 76,00  |
|                                                                                    |                                                                                     | 70 | 140 | 65 |     | DN 50-40 KF   | EV-A21-450 | 87,40  |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
| Reducing cross-piece                                                               | SS                                                                                  |    |     |    |     |               |            |        |
|  |  | A  | B   | C  | D   |               |            |        |
|                                                                                    |                                                                                     | 50 | 100 | 40 | 80  | DN 25-16 KF   | EV-A22-125 | 76,00  |
|                                                                                    |                                                                                     | 65 | 130 | 40 | 80  | DN 40-16 KF   | EV-A22-140 | 95,00  |
|                                                                                    |                                                                                     | 65 | 130 | 50 | 100 | DN 40-25 KF   | EV-A22-240 | 95,00  |
|                                                                                    |                                                                                     | 70 | 140 | 50 | 100 | DN50-25 KF    | EV-A22-250 | 114,00 |
|                                                                                    |                                                                                     | 70 | 140 | 65 | 130 | DN 50-40 KF   | EV-A22-450 | 129,20 |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |
|                                                                                    |                                                                                     |    |     |    |     |               |            |        |

| DESCRIZIONE                                                                        | MAT.                                                                                |    |    |   |    | DIAMETRO NOM.     | CODICE     | €     |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|----|---|----|-------------------|------------|-------|
| Reducing-piece                                                                     | SS                                                                                  |    |    |   |    |                   |            |       |
|    |    | A  | B  | C | D  |                   |            |       |
|                                                                                    |                                                                                     | 28 |    |   |    | DN 25-16 KF       | EV-A23-125 | 15,20 |
|                                                                                    |                                                                                     | 28 |    |   |    | DN 40-16 KF       | EV-A23-140 | 19,00 |
|                                                                                    |                                                                                     | 28 |    |   |    | DN 40-25 KF       | EV-A23-240 | 20,90 |
|                                                                                    |                                                                                     | 28 |    |   |    | DN 50-25 KF       | EV-A23-250 | 30,40 |
|                                                                                    |                                                                                     | 28 |    |   |    | DN 50-40 KF       | EV-A23-450 | 32,30 |
|   |   | A  | B  | C | D  |                   |            |       |
|                                                                                    |                                                                                     | 40 |    |   |    | DN 25-16 KF       | EV-A24-125 | 19,00 |
|                                                                                    |                                                                                     | 40 |    |   |    | DN 40-16 KF       | EV-A24-140 | 22,80 |
|                                                                                    |                                                                                     | 40 |    |   |    | DN 40-25 KF       | EV-A24-240 | 24,70 |
| Hose nipple                                                                        | SS                                                                                  |    |    |   |    |                   |            |       |
|  |  | A  | B  | C | D  |                   |            |       |
|                                                                                    |                                                                                     | 40 | 12 | 8 |    | DN 16 KF          | EV-A34-016 | 11,40 |
|                                                                                    |                                                                                     | 40 | 12 | 8 |    | DN 25 KF          | EV-A34-025 | 13,30 |
|                                                                                    |                                                                                     | 40 | 12 | 8 |    | DN 40 KF          | EV-A34-040 | 15,20 |
| Screw-in flange                                                                    | SS-Viton                                                                            |    |    |   |    |                   |            |       |
|  |  | A  | B  | C | D  |                   |            |       |
|                                                                                    |                                                                                     | 35 | 15 |   | 10 | DN 10 KF-G 3/8"   | EV-A35-010 | 20,90 |
|                                                                                    |                                                                                     | 35 | 16 |   | 16 | DN 16 KF-G 1/2"   | EV-A35-016 | 20,90 |
|                                                                                    |                                                                                     | 45 | 24 |   | 24 | DN 25 KF-G 1"     | EV-A35-025 | 22,80 |
|                                                                                    |                                                                                     | 50 | 28 |   | 40 | DN 40 KF-G 1 1/2" | EV-A35-040 | 28,50 |
| Screw-on flange                                                                    | SS-Viton                                                                            |    |    |   |    |                   |            |       |
|                                                                                    |                                                                                     | A  | B  | C | D  |                   |            |       |

## DESCRIZIONE

## MAT.

## DIAMETRO NOM.

## CODICE

## €

35

15

10

DN 10 KF-G 3/8"

EV-A36-010

24,70

35

16

16

DN 16 KF-G1/2"

EV-A36-016

24,70

45

24

24

DN 25 KF-G 1"

EV-A36-025

30,40

50


28

40

DN 40 KF-G 1 1/2"

EV-A36-040

38,00



A

B

C

D

DN 10 KF

EV-A37-010

45,60

250

DN 16 KF

EV-A37-016

43,70

250

DN 25 KF

EV-A37-025

48,50

250

DN 40 KF

EV-A37-040

60,80

250

DN 50 KF

EV-A37-050

76,00

500

DN 10 KF

EV-A37-110

56,00

500

DN 16 KF

EV-A37-116

53,20

500

DN 25 KF

EV-A37-125

60,80

500

DN 40 KF

EV-A37-140

76,00

500

DN 50 KF

EV-A37-150

96,90

750

DN 10 KF

EV-A37-210

66,50

750

DN 16 KF

EV-A37-216

64,60

750

DN 25 KF

EV-A37-225

76,00

750

DN 40 KF

EV-A37-240

95,00

750

DN 50 KF

EV-A37-250

117,80

1000

DN 10 KF

EV-A37-310

77,90

1000

DN 16 KF

EV-A37-316

78,90

1000

DN 25 KF

EV-A37-325

91,20

1000

DN 40 KF

EV-A37-340


115,90

1000

DN 50 KF

EV-A37-350





140,60










Flexible metal hose




SS





EXTRA FLEX






| DESCRIZIONE                                                                        | MAT.                                                                                |      |    |   |   | DIAMETRO NOM. | CODICE     | €      |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|----|---|---|---------------|------------|--------|
|    |    | A    | B  | C | D |               |            |        |
|                                                                                    |                                                                                     | 250  |    |   |   | DN 10 KF      | EV-A38-010 | 41,80  |
|                                                                                    |                                                                                     | 250  |    |   |   | DN 16 KF      | EV-A38-016 | 38,00  |
|                                                                                    |                                                                                     | 250  |    |   |   | DN 25 KF      | EV-A38-025 | 45,60  |
|                                                                                    |                                                                                     | 250  |    |   |   | DN 40 KF      | EV-A38-040 | 57,00  |
|                                                                                    |                                                                                     | 250  |    |   |   | DN 50 KF      | EV-A38-050 | 95,00  |
| Flexible metal hose                                                                | SS                                                                                  | 500  |    |   |   | DN 10 KF      | EV-A38-110 | 47,50  |
| STANDARD                                                                           |                                                                                     | 500  |    |   |   | DN 16 KF      | EV-A38-116 | 47,50  |
|                                                                                    |                                                                                     | 500  |    |   |   | DN 25 KF      | EV-A38-125 | 53,20  |
|                                                                                    |                                                                                     | 500  |    |   |   | DN 40 KF      | EV-A38-140 | 66,50  |
|                                                                                    |                                                                                     | 500  |    |   |   | DN 50 KF      | EV-A38-150 | 102,60 |
|                                                                                    |                                                                                     | 750  |    |   |   | DN 10 KF      | EV-A38-210 | 57,00  |
|                                                                                    |                                                                                     | 750  |    |   |   | DN 16 KF      | EV-A38-216 | 57,00  |
|                                                                                    |                                                                                     | 750  |    |   |   | DN 25 KF      | EV-A38-225 | 62,70  |
|                                                                                    |                                                                                     | 750  |    |   |   | DN 40 KF      | EV-A38-240 | 76,00  |
|                                                                                    |                                                                                     | 750  |    |   |   | DN 50 KF      | EV-A38-250 | 110,20 |
| Flexible metal hose                                                                | SS                                                                                  |      |    |   |   |               |            |        |
| STANDARD                                                                           |                                                                                     |      |    |   |   |               |            |        |
|  |  | 1000 |    |   |   | DN 10 KF      | EV-A38-310 | 64,60  |
|                                                                                    |                                                                                     | 1000 |    |   |   | DN 16 KF      | EV-A38-316 | 66,50  |
|                                                                                    |                                                                                     | 1000 |    |   |   | DN 25 KF      | EV-A38-325 | 72,20  |
|                                                                                    |                                                                                     | 1000 |    |   |   | DN 40 KF      | EV-A38-340 | 85,50  |
|                                                                                    |                                                                                     | 1000 |    |   |   | DN 50 KF      | EV-A38-350 | 117,80 |
| Bellow                                                                             | SS                                                                                  |      |    |   |   |               |            |        |
| EXTRA FLEX                                                                         |                                                                                     |      |    |   |   |               |            |        |
|  |  | A    | B  | C | D |               |            |        |
|                                                                                    |                                                                                     | 90   | 15 |   |   | DN 10 KF      | EV-A39-010 | 57,00  |
|                                                                                    |                                                                                     | 120  | 22 |   |   | DN 16 KF      | EV-A39-016 | 57,00  |
|                                                                                    |                                                                                     | 120  | 22 |   |   | DN 25 KF      | EV-A39-025 | 62,70  |
|                                                                                    |                                                                                     | 120  | 22 |   |   | DN 40 KF      | EV-A39-040 | 76,00  |
|                                                                                    |                                                                                     | 120  | 22 |   |   | DN 50 KF      | EV-A39-050 | 85,50  |
| Braided flexible metal hose                                                        | SS                                                                                  |      |    |   |   |               |            |        |
|                                                                                    |                                                                                     |      |    |   |   |               |            |        |
|  |  | A    | B  | C | D |               |            |        |
|                                                                                    |                                                                                     |      |    |   |   | DN 16 KF      | EV-A40-016 | 100,70 |
|                                                                                    |                                                                                     |      |    |   |   | DN 25 KF      | EV-A40-025 | 125,40 |
|                                                                                    |                                                                                     |      |    |   |   | DN 40 KF      | EV-A40-040 | 167,20 |






| DESCRIZIONE                                                                        | MAT.                                                                                |      |      |    |   | DIAMETRO NOM. | CODICE     | €     |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|------|----|---|---------------|------------|-------|
| Flange for PVC hose                                                                | Al                                                                                  |      |      |    |   |               |            |       |
|    |    | A    | B    | C  | D |               |            |       |
|                                                                                    |                                                                                     | 30   | 18   | 15 |   | DN 16 KF      | EV-A41-016 | 7,60  |
|                                                                                    |                                                                                     | 30   | 27   | 24 |   | DN 25 KF      | EV-A41-025 | 9,50  |
|                                                                                    |                                                                                     | 30   | 43   | 39 |   | DN 40 KF      | EV-A41-040 | 15,20 |
| PVC hose with steel spiral                                                         |                                                                                     |      |      |    |   |               |            |       |
|    |    | A    | B    | C  | D |               |            |       |
|                                                                                    |                                                                                     | 16   | 22,4 |    |   | DN 16 KF      | EV-A42-016 | 9,50  |
|                                                                                    |                                                                                     | 25   | 33   |    |   | DN 25 KF      | EV-A42-025 | 12,50 |
|                                                                                    |                                                                                     | 40   | 50   |    |   | DN 40 KF      | EV-A42-040 | 19,00 |
| PVC hose complete                                                                  | Al-PVC                                                                              |      |      |    |   |               |            |       |
|  |  | A    | B    | C  | D |               |            |       |
|                                                                                    |                                                                                     | 500  |      |    |   | DN 16 KF      | EV-A43-016 | 24,70 |
|                                                                                    |                                                                                     | 500  |      |    |   | DN 25 KF      | EV-A43-025 | 30,40 |
|                                                                                    |                                                                                     | 500  |      |    |   | DN 40 KF      | EV-A43-040 | 49,40 |
|                                                                                    |                                                                                     | 1000 |      |    |   | DN 16 KF      | EV-A43-116 | 28,50 |
|                                                                                    |                                                                                     | 1000 |      |    |   | DN 25 KF      | EV-A43-125 | 38,00 |
|                                                                                    |                                                                                     | 1000 |      |    |   | DN 40 KF      | EV-A43-140 | 58,90 |
| Viewport                                                                           | Plexiglass                                                                          |      |      |    |   |               |            |       |
|  |  | A    | B    | C  | D |               |            |       |
|                                                                                    |                                                                                     | 30   | 10   |    |   | DN 16 KF      | EV-A44-016 | 15,20 |
|                                                                                    |                                                                                     | 40   | 10   |    |   | DN 25 KF      | EV-A44-025 | 20,00 |
|                                                                                    |                                                                                     | 55   | 10   |    |   | DN 40 KF      | EV-A44-040 | 26,00 |





| DESCRIZIONE                                                                        | MAT.               |                                                                                     |      |    |    |   | DIAMETRO NOM.  | CODICE     | €     |
|------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------|------|----|----|---|----------------|------------|-------|
| Protective cover                                                                   | Plastic            |                                                                                     |      |    |    |   |                |            |       |
|    |                    |    |      |    |    |   | DN 10-16 KF    | EV-A45-016 | 2,00  |
|                                                                                    |                    |                                                                                     |      |    |    |   | DN 20-25 KF    | EV-A45-025 | 3,00  |
|                                                                                    |                    |                                                                                     |      |    |    |   | DN 32-40 KF    | EV-A45-040 | 4,00  |
|                                                                                    |                    |                                                                                     |      |    |    |   | DN 50 KF       | EV-A45-050 | 5,00  |
|                                                                                    |                    |                                                                                     |      |    |    |   | Pack of 5 each |            |       |
| Claw clamp                                                                         | Steel, zinc plated |                                                                                     |      |    |    |   |                |            |       |
|    |                    |    | A    | B  | C  | D |                |            |       |
|                                                                                    |                    |                                                                                     | 60   | 22 | 17 |   | DN 63-250 ISO  | EV-B01-025 | 4,20  |
|                                                                                    |                    |                                                                                     | 75   | 39 | 27 |   | DN320-500 ISO  | EV-B01-050 | 8,50  |
|                                                                                    |                    |                                                                                     | 80   | 46 | 30 |   | DN 630 ISO     | EV-B01-063 | 9,60  |
|                                                                                    | SS                 |                                                                                     |      |    |    |   |                |            |       |
|                                                                                    |                    |                                                                                     | 60   | 22 | 17 |   | DN 63-250 ISO  | EV-B01-125 | 8,50  |
|                                                                                    |                    |                                                                                     | 75   | 39 | 27 |   | DN320-630 ISO  | EV-B01-150 | 11,40 |
| Claw grip for use with centering ring                                              | Steel, zinc plated |                                                                                     |      |    |    |   |                |            |       |
|  |                    |  | A    | B  | C  | D |                |            |       |
|                                                                                    |                    |                                                                                     | 22,5 | 35 | 10 |   | DN 63-100 ISO  | EV-B02-010 | 2,30  |
|                                                                                    |                    |                                                                                     | 23   | 35 | 10 |   | DN 160-250 ISO | EV-B02-025 | 2,90  |
|                                                                                    |                    |                                                                                     | 26,5 | 50 | 15 |   | DN320-500 ISO  | EV-B02-050 | 4,60  |
|                                                                                    | SS                 |                                                                                     |      |    |    |   |                |            |       |
|                                                                                    |                    |                                                                                     | 22,5 | 35 | 10 |   | DN 63-100 ISO  | EV-B02-110 | 4,80  |
|                                                                                    |                    |                                                                                     | 23   | 35 | 10 |   | DN 160-250 ISO | EV-B02-125 | 6,00  |
|                                                                                    |                    |                                                                                     | 36,5 | 50 | 15 |   | DN320-500 ISO  | EV-B02-150 | 9,20  |
|                                                                                    |                    |                                                                                     | 41,5 | 55 | 20 |   | DN 630 ISO     | EV-B02-163 | 9,60  |
| Claw grip for use with sealing groove                                              | Steel, zinc plated |                                                                                     |      |    |    |   |                |            |       |
|  |                    |  | A    | B  | C  | D |                |            |       |
|                                                                                    |                    |                                                                                     | 18,6 | 30 | 10 |   | DN 63-100 ISO  | EV-B03-010 | 3,60  |
|                                                                                    |                    |                                                                                     | 19,1 | 35 | 10 |   | DN 160-250 ISO | EV-B03-025 | 4,50  |
|                                                                                    |                    |                                                                                     | 30,9 | 45 | 15 |   | DN320-500 ISO  | EV-B03-050 | 6,50  |





| DESCRIZIONE                                                                        | MAT.     |                                                                                     |      |     |    |      | DIAMETRO NOM.  | CODICE     | €      |
|------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------|------|-----|----|------|----------------|------------|--------|
|                                                                                    |          |                                                                                     | A    | B   | C  | D    |                |            |        |
|                                                                                    | SS       |                                                                                     | 18,6 | 30  | 10 |      | DN 63-100 ISO  | EV-B03-110 | 6,00   |
|                                                                                    |          |                                                                                     | 19,1 | 35  | 10 |      | DN 160-250 ISO | EV-B03-125 | 8,00   |
|                                                                                    |          |                                                                                     | 30,9 | 45  | 15 |      | DN320-500 ISO  | EV-B03-150 | 11,40  |
|                                                                                    |          |                                                                                     | 36,5 | 55  | 20 |      | DN 630 ISO     | EV-B03-163 | 13,30  |
| Centering ring                                                                     | SS-Viton |                                                                                     |      |     |    |      |                |            |        |
|    |          |    | A    | B   | C  | D    |                |            |        |
|                                                                                    |          |                                                                                     | 70   | 67  | 8  | 3,9  | DN 63 ISO      | EV-B04-006 | 15,20  |
|                                                                                    |          |                                                                                     | 102  | 99  | 8  | 3,9  | DN 100 ISO     | EV-B04-010 | 22,80  |
|                                                                                    |          |                                                                                     | 153  | 150 | 8  | 3,9  | DN 160 ISO     | EV-B04-016 | 30,40  |
|                                                                                    |          |                                                                                     | 213  | 210 | 8  | 3,9  | DN 200 ISO     | EV-B04-020 | 60,00  |
|                                                                                    |          |                                                                                     | 261  | 258 | 8  | 3,9  | DN 250 ISO     | EV-B04-025 | 68,50  |
|                                                                                    |          |                                                                                     | 318  | 313 | 14 | 5,6  | DN 320 ISO     | EV-B04-032 | 83,50  |
|                                                                                    |          |                                                                                     | 400  | 398 | 14 | 5,6  | DN 400 ISO     | EV-B04-040 | 106,50 |
|                                                                                    |          |                                                                                     | 501  | 495 | 14 | 5,6  | DN 500 ISO     | EV-B04-050 | 123,50 |
|                                                                                    |          |                                                                                     | 651  | 645 | 14 | 5,6  | DN 630 ISO     | EV-B04-063 | 171,00 |
| Centering ring with aluminium outer ring                                           | SS-Viton |                                                                                     |      |     |    |      |                |            |        |
|  |          |  | A    | B   | C  | D    |                |            |        |
|                                                                                    |          |                                                                                     | 95   | 70  | 8  | 3,9  | DN 63 ISO      | EV-B05-006 | 20,90  |
|                                                                                    |          |                                                                                     | 128  | 102 | 8  | 3,9  | DN 100 ISO     | EV-B05-010 | 28,50  |
|                                                                                    |          |                                                                                     | 179  | 153 | 8  | 3,9  | DN 160 ISO     | EV-B05-016 | 34,20  |
|                                                                                    |          |                                                                                     | 238  | 213 | 8  | 3,9  | DN 200 ISO     | EV-B05-020 | 79,80  |
|                                                                                    |          |                                                                                     | 286  | 261 | 8  | 3,9  | DN 250 ISO     | EV-B05-025 | 95,00  |
|                                                                                    | Al-Viton |                                                                                     | 95   | 70  | 8  | 3,9  | DN 63 ISO      | EV-B05-106 | 19,00  |
|                                                                                    |          |                                                                                     | 128  | 102 | 8  | 3,9  | DN 100 ISO     | EV-B05-110 | 22,80  |
|                                                                                    |          |                                                                                     | 179  | 153 | 8  | 3,9  | DN 160 ISO     | EV-B05-116 | 26,60  |
|                                                                                    |          |                                                                                     | 238  | 213 | 8  | 3,9  | DN 200 ISO     | EV-B05-120 | 53,20  |
|                                                                                    |          |                                                                                     | 286  | 261 | 8  | 3,9  | DN 250 ISO     | EV-B05-125 | 79,80  |
| O-Ring                                                                             | Viton    |                                                                                     |      |     |    |      |                |            |        |
|  |          |  | A    | B   | C  | D(*) | (*) Pack of 5  |            |        |
|                                                                                    |          |                                                                                     | 76   | 5,3 |    | 5    | DN 63 ISO      | EV-B06-006 | 11,40  |
|                                                                                    |          |                                                                                     | 107  | 5,3 |    | 5    | DN 100 ISO     | EV-B06-010 | 11,40  |
|                                                                                    |          |                                                                                     | 158  | 5,3 |    | 5    | DN 160 ISO     | EV-B06-016 | 22,80  |
|                                                                                    |          |                                                                                     | 209  | 5,3 |    | 5    | DN 200 ISO     | EV-B06-020 | 34,20  |
|                                                                                    |          |                                                                                     | 253  | 5,3 |    | 5    | DN 250 ISO     | EV-B06-025 | 45,60  |
|                                                                                    |          |                                                                                     | 330  | 7   |    | 5    | DN 320 ISO     | EV-B06-032 | 60,80  |
|                                                                                    |          |                                                                                     | 405  | 7   |    | 5    | DN 400 ISO     | EV-B06-040 | 95,00  |
|                                                                                    |          |                                                                                     | 507  | 7   |    | 5    | DN 500 ISO     | EV-B06-050 | 114,00 |
|                                                                                    |          |                                                                                     | 659  | 7   |    | 5    | DN 630 ISO     | EV-B06-063 | 152,00 |





| DESCRIZIONE                                                                        | MAT.                                                                                |     |     |       |     |              | DIAMETRO NOM. | CODICE  | € |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|-------|-----|--------------|---------------|---------|---|
| Blanking flange                                                                    | SS                                                                                  |     |     |       |     |              |               |         |   |
|    |    | A   | B   | C     | D   |              |               |         |   |
|                                                                                    |                                                                                     | 65  | 12  |       |     | DN 63 ISO-K  | EV-B12-006    | 30,40   |   |
|                                                                                    |                                                                                     | 130 | 12  |       |     | DN 100 ISO-K | EV-B12-010    | 39,90   |   |
|                                                                                    |                                                                                     | 180 | 12  |       |     | DN 160 ISO-K | EV-B12-016    | 66,50   |   |
|                                                                                    |                                                                                     | 240 | 12  |       |     | DN 200 ISO-K | EV-B12-020    | 123,50  |   |
|                                                                                    |                                                                                     | 290 | 12  |       |     | DN 250 ISO-K | EV-B12-025    | 152,00  |   |
|                                                                                    |                                                                                     | 370 | 17  |       |     | DN 320 ISO-K | EV-B12-032    | 351,50  |   |
|                                                                                    |                                                                                     | 450 | 17  |       |     | DN 400 ISO-K | EV-B12-040    | 456,00  |   |
|                                                                                    |                                                                                     | 550 | 17  |       |     | DN 500 ISO-K | EV-B12-050    | 608,00  |   |
|                                                                                    |                                                                                     | 690 | 22  |       |     | DN 630 ISO-K | EV-B12-063    | 1064,00 |   |
| Welding flange                                                                     | SS                                                                                  |     |     |       |     |              |               |         |   |
|   |   | A   | B   | C     | D   |              |               |         |   |
|                                                                                    |                                                                                     | 65  | 12  | 76,5  | 70  | DN 63 ISO-K  | EV-B13-006    | 24,70   |   |
|                                                                                    |                                                                                     | 130 | 12  | 108,5 | 102 | DN 100 ISO-K | EV-B13-010    | 34,20   |   |
|                                                                                    |                                                                                     | 180 | 12  | 159,5 | 153 | DN 160 ISO-K | EV-B13-016    | 57,00   |   |
|                                                                                    |                                                                                     | 240 | 12  | 219,5 | 213 | DN 200 ISO-K | EV-B13-020    | 95,00   |   |
|                                                                                    |                                                                                     | 290 | 12  | 267,5 | 261 | DN 250 ISO-K | EV-B13-025    | 129,20  |   |
|                                                                                    |                                                                                     | 370 | 17  | 324,5 | 318 | DN 320 ISO-K | EV-B13-032    | 285,00  |   |
|                                                                                    |                                                                                     | 450 | 17  | 407   | 400 | DN 400 ISO-K | EV-B13-040    | 364,80  |   |
|                                                                                    |                                                                                     | 550 | 17  | 509   | 501 | DN 500 ISO-K | EV-B13-050    | 494,00  |   |
|                                                                                    |                                                                                     | 690 | 22  | 661   | 651 | DN 630 ISO-K | EV-B13-063    | 684,00  |   |
| Collar flange with retaining ring                                                  | Steel,nickel plated                                                                 |     |     |       |     |              |               |         |   |
|  |  | A   | B   | C     | D   |              |               |         |   |
|                                                                                    |                                                                                     | 130 | 12  | 95,5  |     | DN 63 ISO-F  | EV-B14-006    | 32,30   |   |
|                                                                                    |                                                                                     | 165 | 12  | 130,5 |     | DN 100 ISO-F | EV-B14-010    | 47,50   |   |
|                                                                                    |                                                                                     | 225 | 16  | 180,7 |     | DN 160 ISO-F | EV-B14-016    | 85,50   |   |
|                                                                                    |                                                                                     | 285 | 16  | 240,7 |     | DN 200 ISO-F | EV-B14-020    | 114,00  |   |
|                                                                                    |                                                                                     | 335 | 16  | 290,7 |     | DN 250 ISO-F | EV-B14-025    | 142,50  |   |
|                                                                                    |                                                                                     | 425 | 20  | 370,8 |     | DN 320 ISO-F | EV-B14-032    | 190,00  |   |
|                                                                                    |                                                                                     | 510 | 20  | 451   |     | DN 400 ISO-F | EV-B14-040    | 285,00  |   |
|                                                                                    |                                                                                     | 610 | 20  | 551   |     | DN 500 ISO-F | EV-B14-050    | 427,50  |   |
|                                                                                    |                                                                                     | 750 | 24  | 691   |     | DN 630 ISO-F | EV-B14-063    | 684,00  |   |
| Flange with pipe                                                                   | SS                                                                                  |     |     |       |     |              |               |         |   |
|  |  | A   | B   | C     | D   |              |               |         |   |
|                                                                                    |                                                                                     | 100 | 76  | 70    |     | DN 63 ISO-K  | EV-B15-006    | 47,50   |   |
|                                                                                    |                                                                                     | 100 | 108 | 102   |     | DN 100 ISO-K | EV-B15-010    | 68,40   |   |
|                                                                                    |                                                                                     | 100 | 159 | 153   |     | DN 160 ISO-K | EV-B15-016    | 95,00   |   |
|                                                                                    |                                                                                     | 100 | 219 | 213   |     | DN 200 ISO-K | EV-B15-020    | 152,00  |   |
|                                                                                    |                                                                                     | 100 | 267 | 261   |     | DN 250 ISO-K | EV-B15-025    | 190,00  |   |
|                                                                                    |                                                                                     | 100 | 324 | 318   |     | DN 320 ISO-K | EV-B15-032    | 372,40  |   |
|                                                                                    |                                                                                     | 100 | 408 | 400   |     | DN 400 ISO-K | EV-B15-040    | 475,00  |   |
|                                                                                    |                                                                                     | 100 | 508 | 500   |     | DN 500 ISO-K | EV-B15-050    | 608,00  |   |
|                                                                                    |                                                                                     | 100 | 660 | 650   |     | DN 630 ISO-K | EV-B15-063    | 874,00  |   |



| DESCRIZIONE                                                                        | MAT.                                                                                |     |     |   |   | DIAMETRO NOM. | CODICE     | €        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|---|---|---------------|------------|----------|
| Intermediate piece                                                                 | SS                                                                                  |     |     |   |   |               |            |          |
|    |    | A   | B   | C | D |               |            |          |
|                                                                                    |                                                                                     | 100 |     |   |   | DN 63 ISO-K   | EV-B16-006 | 79,80    |
|                                                                                    |                                                                                     | 100 |     |   |   | DN 100 ISO-K  | EV-B16-010 | 114,00   |
|                                                                                    |                                                                                     | 100 |     |   |   | DN 160 ISO-K  | EV-B16-016 | 171,00   |
|                                                                                    |                                                                                     | 100 |     |   |   | DN 200 ISO-K  | EV-B16-020 | 247,00   |
|                                                                                    |                                                                                     | 100 |     |   |   | DN 250 ISO-K  | EV-B16-025 | 319,20   |
| Elbow 90°                                                                          | SS                                                                                  |     |     |   |   |               |            |          |
|    |    | A   | B   | C | D |               |            |          |
|                                                                                    |                                                                                     | 88  |     |   |   | DN 63 ISO-K   | EV-B17-006 | 91,20    |
|                                                                                    |                                                                                     | 108 |     |   |   | DN 100 ISO-K  | EV-B17-010 | 142,50   |
|                                                                                    |                                                                                     | 138 |     |   |   | DN 160 ISO-K  | EV-B17-016 | 304,00   |
|                                                                                    |                                                                                     | 178 |     |   |   | DN 200 ISO-K  | EV-B17-020 | 399,00   |
|                                                                                    |                                                                                     | 208 |     |   |   | DN 250 ISO-K  | EV-B17-025 | 532,00   |
| T-piece                                                                            | SS                                                                                  |     |     |   |   |               |            |          |
|  |  | A   | B   | C | D |               |            |          |
|                                                                                    |                                                                                     | 88  | 176 |   |   | DN 63 ISO-K   | EV-B18-006 | 152,00   |
|                                                                                    |                                                                                     | 108 | 216 |   |   | DN 100 ISO-K  | EV-B18-010 | 190,00   |
|                                                                                    |                                                                                     | 138 | 276 |   |   | DN 160 ISO-K  | EV-B18-016 | 399,00   |
|                                                                                    |                                                                                     | 178 | 356 |   |   | DN 200 ISO-K  | EV-B18-020 | 570,00   |
|                                                                                    |                                                                                     | 208 | 416 |   |   | DN 250 ISO-K  | EV-B18-025 | 760,00   |
| Cross-piece                                                                        | SS                                                                                  |     |     |   |   |               |            |          |
|  |  | A   | B   | C | D |               |            |          |
|                                                                                    |                                                                                     | 88  | 176 |   |   | DN 63 ISO-K   | EV-B19-006 | 218,50   |
|                                                                                    |                                                                                     | 108 | 216 |   |   | DN 100 ISO-K  | EV-B19-010 | 304,00   |
|                                                                                    |                                                                                     | 138 | 276 |   |   | DN 160 ISO-K  | EV-B19-016 | 551,00   |
|                                                                                    |                                                                                     | 178 | 356 |   |   | DN 200 ISO-K  | EV-B19-020 | 722,00   |
|                                                                                    |                                                                                     | 208 | 416 |   |   | DN 250 ISO-K  | EV-B19-025 | 1.045,00 |
| Double cross-piece                                                                 | SS                                                                                  |     |     |   |   |               |            |          |
|  |  | A   | B   | C | D |               |            |          |
|                                                                                    |                                                                                     | 88  | 176 |   |   | DN 63 ISO-K   | EV-B20-006 | 342,00   |
|                                                                                    |                                                                                     | 108 | 216 |   |   | DN 100 ISO-K  | EV-B20-010 | 456,00   |
|                                                                                    |                                                                                     | 138 | 276 |   |   | DN 160 ISO-K  | EV-B20-016 | 817,00   |
|                                                                                    |                                                                                     | 178 | 356 |   |   | DN 200 ISO-K  | EV-B20-020 | 1.140,00 |
|                                                                                    |                                                                                     | 208 | 416 |   |   | DN 250 ISO-K  | EV-B20-025 | 1.520,00 |



| DESCRIZIONE                                                                        | MAT.                                                                                |     |     |   |   | DIAMETRO NOM.    | CODICE     | €        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|---|---|------------------|------------|----------|
| <b>Reducing T-piece</b>                                                            | SS                                                                                  |     |     |   |   |                  |            |          |
|    |    | A   | B   | C | D |                  |            |          |
|                                                                                    |                                                                                     | 216 | 100 |   |   | DN 100-63 ISO-K  | EV-B21-010 | 209,00   |
|                                                                                    |                                                                                     | 276 | 130 |   |   | DN 160-100 ISO-K | EV-B21-016 | 380,00   |
|                                                                                    |                                                                                     | 356 | 160 |   |   | DN 200-160 ISO-K | EV-B21-020 | 570,00   |
|                                                                                    |                                                                                     | 416 | 190 |   |   | DN 250-200 ISO-K | EV-B21-025 | 760,00   |
| <b>Reducing cross-piece</b>                                                        | SS                                                                                  |     |     |   |   |                  |            |          |
|    |    | A   | B   | C | D |                  |            |          |
|                                                                                    |                                                                                     | 216 | 100 |   |   | DN 100-63 ISO-K  | EV-B22-010 | 418,00   |
|                                                                                    |                                                                                     | 276 | 130 |   |   | DN 160-100 ISO-K | EV-B22-016 | 494,00   |
|                                                                                    |                                                                                     | 356 | 160 |   |   | DN 200-160 ISO-K | EV-B22-020 | 665,00   |
|                                                                                    |                                                                                     | 416 | 190 |   |   | DN 250-200 ISO-K | EV-B22-025 | 950,00   |
| <b>Reducing-piece<br/>ISO-K / ISO-K</b>                                            | SS                                                                                  |     |     |   |   |                  |            |          |
|  |  | A   | B   | C | D |                  |            |          |
|                                                                                    |                                                                                     | 50  |     |   |   | DN 100-63 ISO-K  | EV-B23-010 | 91,20    |
|                                                                                    |                                                                                     | 50  |     |   |   | DN 160-100 ISO-K | EV-B23-016 | 133,00   |
|                                                                                    |                                                                                     | 50  |     |   |   | DN 200-160 ISO-K | EV-B23-020 | 228,00   |
|                                                                                    |                                                                                     | 50  |     |   |   | DN 250-200 ISO-K | EV-B23-025 | 304,00   |
| <b>Conical reducing-piece</b>                                                      | SS                                                                                  |     |     |   |   |                  |            |          |
|  |  | A   | B   | C | D |                  |            |          |
|                                                                                    |                                                                                     | 100 |     |   |   | DN 100-63 ISO-K  | EV-B24-010 | 114,00   |
|                                                                                    |                                                                                     | 120 |     |   |   | DN 160-100 ISO-K | EV-B24-016 | 190,00   |
|                                                                                    |                                                                                     | 140 |     |   |   | DN 200-160 ISO-K | EV-B24-020 | 304,00   |
|                                                                                    |                                                                                     | 160 |     |   |   | DN 250-200 ISO-K | EV-B24-025 | 380,00   |
| <b>Spherical cross-piece</b>                                                       | SS                                                                                  |     |     |   |   |                  |            |          |
|  |  | A   | B   | C | D |                  |            |          |
|                                                                                    |                                                                                     | 88  | 176 |   |   | DN 63 ISO-K      | EV-B30-006 | 266,00   |
|                                                                                    |                                                                                     | 108 | 216 |   |   | DN 100 ISO-K     | EV-B30-010 | 361,00   |
|                                                                                    |                                                                                     | 138 | 276 |   |   | DN 160 ISO-K     | EV-B30-016 | 608,00   |
|                                                                                    |                                                                                     | 178 | 356 |   |   | DN 200 ISO-K     | EV-B30-020 | 855,00   |
|                                                                                    |                                                                                     | 208 | 416 |   |   | DN 250 ISO-K     | EV-B30-025 | 1.140,00 |



| DESCRIZIONE                                                                        | MAT.      |                                                                                     |      |     |    |   | DIAMETRO NOM.        | CODICE     | €        |
|------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|------|-----|----|---|----------------------|------------|----------|
| <b>Adaptor piece</b><br><b>ISO-K / KF</b>                                          | <b>SS</b> |                                                                                     |      |     |    |   |                      |            |          |
|    |           |    | A    | B   | C  | D |                      |            |          |
|                                                                                    |           |                                                                                     | 40   |     |    |   | DN 63 ISO-K / 25 KF  | EV-B25-062 | 41,80    |
|                                                                                    |           |                                                                                     | 40   |     |    |   | DN 63 ISO-K / 40 KF  | EV-B25-064 | 53,20    |
|                                                                                    |           |                                                                                     | 40   |     |    |   | DN 100 ISO-K / 40 KF | EV-B25-104 | 64,60    |
|                                                                                    |           |                                                                                     | 40   |     |    |   | DN 100 ISO-K / 50 KF | EV-B25-105 | 76,00    |
|                                                                                    |           |                                                                                     | 40   |     |    |   | DN 160 ISO-K / 40 KF | EV-B25-164 | 114,00   |
| <b>Spherical double</b><br><b>cross-piece</b>                                      | <b>SS</b> |                                                                                     |      |     |    |   |                      |            |          |
|   |           |   | A    | B   | C  | D |                      |            |          |
|                                                                                    |           |                                                                                     | 88   | 176 |    |   | DN 63 ISO-K          | EV-B31-006 | 380,00   |
|                                                                                    |           |                                                                                     | 108  | 216 |    |   | DN 100 ISO-K         | EV-B31-010 | 532,00   |
|                                                                                    |           |                                                                                     | 138  | 276 |    |   | DN 160 ISO-K         | EV-B31-016 | 855,00   |
|                                                                                    |           |                                                                                     | 178  | 356 |    |   | DN 200 ISO-K         | EV-B31-020 | 1.197,00 |
|                                                                                    |           |                                                                                     | 208  | 416 |    |   | DN 250 ISO-K         | EV-B31-025 | 1710,00  |
| <b>Flexible metal hose</b>                                                         | <b>SS</b> |                                                                                     |      |     |    |   |                      |            |          |
|  |           |  | A    | B   | C  | D |                      |            |          |
|                                                                                    |           |                                                                                     | 250  |     |    |   | DN 63 ISO-K          | EV-B38-006 | 129,20   |
|                                                                                    |           |                                                                                     | 250  |     |    |   | DN 100 ISO-K         | EV-B38-010 | 159,60   |
|                                                                                    |           |                                                                                     | 250  |     |    |   | DN 160 ISO-K         | EV-B38-016 | 209,00   |
|                                                                                    |           |                                                                                     | 500  |     |    |   | DN 63 ISO-K          | EV-B38-106 | 148,20   |
|                                                                                    |           |                                                                                     | 500  |     |    |   | DN 100 ISO-K         | EV-B38-110 | 190,00   |
|                                                                                    |           |                                                                                     | 500  |     |    |   | DN 160 ISO-K         | EV-B38-116 | 266,00   |
|                                                                                    |           |                                                                                     | 750  |     |    |   | DN 63 ISO-K          | EV-B38-206 | 167,20   |
|                                                                                    |           |                                                                                     | 750  |     |    |   | DN 100 ISO-K         | EV-B38-210 | 209,00   |
|                                                                                    |           |                                                                                     | 750  |     |    |   | DN 160 ISO-K         | EV-B38-216 | 285,00   |
|                                                                                    |           |                                                                                     | 1000 |     |    |   | DN 63 ISO-K          | EV-B38-306 | 197,60   |
|                                                                                    |           |                                                                                     | 1000 |     |    |   | DN 100 ISO-K         | EV-B38-310 | 237,50   |
|                                                                                    |           |                                                                                     | 1000 |     |    |   | DN 160 ISO-K         | EV-B38-316 | 332,50   |
| <b>Bellow</b>                                                                      | <b>SS</b> |                                                                                     |      |     |    |   |                      |            |          |
|  |           |  | A    | B   | C  | D |                      |            |          |
|                                                                                    |           |                                                                                     | 130  | 14  | 7  |   | DN 63 ISO-K          | EV-B39-006 | 161,50   |
|                                                                                    |           |                                                                                     | 130  | 14  | 7  |   | DN 100 ISO-K         | EV-B39-010 | 199,50   |
|                                                                                    |           |                                                                                     | 150  | 16  | 8  |   | DN 160 ISO-K         | EV-B39-016 | 361,00   |
|                                                                                    |           |                                                                                     | 230  | 20  | 10 |   | DN 200 ISO-K         | EV-B39-020 | 551,00   |
|                                                                                    |           |                                                                                     | 250  | 20  | 10 |   | DN 250 ISO-K         | EV-B39-025 | 855,00   |

| DESCRIZIONE                                                                        | MAT.       |                                                                                     |     |     |       |     | DIAMETRO NOM. | CODICE     | €       |
|------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|-----|-----|-------|-----|---------------|------------|---------|
| Blanking flange                                                                    | SS         |                                                                                     |     |     |       |     |               |            |         |
|    |            |    | A   | B   | C     | D   |               |            |         |
|                                                                                    |            |                                                                                     | 130 | 12  |       |     | DN 63 ISO-F   | EV-B40-006 | 72,20   |
|                                                                                    |            |                                                                                     | 165 | 12  |       |     | DN 100 ISO-F  | EV-B40-010 | 102,60  |
|                                                                                    |            |                                                                                     | 225 | 16  |       |     | DN 160 ISO-F  | EV-B40-016 | 152,00  |
|                                                                                    |            |                                                                                     | 285 | 16  |       |     | DN 200 ISO-F  | EV-B40-020 | 209,00  |
|                                                                                    |            |                                                                                     | 335 | 16  |       |     | DN 250 ISO-F  | EV-B40-025 | 285,00  |
|                                                                                    |            |                                                                                     | 425 | 20  |       |     | DN 320 ISO-F  | EV-B40-032 | 418,00  |
|                                                                                    |            |                                                                                     | 510 | 20  |       |     | DN 400 ISO-F  | EV-B40-040 | 532,00  |
|                                                                                    |            |                                                                                     | 610 | 20  |       |     | DN 500 ISO-F  | EV-B40-050 | 722,00  |
|                                                                                    |            |                                                                                     | 750 | 24  |       |     | DN 630 ISO-F  | EV-B40-063 | 1045,00 |
| Welding flange                                                                     | SS         |                                                                                     |     |     |       |     |               |            |         |
|   |            |   | A   | B   | C     | D   |               |            |         |
|                                                                                    |            |                                                                                     | 130 | 12  | 76,5  | 70  | DN 63 ISO-F   | EV-B41-006 | 66,50   |
|                                                                                    |            |                                                                                     | 165 | 12  | 108,5 | 102 | DN 100 ISO-F  | EV-B41-010 | 95,00   |
|                                                                                    |            |                                                                                     | 225 | 16  | 159,5 | 153 | DN 160 ISO-F  | EV-B41-016 | 142,50  |
|                                                                                    |            |                                                                                     | 285 | 16  | 219,5 | 213 | DN 200 ISO-F  | EV-B41-020 | 190,00  |
|                                                                                    |            |                                                                                     | 335 | 16  | 267,5 | 261 | DN 250 ISO-F  | EV-B41-025 | 247,00  |
|                                                                                    |            |                                                                                     | 425 | 20  | 324,5 | 318 | DN 320 ISO-F  | EV-B41-032 | 380,00  |
|                                                                                    |            |                                                                                     | 510 | 20  | 407   | 400 | DN 400 ISO-F  | EV-B41-040 | 494,00  |
|                                                                                    |            |                                                                                     | 610 | 20  | 509   | 501 | DN 500 ISO-F  | EV-B41-050 | 665,00  |
|                                                                                    |            |                                                                                     | 750 | 24  | 661   | 651 | DN 630 ISO-F  | EV-B41-063 | 988,00  |
| Flange with pipe                                                                   | SS         |                                                                                     |     |     |       |     |               |            |         |
|  |            |  | A   | B   | C     | D   |               |            |         |
|                                                                                    |            |                                                                                     | 100 | 76  | 70    |     | DN 63 ISO-F   | EV-B42-006 | 85,50   |
|                                                                                    |            |                                                                                     | 100 | 108 | 102   |     | DN 100 ISO-F  | EV-B42-010 | 123,50  |
|                                                                                    |            |                                                                                     | 100 | 159 | 153   |     | DN 160 ISO-F  | EV-B42-016 | 186,20  |
|                                                                                    |            |                                                                                     | 100 | 219 | 213   |     | DN 200 ISO-F  | EV-B42-020 | 243,20  |
|                                                                                    |            |                                                                                     | 100 | 267 | 261   |     | DN 250 ISO-F  | EV-B42-025 | 311,60  |
|                                                                                    |            |                                                                                     | 100 | 324 | 318   |     | DN 320 ISO-F  | EV-B42-032 | 456,00  |
|                                                                                    |            |                                                                                     | 100 | 408 | 400   |     | DN 400 ISO-F  | EV-B42-040 | 589,00  |
|                                                                                    |            |                                                                                     | 100 | 508 | 500   |     | DN 500 ISO-F  | EV-B42-050 | 779,00  |
|                                                                                    |            |                                                                                     | 100 | 660 | 650   |     | DN 630 ISO-F  | EV-B42-063 | 1100,00 |
| Viewport                                                                           | Plexiglass |                                                                                     |     |     |       |     |               |            |         |
|  |            |  | A   | B   | C     | D   |               |            |         |
|                                                                                    |            |                                                                                     | 95  | 15  |       |     | DN 63 ISO-K   | EV-B44-006 | 42,00   |
|                                                                                    |            |                                                                                     | 130 | 15  |       |     | DN 100 ISO-K  | EV-B44-010 | 64,00   |
|                                                                                    |            |                                                                                     | 180 | 20  |       |     | DN 160 ISO-K  | EV-B44-016 | 96,00   |



| DESCRIZIONE                                                                        | MAT.                                                                                |                        |    |    |   |       | DIAMETRO NOM.         | CODICE     | €      |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------|----|----|---|-------|-----------------------|------------|--------|
| <b>Protective cover</b>                                                            | <b>Plastic</b>                                                                      |                        |    |    |   |       |                       |            |        |
|    |    |                        | A  | B  | C | D     |                       |            |        |
|                                                                                    |                                                                                     |                        |    |    |   | 10    | DN 63 ISO-K           | EV-B45-006 | 10,00  |
|                                                                                    |                                                                                     | D : quantity delivered |    |    |   | 10    | DN 100 ISO-K          | EV-B45-010 | 14,00  |
|                                                                                    |                                                                                     |                        |    |    |   | 1     | DN 160 ISO-K          | EV-B45-016 | q.a.r. |
|                                                                                    |                                                                                     |                        |    |    |   | 1     | DN 200 ISO-K          | EV-B45-020 | q.a.r. |
|                                                                                    |                                                                                     |                        |    |    |   | 1     | DN 250 ISO-K          | EV-B45-025 | q.a.r. |
| <b>Set of hexagonal bolts</b>                                                      | <b>SS</b>                                                                           |                        |    |    |   |       |                       |            |        |
|    |    |                        | A  | B  | C | D     |                       |            |        |
|                                                                                    |                                                                                     |                        | 20 | M4 |   | 25    | DN 16 CF              | EV-C01-001 | 8,00   |
|                                                                                    |                                                                                     |                        | 35 | M6 |   | 25    | DN 40 CF              | EV-C01-004 | 10,00  |
|                                                                                    |                                                                                     |                        | 45 | M8 |   | 25    | DN 63 CF              | EV-C01-006 | 12,00  |
|                                                                                    |                                                                                     |                        | 50 | M8 |   | 25    | DN 100 CF             | EV-C01-010 | 14,00  |
|                                                                                    |                                                                                     |                        | 55 | M8 |   | 25    | DN 160 CF             | EV-C01-016 | 16,00  |
|                                                                                    |                                                                                     |                        | 60 | M8 |   | 25    | DN 200 CF             | EV-C01-020 | 18,00  |
|                                                                                    |                                                                                     |                        | 65 | M8 |   | 25    | DN 250 CF             | EV-C01-025 | 20,00  |
|                                                                                    |                                                                                     |                        |    |    |   |       | D= quantity delivered |            |        |
| <b>Set of hexagonal bolts for TAPPED hole</b>                                      | <b>SS</b>                                                                           |                        |    |    |   |       |                       |            |        |
|  |  |                        | A  | B  | C | D     |                       |            |        |
|                                                                                    |                                                                                     |                        | 16 | M4 |   | 25    | DN 16 CF              | EV-C02-001 | 8,00   |
|                                                                                    |                                                                                     |                        | 25 | M6 |   | 25    | DN 40 CF              | EV-C02-004 | 10,00  |
|                                                                                    |                                                                                     |                        | 30 | M8 |   | 25    | DN 63 CF              | EV-C02-006 | 12,00  |
|                                                                                    |                                                                                     |                        | 35 | M8 |   | 25    | DN 100 CF             | EV-C02-010 | 14,00  |
|                                                                                    |                                                                                     |                        | 40 | M8 |   | 25    | DN 160 CF             | EV-C02-016 | 16,00  |
|                                                                                    |                                                                                     |                        | 45 | M8 |   | 25    | DN 200 CF             | EV-C02-020 | 18,00  |
|                                                                                    |                                                                                     |                        | 50 | M8 |   | 25    | DN 250 CF             | EV-C02-025 | 20,00  |
|                                                                                    |                                                                                     |                        |    |    |   |       | D= quantity delivered |            |        |
| <b>Set of hexagonal bolts with DUO nuts</b>                                        | <b>SS</b>                                                                           |                        |    |    |   |       |                       |            |        |
|  |  |                        | A  | B  | C | D     |                       |            |        |
|                                                                                    |                                                                                     |                        | 20 | M4 |   | 6+3   | DN 16 CF              | EV-C03-001 | 6,00   |
|                                                                                    |                                                                                     |                        | 35 | M6 |   | 6+3   | DN 40 CF              | EV-C03-004 | 8,00   |
|                                                                                    |                                                                                     |                        | 40 | M8 |   | 8+4   | DN 63 CF              | EV-C03-006 | 10,00  |
|                                                                                    |                                                                                     |                        | 45 | M8 |   | 16+8  | DN 100 CF             | EV-C03-010 | 20,00  |
|                                                                                    |                                                                                     |                        | 50 | M8 |   | 20+10 | DN 160 CF             | EV-C03-016 | 26,00  |
|                                                                                    |                                                                                     |                        | 55 | M8 |   | 24+12 | DN 200 CF             | EV-C03-020 | 30,00  |
|                                                                                    |                                                                                     |                        | 60 | M8 |   | 32+16 | DN 250 CF             | EV-C03-025 | 40,00  |
|                                                                                    |                                                                                     |                        |    |    |   |       | D= quantity delivered |            |        |

| DESCRIZIONE                                                                       | MAT.                                                                               |       |       |   |    |                       | DIAMETRO NOM. | CODICE | € |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|-------|---|----|-----------------------|---------------|--------|---|
| Set of stud screws                                                                | SS                                                                                 |       |       |   |    |                       |               |        |   |
|   |   | A     | B     | C | D  | D= quantity delivered |               |        |   |
|                                                                                   |                                                                                    |       |       |   |    | DN 16 CF              | EV-C04-001    | 14,00  |   |
|                                                                                   |                                                                                    |       |       |   |    | DN 40 CF              | EV-C04-004    | 16,00  |   |
|                                                                                   |                                                                                    |       |       |   |    | DN 63 CF              | EV-C04-006    | 24,00  |   |
|                                                                                   |                                                                                    |       |       |   |    | DN 100 CF             | EV-C04-010    | 26,00  |   |
|                                                                                   |                                                                                    |       |       |   |    | DN 160 CF             | EV-C04-016    | 28,00  |   |
|                                                                                   |                                                                                    |       |       |   |    | DN 200 CF             | EV-C04-020    | 30,00  |   |
|                                                                                   |                                                                                    |       |       |   |    | DN 250 CF             | EV-C04-025    | 32,00  |   |
| Copper gaskets                                                                    |                                                                                    |       |       |   |    |                       |               |        |   |
|  |  | A     | B     | C | D  | D= quantity delivered |               |        |   |
|                                                                                   |                                                                                    | 21,3  | 16    | 2 | 10 | DN 16 CF              | EV-C05-001    | 8,50   |   |
|                                                                                   |                                                                                    | 48,2  | 37    | 2 | 10 | DN 40 CF              | EV-C05-004    | 11,50  |   |
|                                                                                   |                                                                                    | 82,4  | 63,4  | 2 | 10 | DN 63 CF              | EV-C05-006    | 18,00  |   |
|                                                                                   |                                                                                    | 120,5 | 101,5 | 2 | 10 | DN 100 CF             | EV-C05-010    | 35,00  |   |
|                                                                                   |                                                                                    | 171,2 | 152,6 | 2 | 5  | DN 160 CF             | EV-C05-016    | 30,00  |   |
|                                                                                   |                                                                                    | 222,1 | 203   | 2 | 5  | DN 200 CF             | EV-C05-020    | 35,00  |   |
|                                                                                   |                                                                                    | 272,8 | 254   | 2 | 5  | DN 250 CF             | EV-C05-025    | 65,00  |   |
| Annealed copper gaskets                                                           |                                                                                    |       |       |   |    |                       |               |        |   |
|                                                                                   |                                                                                    | A     | B     | C | D  | D= quantity delivered |               |        |   |
|                                                                                   |                                                                                    | 21,3  | 16    | 2 | 5  | DN 16 CF              | EV-C05-101    | 13,30  |   |
|                                                                                   |                                                                                    | 48,2  | 37    | 2 | 5  | DN 40 CF              | EV-C05-104    | 15,20  |   |
|                                                                                   |                                                                                    | 82,4  | 63,4  | 2 | 5  | DN 63 CF              | EV-C05-106    | 22,80  |   |
|                                                                                   |                                                                                    | 120,5 | 101,5 | 2 | 5  | DN 100 CF             | EV-C05-110    | 28,50  |   |
|                                                                                   |                                                                                    | 171,2 | 152,6 | 2 | 5  | DN 160 CF             | EV-C05-116    | 32,30  |   |
|                                                                                   |                                                                                    | 222,1 | 203   | 2 | 5  | DN 200 CF             | EV-C05-120    | 41,80  |   |
|                                                                                   |                                                                                    | 272,8 | 254   | 2 | 5  | DN 250 CF             | EV-C05-125    | 146,50 |   |
| Silver plated copper gaskets                                                      |                                                                                    |       |       |   |    |                       |               |        |   |
|                                                                                   |                                                                                    | A     | B     | C | D  | D= quantity delivered |               |        |   |
|                                                                                   |                                                                                    | 21,3  | 16    | 2 | 5  | DN 16 CF              | EV-C05-201    | 10,00  |   |
|                                                                                   |                                                                                    | 48,2  | 37    | 2 | 5  | DN 40 CF              | EV-C05-204    | 12,00  |   |
|                                                                                   |                                                                                    | 82,4  | 63,4  | 2 | 5  | DN 63 CF              | EV-C05-206    | 20,00  |   |
|                                                                                   |                                                                                    | 120,5 | 101,5 | 2 | 5  | DN 100 CF             | EV-C05-210    | 26,00  |   |
|                                                                                   |                                                                                    | 171,2 | 152,6 | 2 | 5  | DN 160 CF             | EV-C05-216    | 40,00  |   |
|                                                                                   |                                                                                    | 222,1 | 203   | 2 | 5  | DN 200 CF             | EV-C05-220    | 54,00  |   |
|                                                                                   |                                                                                    | 272,8 | 254   | 2 | 5  | DN 250 CF             | EV-C05-225    | 120,00 |   |
| Viton gaskets                                                                     |                                                                                    |       |       |   |    |                       |               |        |   |
|                                                                                   |                                                                                    | A     | B     | C | D  | D= quantity delivered |               |        |   |
|                                                                                   |                                                                                    | 21,3  |       | 2 | 1  | DN 16 CF              | EV-C05-501    | 11,20  |   |
|                                                                                   |                                                                                    | 48,1  |       | 3 | 1  | DN 40 CF              | EV-C05-504    | 16,80  |   |
|                                                                                   |                                                                                    | 74    |       | 3 | 1  | DN 63 CF              | EV-C05-506    | 18,20  |   |
|                                                                                   |                                                                                    | 113   |       | 3 | 1  | DN 100 CF             | EV-C05-510    | 19,60  |   |
|                                                                                   |                                                                                    | 163   |       | 3 | 1  | DN 160 CF             | EV-C05-516    | 21,00  |   |
|                                                                                   |                                                                                    | 213   |       | 3 | 1  | DN 200 CF             | EV-C05-520    | 33,60  |   |
|                                                                                   |                                                                                    | 266   |       | 3 | 1  | DN 250 CF             | EV-C05-525    | 56,00  |   |

| DESCRIZIONE                                                                        | MAT.                 |                                                                                     |       |      |      |      | DIAMETRO NOM. | CODICE     | €      |
|------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------|-------|------|------|------|---------------|------------|--------|
| Blanking flange                                                                    | AISI 304 L<br>1.4306 |                                                                                     |       |      |      |      |               |            |        |
|    |                      |    | A     | B    | C    | D    |               |            |        |
|                                                                                    |                      |                                                                                     | 34    | 7,3  |      |      | DN 16 CF      | EV-C08-001 | 8,40   |
|                                                                                    |                      |                                                                                     | 69,5  | 12,7 |      |      | DN 40 CF      | EV-C08-004 | 12,60  |
|                                                                                    |                      |                                                                                     | 113,5 | 17,5 |      |      | DN 63 CF      | EV-C08-006 | 39,20  |
|                                                                                    |                      |                                                                                     | 152   | 20   |      |      | DN 100 CF     | EV-C08-010 | 60,20  |
|                                                                                    |                      |                                                                                     | 202,5 | 22   |      |      | DN 160 CF     | EV-C08-016 | 100,80 |
|                                                                                    |                      |                                                                                     | 253   | 24,5 |      |      | DN 200 CF     | EV-C08-020 | 168,00 |
|                                                                                    |                      |                                                                                     | 306   | 26   |      |      | DN 250 CF     | EV-C08-025 | 336,00 |
| AISI 316 LN                                                                        | AISI 316 L           |                                                                                     | 34    | 7,3  |      |      | DN 16 CF*     | EV-C08-201 | 12,00  |
| ESR-FORG                                                                           | 1.4404               |                                                                                     | 69,5  | 12,7 |      |      | DN 40 CF*     | EV-C08-204 | 18,00  |
| 1.4429                                                                             |                      |                                                                                     | 113,5 | 17,5 |      |      | DN 63 CF      | EV-C08-206 | 56,00  |
| SOLO SU RICHIESTA                                                                  | Su Richiesta         |                                                                                     | 152   | 20   |      |      | DN 100 CF     | EV-C08-210 | 86,00  |
|                                                                                    |                      |                                                                                     | 202,5 | 22   |      |      | DN 160 CF     | EV-C08-216 | 144,00 |
|                                                                                    |                      |                                                                                     | 253   | 24,5 |      |      | DN 200 CF     | EV-C08-220 | 240,00 |
|                                                                                    |                      |                                                                                     | 306   | 26   |      |      | DN 250 CF     | EV-C08-225 | 480,00 |
|                                                                                    |                      |                                                                                     |       |      |      |      | * not forged  |            |        |
| Blanking flange with<br>tapped holes                                               | AISI 304 L<br>1.4306 |                                                                                     |       |      |      |      |               |            |        |
|  |                      |  | A     | B    | C    | D    |               |            |        |
|                                                                                    |                      |                                                                                     | 34    | 7,3  | 19,4 | 5,8  | DN 16 CF      | EV-C08-501 | 12,60  |
|                                                                                    |                      |                                                                                     | 69,5  | 12,7 | 40,5 | 7,6  | DN 40 CF      | EV-C08-504 | 16,80  |
|                                                                                    |                      |                                                                                     | 113,5 | 17,5 | 70,5 | 12,6 | DN 63 CF      | EV-C08-506 | 47,60  |
|                                                                                    |                      |                                                                                     | 152   | 20   | 109  | 14,3 | DN 100 CF     | EV-C08-510 | 78,40  |
|                                                                                    |                      |                                                                                     | 202,5 | 22   | 160  | 15,8 | DN 160 CF     | EV-C08-516 | 123,20 |
|                                                                                    |                      |                                                                                     | 253   | 24,5 | 207  | 17,1 | DN 200 CF     | EV-C08-520 | 190,40 |
|                                                                                    |                      |                                                                                     | 306   | 26   | 257  | 18   | DN 250 CF     | EV-C08-525 | 378,00 |
| AISI 316 LN                                                                        | AISI 316 L           |                                                                                     | 34    | 7,3  | 19,4 | 5,8  | DN 16 CF*     | EV-C08-701 | 18,00  |
| ESR-FORG                                                                           | 1.4404               |                                                                                     | 69,5  | 12,7 | 40,5 | 7,6  | DN 40 CF*     | EV-C08-704 | 24,00  |
| 1.4429                                                                             |                      |                                                                                     | 113,5 | 17,5 | 70,5 | 12,6 | DN 63 CF      | EV-C08-706 | 68,00  |
| Quotazione su RICHIESTA                                                            | Su Richiesta         |                                                                                     | 152   | 20   | 109  | 14,3 | DN 100 CF     | EV-C08-710 | 112,00 |
|                                                                                    |                      |                                                                                     | 202,5 | 22   | 160  | 15,8 | DN 160 CF     | EV-C08-716 | 176,00 |
|                                                                                    |                      |                                                                                     | 253   | 24,5 | 207  | 17,1 | DN 200 CF     | EV-C08-720 | 272,00 |
|                                                                                    |                      |                                                                                     | 306   | 26   | 257  | 18   | DN 250 CF     | EV-C08-725 | 540,00 |
|                                                                                    |                      |                                                                                     |       |      |      |      | * not forged  |            |        |





| DESCRIZIONE                         | MAT.         |  |       |      |       |     | DIAMETRO NOM. | CODICE      | €      |
|-------------------------------------|--------------|--|-------|------|-------|-----|---------------|-------------|--------|
|                                     |              |  |       |      |       |     |               |             |        |
|                                     |              |  |       |      |       |     |               |             |        |
|                                     |              |  |       |      |       |     |               |             |        |
|                                     |              |  |       |      |       |     |               |             |        |
| Welding flange                      | AISI 304 L   |  |       |      |       |     |               |             |        |
|                                     | 1.4306       |  |       |      |       |     |               |             |        |
|                                     |              |  | A     | B    | C     | D   |               |             |        |
|                                     |              |  | 34    | 14,2 | 19,2  | 16  | DN 16 CF      | EV-C10-001W | 9,80   |
|                                     |              |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF      | EV-C10-001  | 8,40   |
|                                     |              |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF      | EV-C10-004  | 12,60  |
|                                     |              |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C10-006  | 39,20  |
|                                     |              |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C10-010  | 60,20  |
|                                     |              |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C10-016  | 100,80 |
|                                     |              |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C10-020  | 168,00 |
|                                     |              |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C10-025  | 336,00 |
|                                     |              |  |       |      |       |     |               |             |        |
| AISI 316 LN                         | AISI 316 L   |  | 34    | 14,2 | 19,2  | 16  | DN 16 CF*     | EV-C10-201W | 14,00  |
| ESR-FORG                            | 1.4404       |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF*     | EV-C10-201  | 12,00  |
| 1.4429                              |              |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF*     | EV-C10-204  | 18,00  |
| Quotazione su RICHIESTA             | Su Richiesta |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C10-206  | 56,00  |
|                                     |              |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C10-210  | 86,00  |
|                                     |              |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C10-216  | 144,00 |
|                                     |              |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C10-220  | 240,00 |
|                                     |              |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C10-225  | 480,00 |
|                                     |              |  |       |      |       |     |               |             |        |
|                                     |              |  |       |      |       |     | * not forged  |             |        |
|                                     |              |  |       |      |       |     |               |             |        |
|                                     |              |  |       |      |       |     |               |             |        |
| Welding flange with<br>tapped holes | AISI 304 L   |  |       |      |       |     |               |             |        |
|                                     | 1.4306       |  |       |      |       |     |               |             |        |
|                                     |              |  | A     | B    | C     | D   |               |             |        |
|                                     |              |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF      | EV-C10-501  | 12,60  |
|                                     |              |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF      | EV-C10-504  | 16,80  |
|                                     |              |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C10-506  | 47,60  |
|                                     |              |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C10-510  | 78,40  |
|                                     |              |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C10-516  | 123,20 |
|                                     |              |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C10-520  | 190,40 |
|                                     |              |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C10-525  | 378,00 |
|                                     |              |  |       |      |       |     |               |             |        |
|                                     |              |  |       |      |       |     |               |             |        |
| AISI 316 LN                         | AISI 316 L   |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF*     | EV-C10-701  | 18,00  |
| ESR-FORG                            | 1.4404       |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF*     | EV-C10-704  | 24,00  |
| 1.4429                              |              |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C10-706  | 68,00  |
| Quotazione su RICHIESTA             | Su Richiesta |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C10-710  | 112,00 |
|                                     |              |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C10-716  | 176,00 |
|                                     |              |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C10-720  | 272,00 |
|                                     |              |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C10-725  | 540,00 |
|                                     |              |  |       |      |       |     |               |             |        |
|                                     |              |  |       |      |       |     | * not forged  |             |        |



| DESCRIZIONE                                                                                                                                                            | MAT.                 |  |       |      |       |     | DIAMETRO NOM. | CODICE      | €      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--|-------|------|-------|-----|---------------|-------------|--------|
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
| Welding flange<br>rotatable                                                                                                                                            | AISI 304 L<br>1.4306 |  |       |      |       |     |               |             |        |
|       |                      |  | A     | B    | C     | D   |               |             |        |
|                                                                                                                                                                        |                      |  | 34    | 14,2 | 19,2  | 16  | DN 16 CF      | EV-C11-001W | 14,00  |
|                                                                                                                                                                        |                      |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF      | EV-C11-001  | 11,20  |
|                                                                                                                                                                        |                      |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF      | EV-C11-004  | 16,80  |
|                                                                                                                                                                        |                      |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C11-006  | 54,60  |
|                                                                                                                                                                        |                      |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C11-010  | 95,20  |
|                                                                                                                                                                        |                      |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C11-016  | 162,40 |
|                                                                                                                                                                        |                      |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C11-020  | 254,80 |
|                                                                                                                                                                        |                      |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C11-025  | 470,40 |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
| AISI 316 LN                                                                                                                                                            | AISI 316 L           |  | 34    | 14,2 | 19,2  | 16  | DN 16 CF*     | EV-C11-201W | 20,00  |
| ESR-FORG                                                                                                                                                               | 1.4404               |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF*     | EV-C11-201  | 16,00  |
| 1.4429                                                                                                                                                                 |                      |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF*     | EV-C11-204  | 24,00  |
| Quotazione su RICHIESTA                                                                                                                                                | Su Richiesta         |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C11-206  | 78,00  |
|                                                                                                                                                                        |                      |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C11-210  | 136,00 |
|                                                                                                                                                                        |                      |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C11-216  | 232,00 |
|                                                                                                                                                                        |                      |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C11-220  | 364,00 |
|                                                                                                                                                                        |                      |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C11-225  | 672,00 |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
|                                                                                                                                                                        |                      |  |       |      |       |     | * not forged  |             |        |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
| Welding flange rotatable with tapped holes                                                                                                                             | AISI 304 L<br>1.4306 |  |       |      |       |     |               |             |        |
|   |                      |  | A     | B    | C     | D   |               |             |        |
|                                                                                                                                                                        |                      |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF      | EV-C11-501  | 14,00  |
|                                                                                                                                                                        |                      |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF      | EV-C11-504  | 18,20  |
|                                                                                                                                                                        |                      |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C11-506  | 57,40  |
|                                                                                                                                                                        |                      |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C11-510  | 112,00 |
|                                                                                                                                                                        |                      |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C11-516  | 182,00 |
|                                                                                                                                                                        |                      |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C11-520  | 280,00 |
|                                                                                                                                                                        |                      |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C11-525  | 509,60 |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
| AISI 316 LN                                                                                                                                                            | AISI 316 L           |  | 34    | 7,3  | 19,2  | 16  | DN 16 CF*     | EV-C11-701  | 20,00  |
| ESR-FORG                                                                                                                                                               | 1.4404               |  | 69,5  | 12,7 | 40,2  | 37  | DN 40 CF*     | EV-C11-704  | 26,00  |
| 1.4429                                                                                                                                                                 |                      |  | 113,5 | 17,5 | 70,2  | 64  | DN 63 CF      | EV-C11-706  | 82,00  |
| Quotazione su RICHIESTA                                                                                                                                                | Su Richiesta         |  | 152   | 20   | 108,5 | 102 | DN 100 CF     | EV-C11-710  | 160,00 |
|                                                                                                                                                                        |                      |  | 202,5 | 22   | 159,5 | 153 | DN 160 CF     | EV-C11-716  | 260,00 |
|                                                                                                                                                                        |                      |  | 253   | 24,5 | 206,5 | 200 | DN 200 CF     | EV-C11-720  | 400,00 |
|                                                                                                                                                                        |                      |  | 306   | 26   | 256,5 | 250 | DN 250 CF     | EV-C11-725  | 728,00 |
|                                                                                                                                                                        |                      |  |       |      |       |     |               |             |        |
|                                                                                                                                                                        |                      |  |       |      |       |     | * not forged  |             |        |




[illegible]




[illegible]






| DESCRIZIONE                                                                        | MAT.                                                                                |     |     |   |   | DIAMETRO NOM. | CODICE     | €       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|---|---|---------------|------------|---------|
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| Double cross-piece                                                                 | AISI 304 L<br>1.4306                                                                |     |     |   |   |               |            |         |
|    |    | A   | B   | C | D |               |            |         |
|                                                                                    |                                                                                     | 38  | 76  |   |   | DN 16 CF      | EV-C20-001 | 131,60  |
|                                                                                    |                                                                                     | 63  | 126 |   |   | DN 40 CF      | EV-C20-004 | 179,20  |
|                                                                                    |                                                                                     | 105 | 210 |   |   | DN 63 CF      | EV-C20-006 | 453,60  |
|                                                                                    |                                                                                     | 135 | 270 |   |   | DN 100 CF     | EV-C20-010 | 739,20  |
|                                                                                    |                                                                                     | 167 | 334 |   |   | DN 160 CF     | EV-C20-016 | 1120,00 |
|                                                                                    |                                                                                     | 203 | 406 |   |   | DN 200 CF     | EV-C20-020 | 1806,00 |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 38  | 76  |   |   | DN 16 CF*     | EV-C20-201 | 188,00  |
| ESR-FORG                                                                           | 1.4404                                                                              | 63  | 126 |   |   | DN 40 CF*     | EV-C20-204 | 256,00  |
| 1.4429                                                                             |                                                                                     | 105 | 210 |   |   | DN 63 CF      | EV-C20-206 | 648,00  |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 135 | 270 |   |   | DN 100 CF     | EV-C20-210 | 1056,00 |
|                                                                                    |                                                                                     | 167 | 334 |   |   | DN 160 CF     | EV-C20-216 | 1600,00 |
|                                                                                    |                                                                                     | 203 | 406 |   |   | DN 200 CF     | EV-C20-220 | 2580,00 |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   | * not forged  |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| Reducing T-piece                                                                   | AISI 304 L<br>1.4306                                                                |     |     |   |   |               |            |         |
|  |  | A   | B   | C | D |               |            |         |
|                                                                                    |                                                                                     | 126 | 50  |   |   | DN 40-16 CF   | EV-C21-004 | 81,20   |
|                                                                                    |                                                                                     | 210 | 75  |   |   | DN 63-40 CF   | EV-C21-006 | 175,00  |
|                                                                                    |                                                                                     | 270 | 100 |   |   | DN 100-63 CF  | EV-C21-010 | 327,60  |
|                                                                                    |                                                                                     | 334 | 250 |   |   | DN 160-100 CF | EV-C21-016 | 490,00  |
|                                                                                    |                                                                                     | 406 | 150 |   |   | DN 200-160 CF | EV-C21-020 | 789,60  |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 126 | 50  |   |   | DN 40-16 CF*  | EV-C21-504 | 116,00  |
| ESR-FORG                                                                           | 1.4404                                                                              | 210 | 75  |   |   | DN 63-40 CF*  | EV-C21-506 | 250,00  |
| 1.4429                                                                             |                                                                                     | 270 | 100 |   |   | DN 100-63 CF  | EV-C21-510 | 468,00  |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 334 | 250 |   |   | DN 160-100 CF | EV-C21-516 | 700,00  |
|                                                                                    |                                                                                     | 406 | 150 |   |   | DN 200-160 CF | EV-C21-520 | 1128,00 |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   | * not forged  |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |

| DESCRIZIONE                                                                        | MAT.                                                                                |     |     |   |   | DIAMETRO NOM. | CODICE     | €       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-----|---|---|---------------|------------|---------|
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| Reducing cross-piece                                                               | AISI 304 L<br>1.4306                                                                |     |     |   |   |               |            |         |
|    |    | A   | B   | C | D |               |            |         |
|                                                                                    |                                                                                     | 126 | 100 |   |   | DN 40-16 CF   | EV-C22-004 | 100,80  |
|                                                                                    |                                                                                     | 210 | 150 |   |   | DN 63-40 CF   | EV-C22-006 | 193,20  |
|                                                                                    |                                                                                     | 270 | 200 |   |   | DN 100-63 CF  | EV-C22-010 | 385,00  |
|                                                                                    |                                                                                     | 334 | 250 |   |   | DN 160-100 CF | EV-C22-016 | 588,00  |
|                                                                                    |                                                                                     | 406 | 300 |   |   | DN 200-160 CF | EV-C22-020 | 931,00  |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 126 | 100 |   |   | DN 40-16 CF*  | EV-C22-204 | 144,00  |
| ESR-FORG                                                                           | 1.4404                                                                              | 210 | 150 |   |   | DN 63-40 CF*  | EV-C22-206 | 276,00  |
| 1.4429                                                                             |                                                                                     | 270 | 200 |   |   | DN 100-63 CF  | EV-C22-210 | 550,00  |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 334 | 250 |   |   | DN 160-100 CF | EV-C22-216 | 840,00  |
|                                                                                    |                                                                                     | 406 | 300 |   |   | DN 200-160 CF | EV-C22-220 | 1330,00 |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   | * not forged  |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| Reducing piece                                                                     | AISI 304 L                                                                          |     |     |   |   |               |            |         |
| CF / CF                                                                            | 1.4306                                                                              |     |     |   |   |               |            |         |
|  |  | A   | B   | C | D |               |            |         |
|                                                                                    |                                                                                     | 45  |     |   |   | DN 40-16 CF   | EV-C23-004 | 47,60   |
|                                                                                    |                                                                                     | 75  |     |   |   | DN 63-40 CF   | EV-C23-006 | 89,60   |
|                                                                                    |                                                                                     | 95  |     |   |   | DN 100-63 CF  | EV-C23-010 | 156,80  |
|                                                                                    |                                                                                     | 105 |     |   |   | DN 160-100 CF | EV-C23-016 | 254,80  |
|                                                                                    |                                                                                     | 115 |     |   |   | DN 200-160 CF | EV-C23-020 | 397,60  |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 45  |     |   |   | DN 40-16 CF*  | EV-C23-204 | 68,00   |
| ESR-FORG                                                                           | 1.4404                                                                              | 75  |     |   |   | DN 63-40 CF*  | EV-C23-206 | 128,00  |
| 1.4429                                                                             |                                                                                     | 95  |     |   |   | DN 100-63 CF  | EV-C23-210 | 224,00  |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 105 |     |   |   | DN 160-100 CF | EV-C23-216 | 364,00  |
|                                                                                    |                                                                                     | 115 |     |   |   | DN 200-160 CF | EV-C23-220 | 568,00  |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |
|                                                                                    |                                                                                     |     |     |   |   | * not forged  |            |         |
|                                                                                    |                                                                                     |     |     |   |   |               |            |         |

| DESCRIZIONE                                                                        | MAT.                                                                                |       |      |     |   |                     | DIAMETRO NOM. | CODICE | € |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|------|-----|---|---------------------|---------------|--------|---|
| Adaptor piece                                                                      | AISI 304 L                                                                          |       |      |     |   |                     |               |        |   |
| CF / KF                                                                            | 1.4306                                                                              |       |      |     |   |                     |               |        |   |
|    |    | A     | B    | C   | D |                     |               |        |   |
|                                                                                    |                                                                                     | 36    |      |     |   | DN 16 CF-16 KF      | EV-C24-011    | 21,00  |   |
|                                                                                    |                                                                                     | 36    |      |     |   | DN 16 CF-25 KF      | EV-C24-012    | 22,40  |   |
|                                                                                    |                                                                                     | 36    |      |     |   | DN 40 CF-25 KF      | EV-C24-042    | 30,80  |   |
|                                                                                    |                                                                                     | 50    |      |     |   | DN 40 CF-40 KF      | EV-C24-044    | 35,00  |   |
|                                                                                    |                                                                                     | 50    |      |     |   | DN 63 CF-40 KF      | EV-C24-064    | 73,50  |   |
|                                                                                    |                                                                                     | 50    |      |     |   | DN 100 CF-40 KF     | EV-C24-104    | 102,20 |   |
| Adaptor piece                                                                      | AISI 304 L                                                                          |       |      |     |   |                     |               |        |   |
| CF / ISO-K                                                                         | 1.4306                                                                              |       |      |     |   |                     |               |        |   |
|   |   | A     | B    | C   | D |                     |               |        |   |
|                                                                                    |                                                                                     | 90    |      |     |   | DN 63 CF-63 ISO-K   | EV-C25-006    | 117,60 |   |
|                                                                                    |                                                                                     | 90    |      |     |   | DN 100 CF-100 ISO-K | EV-C25-010    | 169,40 |   |
|                                                                                    |                                                                                     | 90    |      |     |   | DN 160 CF-160 ISO-K | EV-C25-016    | 252,00 |   |
|                                                                                    |                                                                                     | 90    |      |     |   | DN 200 CF-200 ISO-K | EV-C25-020    | 364,00 |   |
| Reducing flange                                                                    | AISI 304 L                                                                          |       |      |     |   |                     |               |        |   |
| CF / CF                                                                            | 1.4306                                                                              |       |      |     |   |                     |               |        |   |
|  |  | A     | B    | C   | D |                     |               |        |   |
|                                                                                    |                                                                                     | 69,5  | 12,7 | 16  |   | DN 40-16 CF         | EV-C26-021    | 25,90  |   |
|                                                                                    |                                                                                     | 113,5 | 17,5 | 37  |   | DN 63-40 CF         | EV-C26-032    | 61,60  |   |
|                                                                                    |                                                                                     | 152   | 20   | 37  |   | DN 100-40 CF        | EV-C26-042    | 79,80  |   |
|                                                                                    |                                                                                     | 152   | 20   | 64  |   | DN 100-63 CF        | EV-C26-043    | 93,80  |   |
|                                                                                    |                                                                                     | 202,5 | 24   | 37  |   | DN 160-40 CF        | EV-C26-052    | 128,80 |   |
|                                                                                    |                                                                                     | 202,5 | 24   | 64  |   | DN 160-63 CF        | EV-C26-053    | 140,00 |   |
|                                                                                    |                                                                                     | 202,5 | 24   | 102 |   | DN 160-100 CF       | EV-C26-054    | 148,40 |   |
|                                                                                    |                                                                                     | 253   | 24   | 64  |   | DN 200-63 CF        | EV-C26-063    | 207,20 |   |
|                                                                                    |                                                                                     | 253   | 24   | 102 |   | DN 200-100 CF       | EV-C26-064    | 218,40 |   |
|                                                                                    |                                                                                     | 253   | 24   | 153 |   | DN 200-160 CF       | EV-C26-065    | 229,60 |   |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 69,5  | 12,7 | 16  |   | DN 40-16 CF*        | EV-C26-221    | 37,00  |   |
| ESR-FORG                                                                           | 1.4404                                                                              | 113,5 | 17,5 | 37  |   | DN 63-40 CF         | EV-C26-232    | 88,00  |   |
| 1.4429                                                                             |                                                                                     | 152   | 20   | 37  |   | DN 100-40 CF        | EV-C26-242    | 114,00 |   |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 152   | 20   | 64  |   | DN 100-63 CF        | EV-C26-243    | 134,00 |   |
|                                                                                    |                                                                                     | 202,5 | 24   | 37  |   | DN 160-40 CF        | EV-C26-252    | 184,00 |   |
|                                                                                    |                                                                                     | 202,5 | 24   | 64  |   | DN 160-63 CF        | EV-C26-253    | 200,00 |   |
|                                                                                    |                                                                                     | 202,5 | 24   | 102 |   | DN 160-100 CF       | EV-C26-254    | 212,00 |   |
|                                                                                    |                                                                                     | 253   | 24   | 64  |   | DN 200-63 CF        | EV-C26-263    | 296,00 |   |
|                                                                                    |                                                                                     | 253   | 24   | 102 |   | DN 200-100 CF       | EV-C26-264    | 312,00 |   |
|                                                                                    |                                                                                     | 253   | 24   | 153 |   | DN 200-160 CF       | EV-C26-265    | 328,00 |   |

| DESCRIZIONE                                                                        | MAT.                                                                                |       |      |      |      |           | DIAMETRO NOM. | CODICE  | € |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|------|------|------|-----------|---------------|---------|---|
|                                                                                    |                                                                                     |       |      |      |      |           | * not forged  |         |   |
| Double-sided flange                                                                | AISI 304 L                                                                          |       |      |      |      |           |               |         |   |
|                                                                                    | 1.4306                                                                              |       |      |      |      |           |               |         |   |
|    |    | A     | B    | C    | D    |           |               |         |   |
|                                                                                    |                                                                                     | 34    | 7,3  | 19,4 | 5,8  | DN 16 CF  | EV-C27-001    | 19,60   |   |
|                                                                                    |                                                                                     | 69,5  | 12,7 | 40,5 | 7,6  | DN 40 CF  | EV-C27-004    | 26,60   |   |
|                                                                                    |                                                                                     | 113,5 | 17,5 | 70,5 | 12,6 | DN 63 CF  | EV-C27-006    | 64,40   |   |
|                                                                                    |                                                                                     | 152   | 20   | 109  | 14,3 | DN 100 CF | EV-C27-010    | 98,00   |   |
|                                                                                    |                                                                                     | 202,5 | 22   | 160  | 15,8 | DN 160 CF | EV-C27-016    | 138,60  |   |
|                                                                                    |                                                                                     | 253   | 24,5 | 207  | 17,1 | DN 200 CF | EV-C27-020    | 210,00  |   |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 34    | 7,3  | 19,4 | 5,8  | DN 16 CF* | EV-C27-201    | 28,00   |   |
| ESR-FORG                                                                           | 1.4404                                                                              | 69,5  | 12,7 | 40,5 | 7,6  | DN 40 CF* | EV-C27-204    | 38,00   |   |
| 1.4429                                                                             |                                                                                     | 113,5 | 17,5 | 70,5 | 12,6 | DN 63 CF  | EV-C27-206    | 92,00   |   |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 152   | 20   | 109  | 14,3 | DN 100 CF | EV-C27-210    | 140,00  |   |
|                                                                                    |                                                                                     | 202,5 | 22   | 160  | 15,8 | DN 160 CF | EV-C27-216    | 198,00  |   |
|                                                                                    |                                                                                     | 253   | 24,5 | 207  | 17,1 | DN 200 CF | EV-C27-220    | 300,00  |   |
| Spherical cross-piece                                                              | AISI 304 L                                                                          |       |      |      |      |           |               |         |   |
|                                                                                    | 1.4306                                                                              |       |      |      |      |           |               |         |   |
|  |  | A     | B    | C    | D    |           |               |         |   |
|                                                                                    |                                                                                     | 63    | 126  |      |      | DN 40 CF  | EV-C30-004    | 147,00  |   |
|                                                                                    |                                                                                     | 105   | 210  |      |      | DN 63 CF  | EV-C30-006    | 336,00  |   |
|                                                                                    |                                                                                     | 135   | 270  |      |      | DN 100 CF | EV-C30-010    | 560,00  |   |
|                                                                                    |                                                                                     | 167   | 334  |      |      | DN 160 CF | EV-C30-016    | 882,00  |   |
|                                                                                    |                                                                                     | 203   | 406  |      |      | DN 200 CF | EV-C30-020    | 1400,00 |   |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 63    | 126  |      |      | DN 40 CF* | EV-C30-204    | 210,00  |   |
| ESR-FORG                                                                           | 1.4404                                                                              | 105   | 210  |      |      | DN 63 CF  | EV-C30-206    | 480,00  |   |
| 1.4429                                                                             |                                                                                     | 135   | 270  |      |      | DN 100 CF | EV-C30-210    | 800,00  |   |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 167   | 334  |      |      | DN 160 CF | EV-C30-216    | 1260,00 |   |
|                                                                                    |                                                                                     | 203   | 406  |      |      | DN 200 CF | EV-C30-220    | 2000,00 |   |
| Spherical double cross-piece                                                       | AISI 304 L                                                                          |       |      |      |      |           |               |         |   |
|                                                                                    | 1.4306                                                                              |       |      |      |      |           |               |         |   |
|  |  | A     | B    | C    | D    |           |               |         |   |
|                                                                                    |                                                                                     | 63    | 126  |      |      | DN 40 CF  | EV-C31-004    | 218,40  |   |
|                                                                                    |                                                                                     | 105   | 210  |      |      | DN 63 CF  | EV-C31-006    | 518,00  |   |
|                                                                                    |                                                                                     | 135   | 270  |      |      | DN 100 CF | EV-C31-010    | 840,00  |   |
|                                                                                    |                                                                                     | 167   | 334  |      |      | DN 160 CF | EV-C31-016    | 1372,00 |   |
|                                                                                    |                                                                                     | 203   | 406  |      |      | DN 200 CF | EV-C31-020    | 2184,00 |   |
|                                                                                    |                                                                                     | 63    | 126  |      |      | DN 40 CF* | EV-C31-204    | 312,00  |   |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 105   | 210  |      |      | DN 63 CF  | EV-C31-206    | 740,00  |   |
| ESR-FORG                                                                           | 1.4404                                                                              | 135   | 270  |      |      | DN 100 CF | EV-C31-210    | 1200,00 |   |
| 1.4429                                                                             |                                                                                     | 167   | 334  |      |      | DN 160 CF | EV-C31-216    | 1960,00 |   |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 203   | 406  |      |      | DN 200 CF | EV-C31-220    | 3120,00 |   |

| DESCRIZIONE                                                                        | MAT.                                                                                |      |    |    |    |  | DIAMETRO NOM.         | CODICE     | €       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|----|----|----|--|-----------------------|------------|---------|
| Flexible metal hose                                                                | AISI 304 L                                                                          |      |    |    |    |  |                       |            |         |
| EXTRA FLEX                                                                         | 1.4306                                                                              |      |    |    |    |  |                       |            |         |
|    |    | A    | B  | C  | D  |  |                       |            |         |
|                                                                                    |                                                                                     | 250  |    |    |    |  | DN 16 CF              | EV-C38-001 | 58,80   |
|                                                                                    |                                                                                     | 250  |    |    |    |  | DN 40 CF              | EV-C38-004 | 81,20   |
|                                                                                    |                                                                                     | 250  |    |    |    |  | DN 63 CF              | EV-C38-006 | 173,60  |
|                                                                                    |                                                                                     | 500  |    |    |    |  | DN 16 CF              | EV-C38-101 | 65,80   |
|                                                                                    |                                                                                     | 500  |    |    |    |  | DN 40 CF              | EV-C38-104 | 92,40   |
|                                                                                    |                                                                                     | 500  |    |    |    |  | DN 63 CF              | EV-C38-106 | 193,20  |
|                                                                                    |                                                                                     | 750  |    |    |    |  | DN 16 CF              | EV-C38-201 | 72,80   |
|                                                                                    |                                                                                     | 750  |    |    |    |  | DN 40 CF              | EV-C38-204 | 105,00  |
|                                                                                    |                                                                                     | 750  |    |    |    |  | DN 63 CF              | EV-C38-206 | 207,20  |
|                                                                                    |                                                                                     | 1000 |    |    |    |  | DN 16 CF              | EV-C38-301 | 86,80   |
|                                                                                    |                                                                                     | 1000 |    |    |    |  | DN 40 CF              | EV-C38-304 | 121,80  |
|                                                                                    |                                                                                     | 1000 |    |    |    |  | DN 63 CF              | EV-C38-306 | 232,40  |
| Bellow                                                                             | AISI 304 L                                                                          |      |    |    |    |  |                       |            |         |
| EXTRA FLEX                                                                         | 1.4306                                                                              |      |    |    |    |  |                       |            |         |
|  |  | A    | B  | C  | D  |  |                       |            |         |
|                                                                                    |                                                                                     | 110  | 14 | 7  |    |  | DN 16 CF              | EV-C39-001 | 65,80   |
|                                                                                    |                                                                                     | 160  | 16 | 8  |    |  | DN 40 CF              | EV-C39-004 | 91,00   |
|                                                                                    |                                                                                     | 250  | 20 | 10 |    |  | DN 63 CF              | EV-C39-006 | 196,00  |
|                                                                                    |                                                                                     | 250  | 20 | 10 |    |  | DN 100 CF             | EV-C39-010 | 315,00  |
|                                                                                    |                                                                                     | 270  | 20 | 10 |    |  | DN 160 CF             | EV-C39-016 | 476,00  |
|                                                                                    |                                                                                     | 300  | 24 | 12 |    |  | DN 200 CF             | EV-C39-020 | 784,00  |
| AISI 316 LN                                                                        | AISI 316 L                                                                          | 110  | 14 | 7  |    |  | DN 16 CF*             | EV-C39-201 | 94,00   |
| ESR-FORG                                                                           | 1.4404                                                                              | 160  | 16 | 8  |    |  | DN 40 CF*             | EV-C39-204 | 130,00  |
| 1.4429                                                                             |                                                                                     | 250  | 20 | 10 |    |  | DN 63 CF              | EV-C39-206 | 280,00  |
| Quotazione su RICHIESTA                                                            | Su Richiesta                                                                        | 250  | 20 | 10 |    |  | DN 100 CF             | EV-C39-210 | 450,00  |
|                                                                                    |                                                                                     | 270  | 20 | 10 |    |  | DN 160 CF             | EV-C39-216 | 680,00  |
|                                                                                    |                                                                                     | 300  | 24 | 12 |    |  | DN 200 CF             | EV-C39-220 | 1120,00 |
|                                                                                    |                                                                                     |      |    |    |    |  | * not forged          |            |         |
| Protective cover                                                                   | Plastic                                                                             |      |    |    |    |  |                       |            |         |
|  |  | A    | B  | C  | D  |  |                       |            |         |
|                                                                                    |                                                                                     |      |    |    | 10 |  | DN 16 CF              | EV-C45-001 | 1,60    |
|                                                                                    |                                                                                     |      |    |    | 10 |  | DN 40 CF              | EV-C45-004 | 5,00    |
|                                                                                    |                                                                                     |      |    |    | 10 |  | DN 63 CF              | EV-C45-006 | 10,00   |
|                                                                                    |                                                                                     |      |    |    | 10 |  | DN 100 CF             | EV-C45-010 | 16,00   |
|                                                                                    |                                                                                     |      |    |    | 1  |  | DN 160 CF             | EV-C45-016 | q.a.r.  |
|                                                                                    |                                                                                     |      |    |    | 1  |  | DN 200 CF             | EV-C45-020 | q.a.r.  |
|                                                                                    |                                                                                     |      |    |    |    |  | D= quantity delivered |            |         |