

NAG Library Routine Document

E01AAF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

E01AAF interpolates at a given point x from a table of function values y_i evaluated at equidistant or non-equidistant points x_i , for $i = 1, 2, \dots, n + 1$, using Aitken's technique of successive linear interpolations.

2 Specification

```
SUBROUTINE E01AAF(A, B, C, N1, N2, N, X)
INTEGER          N1, N2, N
double precision A(N1), B(N1), C(N2), X
```

3 Description

E01AAF interpolates at a given point x from a table of values x_i and y_i , for $i = 1, 2, \dots, n + 1$ using Aitken's method. The intermediate values of linear interpolations are stored to enable an estimate of the accuracy of the results to be made.

4 References

Fröberg C E (1970) *Introduction to Numerical Analysis* Addison–Wesley

5 Parameters

- 1: $A(N1)$ – ***double precision*** array *Input/Output*
On entry: $A(i)$ must contain the x -component of the i th data point, x_i , for $i = 1, 2, \dots, n + 1$.
On exit: $A(i)$ contains the value $x_i - x$, for $i = 1, 2, \dots, n + 1$.
- 2: $B(N1)$ – ***double precision*** array *Input/Output*
On entry: $B(i)$ must contain the y -component (function value) of the i th data point, y_i , for $i = 1, 2, \dots, n + 1$.
On exit: the contents of B are unspecified.
- 3: $C(N2)$ – ***double precision*** array *Output*
On exit:
 $C(1), \dots, C(n)$ contain the first set of linear interpolations,
 $C(n + 1), \dots, C(2 \times n - 1)$ contain the second set of linear interpolations
 $\vdots$
 $C(n \times (n + 1)/2)$ contains the interpolated function value at the point x .
- 4: $N1$ – INTEGER *Input*
On entry: the value $n + 1$ where n is the number of intervals; that is, $N1$ is the number of data points.

- 5: N2 – INTEGER *Input*
On entry: the value $n \times (n + 1)/2$ where n is the number of intervals.
- 6: N – INTEGER *Input*
On entry: the number of intervals which are to be used in interpolating the value at x ; that is, there are $n + 1$ data points (x_i, y_i) .
- 7: X – *double precision* *Input*
On entry: the point x at which the interpolation is required.

6 Error Indicators and Warnings

None.

7 Accuracy

An estimate of the accuracy of the result can be made from a comparison of the final result and the previous interpolates, given in the array C. In particular, the first interpolate in the i th set, for $i = 1, 2, \dots, n$, is the value at x of the polynomial interpolating the first $(i + 1)$ data points. It is given in position $1 + \frac{1}{2}(i - 1)(2n - i + 2)$ of the array C. Ideally, providing n is large enough, this set of n interpolates should exhibit convergence to the final value, the difference between one interpolate and the next settling down to a roughly constant magnitude (but with varying sign). This magnitude indicates the size of the error (any subsequent increase meaning that the value of n is too high). Better convergence will be obtained if the data points are supplied, not in their natural order, but ordered so that the first i data points give good coverage of the neighbourhood of x , for all i . To this end, the following ordering is recommended as widely suitable: first the point nearest to x , then the nearest point on the opposite side of x , followed by the remaining points in increasing order of their distance from x , that is of $|x_r - x|$. With this modification the Aitken method will generally perform better than the related method of Neville, which is often given in the literature as superior to that of Aitken.

8 Further Comments

The computation time for interpolation at any point x is proportional to $n \times (n + 1)/2$.

9 Example

This example interpolates at $x = 0.28$ the function value of a curve defined by the points

$$\begin{pmatrix} x_i & -1.00 & -0.50 & 0.00 & 0.50 & 1.00 & 1.50 \\ y_i & 0.00 & -0.53 & -1.00 & -0.46 & 2.00 & 11.09 \end{pmatrix}.$$

9.1 Program Text

```
*      E01AAF Example Program Text
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NMAX, N1MAX, N2MAX
      PARAMETER        (NMAX=9, N1MAX=NMAX+1, N2MAX=NMAX*N1MAX/2)
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5, NOUT=6)
*      .. Local Scalars ..
      DOUBLE PRECISION X
      INTEGER          I, J, K, N
*      .. Local Arrays ..
      DOUBLE PRECISION A(N1MAX), B(N1MAX), C(N2MAX)
*      .. External Subroutines ..
      EXTERNAL         E01AAF
*      .. External Functions ..
      LOGICAL          A00ACF
      EXTERNAL         A00ACF
```

```

*      .. Executable Statements ..
      WRITE (NOUT,*) 'E01AAF Example Program Results'
      WRITE (NOUT,*)
*      Skip heading in data file
      IF (A00ACF()) THEN
        READ (NIN,*)
        READ (NIN,*) N, X
        IF (N.GT.0 .AND. N.LE.NMAX) THEN
          READ (NIN,*) (A(I),I=1,N+1)
          READ (NIN,*) (B(I),I=1,N+1)
*
          CALL E01AAF(A,B,C,N+1,N*(N+1)/2,N,X)
*
          K = 1
          WRITE (NOUT,*) 'Interpolated values'
          DO 20 I = 1, N - 1
            WRITE (NOUT,99999) (C(J),J=K,K+N-I)
            K = K + N - I + 1
20        CONTINUE
          WRITE (NOUT,*)
          WRITE (NOUT,99998) 'Interpolation point = ', X
          WRITE (NOUT,*)
          WRITE (NOUT,99998)
          +      'Function value at interpolation point = ', C(N*(N+1)/2)
          ELSE
            WRITE (NOUT,*) ' The value of N is out of range'
          END IF
        ELSE
          WRITE (NOUT,*) ' ** A valid licence key was not found'
        END IF
*
99999 FORMAT (1X,6F12.5)
99998 FORMAT (1X,A,F12.5)
      END

```

9.2 Program Data

E01AAF Example Program Data

5	0.28				
-1.00	-0.50	0.00	0.50	1.00	1.50
0.00	-0.53	-1.00	-0.46	2.00	11.09

9.3 Program Results

E01AAF Example Program Results

Interpolated values

-1.35680	-1.28000	-0.39253	1.28000	5.67808
-1.23699	-0.60467	0.01434	1.38680	
-0.88289	-0.88662	-0.74722		
-0.88125	-0.91274			

Interpolation point = 0.28000

Function value at interpolation point = -0.83591
