

NAG Library Routine Document

E01ABF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

E01ABF interpolates at a given point x from a table of function values evaluated at equidistant points, by Everett's formula.

2 Specification

SUBROUTINE E01ABF(N, P, A, G, N1, N2, IFAIL)

INTEGER N, N1, N2, IFAIL

double precision P, A(N1), G(N2)

3 Description

E01ABF interpolates at a given point

$$x = x_0 + ph, \quad \text{where} \quad -1 < p < 1$$

from a table of values $(x_0 + mh)$ and y_m where $m = -(n-1), -(n-2), \dots, -1, 0, 1, \dots, n$. The formula used is that of Fröberg (1970), neglecting the remainder term:

$$y_p = \sum_{r=0}^{n-1} \left(\frac{1-p+r}{2r+1} \right) \delta^{2r} y_0 + \sum_{r=0}^{n-1} \left(\frac{p+r}{2r+1} \right) \delta^{2r} y_1.$$

The values of $\delta^{2r} y_0$ and $\delta^{2r} y_1$ are stored on exit from the routine in addition to the interpolated function value y_p .

4 References

Fröberg C E (1970) *Introduction to Numerical Analysis* Addison–Wesley

5 Parameters

- | | | |
|----|--|---------------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , half the number of points to be used in the interpolation. | |
| 2: | P – <i>double precision</i> | <i>Input</i> |
| | <i>On entry:</i> the point p at which the interpolated function value is required, i.e., $p = (x - x_0)/h$ with $-1.0 < p < 1.0$. | |
| | <i>Constraint:</i> $-1.0 < P < 1.0$. | |
| 3: | A(N1) – <i>double precision</i> array | <i>Input/Output</i> |
| | <i>On entry:</i> A(i) must be set to the function value y_{i-n} for $i = 1, 2, \dots, 2n$. | |
| | <i>On exit:</i> the contents of A are unspecified. | |
| 4: | G(N2) – <i>double precision</i> array | <i>Output</i> |
| | <i>On exit:</i> the array contains | |

y_0 in $G(1)$

y_1 in $G(2)$

$\delta^{2r}y_0$ in $G(2r+1)$

$\delta^{2r}y_1$ in $G(2r+2)$ for $r = 1, 2, \dots, n-1$.

The interpolated function value y_p is stored in $G(2n+1)$.

5: N1 – INTEGER *Input*

On entry: the value $2n$, that is, N1 is equal to the number of data points.

6: N2 – INTEGER *Input*

On entry: the value $2n+1$, that is, N2 is one more than the number of data points.

7: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $P \leq -1.0$,
or $P \geq 1.0$.

7 Accuracy

In general, increasing n improves the accuracy of the result until full attainable accuracy is reached, after which it might deteriorate. If x lies in the central interval of the data (i.e., $0.0 \leq p \leq 1.0$), as is desirable, an upper bound on the contribution of the highest order differences (which is usually an upper bound on the error of the result) is given approximately in terms of the elements of the array G by $a \times (|G(2n-1)| + |G(2n)|)$, where $a = 0.1, 0.02, 0.005, 0.001, 0.0002$ for $n = 1, 2, 3, 4, 5$ respectively, thereafter decreasing roughly by a factor of 4 each time.

8 Further Comments

The computation time increases as the order of n increases.

9 Example

This example interpolates at the point $x = 0.28$ from the function values

$$\begin{pmatrix} x_i & -1.00 & -0.50 & 0.00 & 0.50 & 1.00 & 1.50 \\ y_i & 0.00 & -0.53 & -1.00 & -0.46 & 2.00 & 11.09 \end{pmatrix}.$$

We take $n = 3$ and $p = 0.56$.

9.1 Program Text

```
*      E01ABF Example Program Text
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NMAX, N1MAX, N2MAX
      PARAMETER        (NMAX=10,N1MAX=2*NMAX,N2MAX=2*NMAX+1)
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
*      .. Local Scalars ..
      DOUBLE PRECISION P
      INTEGER          I, IFAIL, N, R
*      .. Local Arrays ..
      DOUBLE PRECISION A(N1MAX), G(N2MAX)
*      .. External Subroutines ..
      EXTERNAL         E01ABF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'E01ABF Example Program Results'
      WRITE (NOUT,*)
      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N, P
      IF (N.GT.0 .AND. N.LE.NMAX) THEN
        READ (NIN,*) (A(I),I=1,2*N)
        IFAIL = 1
*
        CALL E01ABF(N,P,A,G,2*N,2*N+1,IFAIL)
*
        IF (IFAIL.EQ.0) THEN
          DO 20 R = 0, N - 1
            WRITE (NOUT,99999) 'Central differences order ', R,
+              ' of Y0 =', G(2*R+1)
            WRITE (NOUT,99998) '                                Y1 =',
+              G(2*R+2)
20          CONTINUE
            WRITE (NOUT,*)
            WRITE (NOUT,99998) 'Function value at interpolation point ='
+              , G(2*N+1)
          ELSE
            WRITE (NOUT,99997) IFAIL
          END IF
        END IF
*
99999 FORMAT (1X,A,I1,A,F12.5)
99998 FORMAT (1X,A,F12.5)
99997 FORMAT (1X,' ** E01ABF returned with IFAIL = ',I5)
      END
```

9.2 Program Data

```
E01ABF Example Program Data
3      0.56
      0.00   -0.53   -1.00   -0.46      2.00   11.09
```

9.3 Program Results

E01ABF Example Program Results

Central differences order 0 of Y0 =	-1.00000
Y1 =	-0.46000
Central differences order 1 of Y0 =	1.01000
Y1 =	1.92000
Central differences order 2 of Y0 =	-0.04000
Y1 =	3.80000
Function value at interpolation point =	-0.83591
