

NAG Library Routine Document

F02XUF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F02XUF returns all, or part, of the singular value decomposition of a complex upper triangular matrix.

2 Specification

```

SUBROUTINE F02XUF(N, A, LDA, NCOLB, B, LDB, WANTQ, Q, LDQ, SV, WANTP,
1                RWORK, CWORK, IFAIL)
INTEGER          N, LDA, NCOLB, LDB, LDQ, IFAIL
double precision SV(N), RWORK(*)
complex*16       A(LDA,*), B(LDB,*), Q(LDQ,*), CWORK(max(1,N-1))
LOGICAL          WANTQ, WANTP

```

3 Description

The n by n upper triangular matrix R is factorized as

$$R = QSP^H,$$

where Q and P are n by n unitary matrices and S is an n by n diagonal matrix with real non-negative diagonal elements, $sv_1, sv_2, \dots, sv_n$, ordered such that

$$sv_1 \geq sv_2 \geq \dots \geq sv_n \geq 0.$$

The columns of Q are the left-hand singular vectors of R , the diagonal elements of S are the singular values of R and the columns of P are the right-hand singular vectors of R .

Either or both of Q and P^H may be requested and the matrix C given by

$$C = Q^H B,$$

where B is an n by $ncolb$ given matrix, may also be requested.

F02XUF obtains the singular value decomposition by first reducing R to bidiagonal form by means of Givens plane rotations and then using the QR algorithm to obtain the singular value decomposition of the bidiagonal form.

Good background descriptions to the singular value decomposition are given in Dongarra *et al.* (1979), Hammarling (1985) and Wilkinson (1978).

Note that if K is any unitary diagonal matrix so that

$$KK^H = I,$$

then

$$A = (QK)S(PK)^H$$

is also a singular value decomposition of A .

4 References

Dongarra J J, Moler C B, Bunch J R and Stewart G W (1979) *LINPACK Users' Guide* SIAM, Philadelphia

Hammarling S (1985) The singular value decomposition in multivariate statistics *SIGNUM Newsl.* **20** (3) 2–25

Wilkinson J H (1978) Singular Value Decomposition – Basic Aspects *Numerical Software – Needs and Availability* (ed D A H Jacobs) Academic Press

5 Parameters

- 1: N – INTEGER *Input*
On entry: the dimension of the array SV as declared in the (sub)program from which F02XUF is called. n , the order of the matrix R .
 If $N = 0$, an immediate return is effected.
Constraint: $N \geq 0$.
- 2: A(LDA,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the leading n by n upper triangular part of the array A must contain the upper triangular matrix R .
On exit: if $WANTP = .TRUE.$, the n by n part of A will contain the n by n unitary matrix P^H , otherwise the n by n upper triangular part of A is used as internal workspace, but the strictly lower triangular part of A is not referenced.
- 3: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F02XUF is called.
Constraint: $LDA \geq \max(1, N)$.
- 4: NCOLB – INTEGER *Input*
On entry: $ncolb$, the number of columns of the matrix B .
 If $NCOLB = 0$, the array B is not referenced.
Constraint: $NCOLB \geq 0$.
- 5: B(LDB,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, NCOLB)$.
On entry: if $NCOLB > 0$, the leading n by $ncolb$ part of the array B must contain the matrix to be transformed.
On exit: is overwritten by the n by $ncolb$ matrix $Q^H B$.
- 6: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F02XUF is called.
Constraints:
 if $NCOLB > 0$, $LDB \geq \max(1, N)$;
 otherwise $LDB \geq 1$.

- 7: WANTQ – LOGICAL Input
On entry: must be .TRUE. if the matrix Q is required.
 If WANTQ = .FALSE. then the array Q is not referenced.
- 8: Q(LDQ,*) – **complex*16** array Output
Note: the second dimension of the array Q must be at least $\max(1, N)$ if WANTQ = .TRUE., and at least 1 otherwise.
On exit: if WANTQ = .TRUE., the leading n by n part of the array Q will contain the unitary matrix Q . Otherwise the array Q is not referenced.
- 9: LDQ – INTEGER Input
On entry: the first dimension of the array Q as declared in the (sub)program from which F02XUF is called.
Constraints:
 if WANTQ = .TRUE., $LDQ \geq \max(1, N)$;
 otherwise $LDQ \geq 1$.
- 10: SV(N) – **double precision** array Output
On exit: the n diagonal elements of the matrix S .
- 11: WANTP – LOGICAL Input
On entry: must be .TRUE. if the matrix P^H is required, in which case P^H is returned in the array A , otherwise WANTP must be .FALSE..
- 12: RWORK(*) – **double precision** array Output
Note: the dimension of the array RWORK must be at least $\max(1, lrwork)$, where $lrwork$ must satisfy:
 $lrwork = 2 \times (N - 1)$, when NCOLB = 0, WANTQ and WANTP are .FALSE.,
 $lrwork = 3 \times (N - 1)$, when NCOLB = 0, WANTQ = .FALSE. and WANTP = .TRUE., or
 NCOLB > 0 and WANTP = .FALSE., or WANTQ = .TRUE. and WANTP = .FALSE.,
 $lrwork = 5 \times (N - 1)$, otherwise.
On exit: RWORK(N) contains the total number of iterations taken by the QR algorithm.
 The rest of the array is used as workspace.
- 13: CWORK(max(1, N - 1)) – **complex*16** array Workspace
- 14: IFAIL – INTEGER Input/Output
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

$IFAIL = -1$

On entry, $N < 0$,
 or $LDA < N$,
 or $NCOLB < 0$,
 or $LDB < N$ and $NCOLB > 0$,
 or $LDQ < N$ and $WANTQ = .TRUE.$

$IFAIL > 0$

The QR algorithm has failed to converge in $50 \times N$ iterations. In this case $SV(1), SV(2), \dots, SV(IFAIL)$ may not have been found correctly and the remaining singular values may not be the smallest. The matrix R will nevertheless have been factorized as $R = QEP^H$, where E is a bidiagonal matrix with $SV(1), SV(2), \dots, SV(n)$ as the diagonal elements and $RWORK(1), RWORK(2), \dots, RWORK(n-1)$ as the superdiagonal elements.

This failure is not likely to occur.

7 Accuracy

The computed factors Q , S and P satisfy the relation

$$QSP^H = A + E,$$

where

$$\|E\| \leq c\epsilon\|A\|,$$

ϵ is the *machine precision*, c is a modest function of n and $\|\cdot\|$ denotes the spectral (two) norm. Note that $\|A\| = sv_1$.

8 Further Comments

For given values of $NCOLB$, $WANTQ$ and $WANTP$, the number of floating-point operations required is approximately proportional to n^3 .

Following the use of this routine the rank of R may be estimated by a call to the INTEGER FUNCTION F06KLF. The statement

```
IRANK = F06KLF(N,SV,1,TOL)
```

returns the value $(k-1)$ in $IRANK$, where k is the smallest integer for which $sv(k) < tol \times sv(1)$, where tol is the tolerance supplied in TOL , so that $IRANK$ is an estimate of the rank of S and thus also of R . If TOL is supplied as negative then the *machine precision* is used in place of TOL .

9 Example

This example finds the singular value decomposition of the 3 by 3 upper triangular matrix

$$A = \begin{pmatrix} 1 & 1+i & 1+i \\ 0 & -2 & -1-i \\ 0 & 0 & -3 \end{pmatrix}$$

together with the vector $Q^H b$ for the vector

$$b = \begin{pmatrix} 1 + 1i \\ -1 \\ -1 + 1i \end{pmatrix}.$$

9.1 Program Text

```

*      F02XUF Example Program Text
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX, NCOLB
      PARAMETER        (NMAX=10,NCOLB=1)
      INTEGER          LDA, LDB, LDQ
      PARAMETER        (LDA=NMAX,LDB=NMAX,LDQ=NMAX)
      INTEGER          LRWORK
      PARAMETER        (LRWORK=5*(NMAX-1))
      INTEGER          LCWORK
      PARAMETER        (LCWORK=NMAX-1)
*      .. Local Scalars ..
      INTEGER          I, IFAIL, J, N
      LOGICAL          WANTP, WANTQ
*      .. Local Arrays ..
      COMPLEX *16      A(LDA,NMAX), B(LDB), CWORK(LCWORK), Q(LDQ,NMAX)
      DOUBLE PRECISION RWORK(LRWORK), SV(NMAX)
*      .. External Subroutines ..
      EXTERNAL         F02XUF
*      .. Intrinsic Functions ..
      INTRINSIC        CONJG
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F02XUF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      WRITE (NOUT,*)
      IF (N.GT.NMAX) THEN
         WRITE (NOUT,*) 'N is out of range.'
         WRITE (NOUT,99999) 'N = ', N
      ELSE
         READ (NIN,*) ((A(I,J),J=1,N),I=1,N)
         READ (NIN,*) (B(I),I=1,N)
         Find the SVD of A.
         WANTQ = .TRUE.
         WANTP = .TRUE.
         IFAIL = 1
*
         CALL F02XUF(N,A,LDA,NCOLB,B,LDB,WANTQ,Q,LDQ,SV,WANTP,RWORK,
+              CWORK,IFAIL)
*
         IF (IFAIL.EQ.0) THEN
            WRITE (NOUT,*) 'Singular value decomposition of A'
            WRITE (NOUT,*)
            WRITE (NOUT,*) 'Singular values'
            WRITE (NOUT,99998) (SV(I),I=1,N)
            WRITE (NOUT,*)
            WRITE (NOUT,*) 'Left-hand singular vectors, by column'
            DO 20 I = 1, N
               WRITE (NOUT,99997) (Q(I,J),J=1,N)
            CONTINUE
            WRITE (NOUT,*)
            WRITE (NOUT,*) 'Right-hand singular vectors, by column'
            DO 40 I = 1, N
               WRITE (NOUT,99997) (CONJG(A(J,I)),J=1,N)
            CONTINUE
            WRITE (NOUT,*)
            WRITE (NOUT,*) 'Vector conjg( Q' ) * B'
            WRITE (NOUT,99997) (B(I),I=1,N)
         ELSE

```

```

        WRITE (NOUT,99996) IFAIL
      END IF
    END IF
  *
99999 FORMAT (1X,A,I5)
99998 FORMAT (1X,3F9.4)
99997 FORMAT (1X,3('(',F7.4,',',F8.4,') ',:))
99996 FORMAT (1X,' ** F02XUF returned with IFAIL = ',I5)
    END

```

9.2 Program Data

F02XUF Example Program Data

```

      3                               :Value of N

      (1.0,  0.0)   ( 1.0,  1.0)   ( 1.0,  1.0)
                  (-2.0,  0.0)   (-1.0, -1.0)
                              (-3.0,  0.0)   :End of matrix A

      (1.0,  1.0)   (-1.0,  0.0)   (-1.0,  1.0)   :End of vector B

```

9.3 Program Results

F02XUF Example Program Results

Singular value decomposition of A

Singular values

```
3.9263  2.0000  0.7641
```

Left-hand singular vectors, by column

```
(-0.5005,  0.0000) (-0.4529,  0.0000) ( 0.7378,  0.0000)
( 0.5152, -0.1514) ( 0.1132, -0.5661) ( 0.4190, -0.4502)
( 0.4041, -0.5457) ( 0.0000,  0.6794) ( 0.2741,  0.0468)

```

Right-hand singular vectors, by column

```
(-0.1275,  0.0000) (-0.2265,  0.0000) ( 0.9656,  0.0000)
(-0.3899,  0.2046) (-0.3397,  0.7926) (-0.1311,  0.2129)
(-0.5289,  0.7142) ( 0.0000, -0.4529) (-0.0698, -0.0119)

```

Vector conjg(Q')*B

```
(-1.9656, -0.7935) ( 0.1132, -0.3397) ( 0.0915,  0.6086)

```
