

NAG Library Routine Document

F04AGF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F04AGF calculates the approximate solution of a set of real symmetric positive-definite linear equations with multiple right-hand sides, $AX = B$, where A has been factorized by F03AEF.

2 Specification

```
SUBROUTINE F04AGF(N, IR, A, LDA, P, B, LDB, X, LDX)
INTEGER          N, IR, LDA, LDB, LDX
double precision A(LDA,N), P(N), B(LDB,IR), X(LDX,IR)
```

3 Description

To solve a set of real linear equations $AX = B$ where A is symmetric positive-definite, F04AGF must be preceded by a call to F03AEF which computes a Cholesky factorization of A as $A = LL^T$, where L is lower triangular. The columns x of the solution X are found by forward and backward substitution in $Ly = b$ and $L^T x = y$, where b is a column of the right-hand sides.

4 References

Wilkinson J H and Reinsch C (1971) *Handbook for Automatic Computation II, Linear Algebra* Springer-Verlag

5 Parameters

- 1: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 1$.
- 2: IR – INTEGER *Input*
On entry: r , the number of right-hand sides.
- 3: A(LDA,N) – **double precision** array *Input*
On entry: the upper triangle of the n by n positive-definite symmetric matrix A , and the subdiagonal elements of its Cholesky factor L , as returned by F03AEF.
On exit: is used as internal workspace, but is restored on exit.
- 4: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F04AGF is called.
Constraint: $LDA \geq N$.
- 5: P(N) – **double precision** array *Input*
On entry: the reciprocals of the diagonal elements of L , as returned by F03AEF.

On exit: is used as internal workspace, but is restored on exit.

6: B(LDB,IR) – **double precision** array *Input*

On entry: the n by r right-hand side matrix B . See also Section 8.

7: LDB – INTEGER *Input*

On entry: the first dimension of the array B as declared in the (sub)program from which F04AGF is called.

Constraint: $LDB \geq N$.

8: X(LDX,IR) – **double precision** array *Output*

On exit: the n by r solution matrix X . See also Section 8.

9: LDX – INTEGER *Input*

On entry: the first dimension of the array X as declared in the (sub)program from which F04AGF is called.

Constraint: $LDX \geq N$.

6 Error Indicators and Warnings

None.

7 Accuracy

The accuracy of the computed solutions depends on the conditioning of the original matrix. For a detailed error analysis see page 39 of Wilkinson and Reinsch (1971).

8 Further Comments

The time taken is approximately proportional to $n^2 r$.

9 Example

This example solves the set of linear equations $AX = B$ where

$$A = \begin{pmatrix} 5 & 7 & 6 & 5 \\ 7 & 10 & 8 & 7 \\ 6 & 8 & 10 & 9 \\ 5 & 7 & 9 & 10 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 23 \\ 32 \\ 33 \\ 31 \end{pmatrix}.$$

9.1 Program Text

```
*      F04AGF Example Program Text
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NMAX, IR, LDA, LDB, LDX
      PARAMETER        (NMAX=8,IR=1,LDA=NMAX,LDB=NMAX,LDX=NMAX)
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
*      .. Local Scalars ..
      DOUBLE PRECISION D1
      INTEGER          I, ID, IFAIL, J, N
*      .. Local Arrays ..
      DOUBLE PRECISION A(LDA,NMAX), B(LDB,IR), P(NMAX), X(LDX,IR)
*      .. External Subroutines ..
      EXTERNAL         F03AEF, F04AGF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F04AGF Example Program Results'
```

```

*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      WRITE (NOUT,*)
      IF (N.GT.0 .AND. N.LE.NMAX) THEN
        READ (NIN,*) ((A(I,J),J=1,N),I=1,N), ((B(I,J),J=1,IR),I=1,N)
        IFAIL = 1
*
*      Cholesky decomposition
      CALL F03AEF(N,A,LDA,P,D1,ID,IFAIL)
*
      IF (IFAIL.EQ.0) THEN
*
*      Approximate solution of linear equations
        IFAIL = 1
        CALL F04AGF(N,IR,A,LDA,P,B,LDB,X,LDX)
*
        WRITE (NOUT,*) ' Solution'
        DO 20 I = 1, N
          WRITE (NOUT,99998) (X(I,J),J=1,IR)
20      CONTINUE
        ELSE
          WRITE (NOUT,99997) IFAIL
        END IF
      ELSE
        WRITE (NOUT,99999) 'N is out of range: N = ', N
      END IF
*
99999 FORMAT (1X,A,I5)
99998 FORMAT (1X,8F9.4)
99997 FORMAT (1X,' ** F03AEF returned with IFAIL = ',I5)
      END

```

9.2 Program Data

F04AGF Example Program Data

```

4
  5      7      6      5
  7     10      8      7
  6      8     10      9
  5      7      9     10
23     32     33     31

```

9.3 Program Results

F04AGF Example Program Results

```

Solution
  1.0000
  1.0000
  1.0000
  1.0000

```
