

NAG Library Routine Document

F06GFF (ZCOPY)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F06GFF (ZCOPY) copies a complex vector to a complex vector.

2 Specification

```
SUBROUTINE F06GFF(N, X, INCX, Y, INCY)
  INTEGER          N, INCX, INCY
  complex*16      X(*), Y(*)
```

The routine may be called by its BLAS name *zcopy*.

3 Description

F06GFF (ZCOPY) performs the operation

$$y \leftarrow x$$

where x and y are n element complex vectors.

4 References

None.

5 Parameters

- | | | |
|----|--|---------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the number of elements in x and y . | |
| 2: | $X(*)$ – complex*16 array | <i>Input</i> |
| | Note: the dimension of the array X must be at least $1 + (N - 1) INCX $. | |
| | <i>On entry:</i> the incremented array X must contain the n element vector x . | |
| 3: | INCX – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the increment in the subscripts of X between successive elements of x . | |
| 4: | $Y(*)$ – complex*16 array | <i>Output</i> |
| | Note: the dimension of the array Y must be at least $\max(1, 1 + (N - 1) INCX)$. | |
| | <i>On exit:</i> the vector y scattered with a stride of $INCX$. Intermediate elements of Y are unchanged. | |
| 5: | INCY – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the increment in the subscripts of Y between successive elements of y . | |

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

None.
