

NAG Library Routine Document

F06QHF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F06QHF forms the real m by n rectangular or trapezoidal matrix A given by

$$a_{ij} = \begin{cases} \text{diag} & \text{if } i = j \\ \text{const} & \text{if } i \neq j \end{cases}.$$

2 Specification

```
SUBROUTINE F06QHF(MATRIX, M, N, CON, DIAG, A, LDA)
  INTEGER          M, N, LDA
  double precision CON, DIAG, A(LDA,*)
  CHARACTER*1      MATRIX
```

3 Description

None.

4 References

None.

5 Parameters

- | | | |
|----|--|--------------|
| 1: | <p>MATRIX – CHARACTER*1</p> <p><i>On entry:</i> the matrix type.</p> <p>MATRIX = 'G'
General matrix.</p> <p>MATRIX = 'U'
Upper trapezoidal matrix (upper triangular if $m = n$).</p> <p>MATRIX = 'L'
Lower trapezoidal matrix (lower triangular if $m = n$).</p> <p><i>Constraint:</i> MATRIX = 'G', 'U' or 'L'.</p> | <i>Input</i> |
| 2: | <p>M – INTEGER</p> <p><i>On entry:</i> m, the number of rows of the matrix A.</p> <p><i>Constraint:</i> $M \geq 0$.</p> | <i>Input</i> |
| 3: | <p>N – INTEGER</p> <p><i>On entry:</i> n, the number of columns of the matrix A.</p> <p><i>Constraint:</i> $N \geq 0$.</p> | <i>Input</i> |
| 4: | <p>CON – double precision</p> <p><i>On entry:</i> the value to be assigned to the off-diagonal elements of A.</p> | <i>Input</i> |

- 5: DIAG – *double precision* *Input*
 On entry: the value to be assigned to the diagonal elements of *A*.
- 6: A(LDA,*) – *double precision* array *Output*
 Note: the second dimension of the array *A* must be at least *N*.
 On exit: the *m* by *n* general or trapezoidal matrix *A*.
 If MATRIX = 'U', *A* is upper trapezoidal and the elements of the array below the diagonal are not referenced.
 If MATRIX = 'L', *A* is lower trapezoidal and the elements of the array above the diagonal are not referenced.
- 7: LDA – INTEGER *Input*
 On entry: the first dimension of the array *A* as declared in the (sub)program from which F06QHF is called.
 Constraint: $LDA \geq \max(1, M)$.

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

None.
