

NAG Library Routine Document

F06ZJF (ZTRSM)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F06ZJF (ZTRSM) performs one of the matrix-matrix operations

$$\begin{array}{lll} B \leftarrow \alpha A^{-1} B, & B \leftarrow \alpha A^{-T} B, & B \leftarrow \alpha A^{-H} B, \\ B \leftarrow \alpha B A^{-1}, & B \leftarrow \alpha B A^{-T} & \text{or } B \leftarrow \alpha B A^{-H}, \end{array}$$

where A is a complex triangular matrix, B is an m by n complex matrix, and α is a complex scalar. A^{-T} denotes $(A^T)^{-1}$ or equivalently $(A^{-1})^T$; A^{-H} denotes $(A^H)^{-1}$ or equivalently $(A^{-1})^H$.

No test for singularity or near-singularity of A is included in this routine. Such tests must be performed before calling this routine.

2 Specification

```
SUBROUTINE F06ZJF(SIDE, UPLO, TRANSA, DIAG, M, N, ALPHA, A, LDA, B, LDB)
  INTEGER          M, N, LDA, LDB
  complex*16      ALPHA, A(LDA,*), B(LDB,*)
  CHARACTER*1      SIDE, UPLO, TRANSA, DIAG
```

The routine may be called by its BLAS name *ztrsm*.

3 Description

None.

4 References

None.

5 Parameters

- 1: SIDE – CHARACTER*1 *Input*
On entry: specifies whether B is operated on from the left or the right.
 SIDE = 'L'
 B is pre-multiplied from the left.
 SIDE = 'R'
 B is post-multiplied from the right.
Constraint: SIDE = 'L' or 'R'.
- 2: UPLO – CHARACTER*1 *Input*
On entry: specifies whether A is upper or lower triangular.
 UPLO = 'U'
 A is upper triangular.

- UPLO = 'L'
 A is lower triangular.
Constraint: UPLO = 'U' or 'L'.
- 3: TRANSA – CHARACTER*1 *Input*
On entry: specifies whether the operation involves A^{-1} , A^{-T} or A^{-H} .
 TRANSA = 'N'
 The operation involves A^{-1} .
 TRANSA = 'T'
 The operation involves A^{-T} .
 TRANSA = 'C'
 The operation involves A^{-H} .
Constraint: TRANSA = 'N', 'T' or 'C'.
- 4: DIAG – CHARACTER*1 *Input*
On entry: specifies whether A has nonunit or unit diagonal elements.
 DIAG = 'N'
 The diagonal elements are stored explicitly.
 DIAG = 'U'
 The diagonal elements are assumed to be 1, and are not referenced.
Constraint: DIAG = 'N' or 'U'.
- 5: M – INTEGER *Input*
On entry: m , the number of rows of the matrix B ; the order of A if SIDE = 'L'.
Constraint: $M \geq 0$.
- 6: N – INTEGER *Input*
On entry: n , the number of columns of the matrix B ; the order of A if SIDE = 'R'.
Constraint: $N \geq 0$.
- 7: ALPHA – **complex*16** *Input*
On entry: the scalar α .
- 8: A(LDA,*) – **complex*16** array *Input*
Note: the second dimension of the array A must be at least $\max(1, M)$ if SIDE = 'L' and at least $\max(1, N)$ if SIDE = 'R'.
On entry: the triangular matrix A ; A is m by m if SIDE = 'L', or n by n if SIDE = 'R'.
 If UPLO = 'U', A is upper triangular and the elements of the array below the diagonal are not referenced.
 If UPLO = 'L', A is lower triangular and the elements of the array above the diagonal are not referenced.
 If DIAG = 'U', the diagonal elements of A are assumed to be 1, and are not referenced.
- 9: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F06ZJF (ZTRSM) is called.

Constraints:

if SIDE = 'L', $LDA \geq \max(1, M)$;
if SIDE = 'R', $LDA \geq \max(1, N)$.

10: B(LDB,*) – **complex*16** array

Input/Output

Note: the second dimension of the array B must be at least $\max(1, N)$.

On entry: the m by n matrix B .

If ALPHA = 0, B need not be set.

On exit: the updated matrix B .

11: LDB – INTEGER

Input

On entry: the first dimension of the array B as declared in the (sub)program from which F06ZJF (ZTRSM) is called.

Constraint: $LDB \geq \max(1, M)$.

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

None.
