

NAG Library Routine Document

F07CRF (ZGTTRF)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F07CRF (ZGTTRF) computes the LU factorization of a complex n by n tridiagonal matrix A .

2 Specification

```
SUBROUTINE F07CRF(N, DL, D, DU, DU2, IPIV, INFO)
INTEGER          N, IPIV(N), INFO
complex*16      DL(*), D(*), DU(*), DU2(N-2)
```

The routine may be called by its LAPACK name *zgttrf*.

3 Description

F07CRF (ZGTTRF) uses Gaussian elimination with partial pivoting and row interchanges to factorize the matrix A as

$$A = PLU,$$

where P is a permutation matrix, L is unit lower triangular with at most one nonzero subdiagonal element in each column, and U is an upper triangular band matrix, with two superdiagonals.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

5 Parameters

- 1: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 2: DL(*) – **complex*16** array *Input/Output*
Note: the dimension of the array DL must be at least $\max(1, N - 1)$.
On entry: must contain the $(n - 1)$ subdiagonal elements of the matrix A .
On exit: is overwritten by the $(n - 1)$ multipliers that define the matrix L of the LU factorization of A .
- 3: D(*) – **complex*16** array *Input/Output*
Note: the dimension of the array D must be at least $\max(1, N)$.
On entry: must contain the n diagonal elements of the matrix A .
On exit: is overwritten by the n diagonal elements of the upper triangular matrix U from the LU factorization of A .

- 4: DU(*) – **complex*16** array *Input/Output*
Note: the dimension of the array DU must be at least $\max(1, N - 1)$.
On entry: must contain the $(n - 1)$ superdiagonal elements of the matrix A .
On exit: is overwritten by the $(n - 1)$ elements of the first superdiagonal of U .
- 5: DU2(N - 2) – **complex*16** array *Output*
On exit: contains the $(n - 2)$ elements of the second superdiagonal of U .
- 6: IPIV(N) – INTEGER array *Output*
On exit: contains the n pivot indices that define the permutation matrix P . At the i th step, row i of the matrix was interchanged with row IPIV(i). IPIV(i) will always be either i or $(i + 1)$, IPIV(i) = i indicating that a row interchange was not performed.
- 7: INFO – INTEGER *Output*
On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, the i th argument had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0

If INFO = i , $U(i, i)$ is exactly zero. The factorization has been completed, but the factor U is exactly singular, and division by zero will occur if it is used to solve a system of equations.

7 Accuracy

The computed factorization satisfies an equation of the form

$$A + E = PLU,$$

where

$$\|E\|_{\infty} = O(\epsilon)\|A\|_{\infty}$$

and ϵ is the *machine precision*.

Following the use of this routine, F07CSF (ZGTTRS) can be used to solve systems of equations $AX = B$ or $A^T X = B$ or $A^H X = B$, and F07CUF (ZGTCON) can be used to estimate the condition number of A .

8 Further Comments

The total number of floating-point operations required to factorize the matrix A is proportional to n .

The real analogue of this routine is F07CDF (DGTTRF).

9 Example

This example factorizes the tridiagonal matrix A given by

$$A = \begin{pmatrix} -1.3 + 1.3i & 2.0 - 1.0i & 0 & 0 & 0 \\ 1.0 - 2.0i & -1.3 + 1.3i & 2.0 + 1.0i & 0 & 0 \\ 0 & 1.0 + 1.0i & -1.3 + 3.3i & -1.0 + 1.0i & 0 \\ 0 & 0 & 2.0 - 3.0i & -0.3 + 4.3i & 1.0 - 1.0i \\ 0 & 0 & 0 & 1.0 + 1.0i & -3.3 + 1.3i \end{pmatrix}.$$

9.1 Program Text

```
*      F07CRF Example Program Text
*      Mark 21 Release. NAG Copyright 2004.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX
      PARAMETER        (NMAX=50)
*      .. Local Scalars ..
      INTEGER          I, INFO, N
*      .. Local Arrays ..
      COMPLEX *16      D(NMAX), DL(NMAX-1), DU(NMAX-1), DU2(NMAX-2)
      INTEGER          IPIV(NMAX)
*      .. External Subroutines ..
      EXTERNAL         ZGTTRF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F07CRF Example Program Results'
      WRITE (NOUT,*)
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN

*
*          Read the tridiagonal matrix A from data file
*
*          READ (NIN,*) (DU(I),I=1,N-1)
*          READ (NIN,*) (D(I),I=1,N)
*          READ (NIN,*) (DL(I),I=1,N-1)
*
*          Factorize the tridiagonal matrix A
*
*          CALL ZGTTRF(N,DL,D,DU,DU2,IPIV,INFO)
*
      IF (INFO.GT.0) THEN
        WRITE (NOUT,99999) 'The (', INFO, ', ', INFO, ')',
+          ' element of the factor U is zero'
      END IF

*
*          Print details of the factorization
*
*          WRITE (NOUT,*) 'Details of factorization'
*          WRITE (NOUT,*)
*          WRITE (NOUT,*) ' Second super-diagonal of U'
*          WRITE (NOUT,99998) (DU2(I),I=1,N-2)
*          WRITE (NOUT,*)
*          WRITE (NOUT,*) ' First super-diagonal of U'
*          WRITE (NOUT,99998) (DU(I),I=1,N-1)
*          WRITE (NOUT,*)
*          WRITE (NOUT,*) ' Main diagonal of U'
*          WRITE (NOUT,99998) (D(I),I=1,N)
*          WRITE (NOUT,*)
*          WRITE (NOUT,*) ' Multipliers'
*          WRITE (NOUT,99998) (DL(I),I=1,N-1)
*          WRITE (NOUT,*)
*          WRITE (NOUT,*) ' Vector of interchanges'
*          WRITE (NOUT,99997) (IPIV(I),I=1,N)
      ELSE
        WRITE (NOUT,*) 'NMAX too small'
      END IF
```

```

*
99999 FORMAT (1X,A,I3,A,I3,A,A)
99998 FORMAT (4(' (',F8.4,',',F8.4,')',:))
99997 FORMAT (1X,5I7)
      END

```

9.2 Program Data

F07CRF Example Program Data

```

      5                                     :Value of N
( 2.0,-1.0) ( 2.0, 1.0) (-1.0, 1.0) ( 1.0,-1.0) :End of DU
(-1.3, 1.3) (-1.3, 1.3) (-1.3, 3.3) (-0.3, 4.3)
(-3.3, 1.3)                                     :End of D
( 1.0,-2.0) ( 1.0, 1.0) ( 2.0,-3.0) ( 1.0, 1.0) :End of DL

```

9.3 Program Results

F07CRF Example Program Results

Details of factorization

Second super-diagonal of U

```
( 2.0000, 1.0000) ( -1.0000, 1.0000) ( 1.0000, -1.0000)
```

First super-diagonal of U

```
( -1.3000, 1.3000) ( -1.3000, 3.3000) ( -0.3000, 4.3000) ( -3.3000, 1.3000)
```

Main diagonal of U

```
( 1.0000, -2.0000) ( 1.0000, 1.0000) ( 2.0000, -3.0000) ( 1.0000, 1.0000)
( -1.3399, 0.2875)
```

Multipliers

```
( -0.7800, -0.2600) ( 0.1620, -0.4860) ( -0.0452, -0.0010) ( -0.3979, -0.0562)
```

Vector of interchanges

```
      2      3      4      5      5
```
