

NAG Library Routine Document

F07JSF (ZPTTRS)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F07JSF (ZPTTRS) computes the solution to a complex system of linear equations $AX = B$, where A is an n by n Hermitian positive-definite tridiagonal matrix and X and B are n by r matrices, using the LDL^H factorization returned by F07JRF (ZPTTRF).

2 Specification

```
SUBROUTINE F07JSF(UPLO, N, NRHS, D, E, B, LDB, INFO)
  INTEGER          N, NRHS, LDB, INFO
  double precision D(*)
  complex*16      E(*), B(LDB,*)
  CHARACTER*1      UPLO
```

The routine may be called by its LAPACK name ***zpttrs***.

3 Description

F07JSF (ZPTTRS) should be preceded by a call to F07JRF (ZPTTRF), which computes a modified Cholesky factorization of the matrix A as

$$A = LDL^H,$$

where L is a unit lower bidiagonal matrix and D is a diagonal matrix, with positive diagonal elements. F07JSF (ZPTTRS) then utilizes the factorization to solve the required equations. Note that the factorization may also be expressed as

$$A = U^H DU,$$

where U is a unit upper bidiagonal matrix.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

5 Parameters

1: UPLO – CHARACTER*1 *Input*

On entry: specifies the form of the factorization as follows:

UPLO = 'U'

$$A = U^H DU.$$

UPLO = 'L'

$$A = LDL^H.$$

Constraint: UPLO = 'U' or 'L'.

- 2: N – INTEGER Input
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 3: NRHS – INTEGER Input
On entry: r , the number of right-hand sides, i.e., the number of columns of the matrix B .
Constraint: $NRHS \geq 0$.
- 4: D(*) – **double precision** array Input
Note: the dimension of the array D must be at least $\max(1, N)$.
On entry: must contain the n diagonal elements of the diagonal matrix D from the LDL^H or $U^H DU$ factorization of A .
- 5: E(*) – **complex*16** array Input
Note: the dimension of the array E must be at least $\max(1, N - 1)$.
On entry: if $UPLO = 'U'$, E must contain the $(n - 1)$ superdiagonal elements of the unit upper bidiagonal matrix U from the $U^H DU$ factorization of A .
 If $UPLO = 'L'$, E must contain the $(n - 1)$ subdiagonal elements of the unit lower bidiagonal matrix L from the LDL^H factorization of A .
- 6: B(LDB,*) – **complex*16** array Input/Output
Note: the second dimension of the array B must be at least $\max(1, NRHS)$.
On entry: the n by r matrix of right-hand sides B .
On exit: the n by r solution matrix X .
- 7: LDB – INTEGER Input
On entry: the first dimension of the array B as declared in the (sub)program from which F07JSF (ZPTTRS) is called.
Constraint: $LDB \geq \max(1, N)$.
- 8: INFO – INTEGER Output
On exit: $INFO = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

$INFO < 0$

If $INFO = -i$, the i th argument had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed solution for a single right-hand side, $\hat{x}$, satisfies an equation of the form

$$(A + E)\hat{x} = b,$$

where

$$\|E\|_1 = O(\epsilon)\|A\|_1$$

and ϵ is the **machine precision**. An approximate error bound for the computed solution is given by

$$\frac{\|\hat{x} - x\|_1}{\|x\|_1} \leq \kappa(A) \frac{\|E\|_1}{\|A\|_1},$$

where $\kappa(A) = \|A^{-1}\|_1 \|A\|_1$, the condition number of A with respect to the solution of the linear equations. See Section 4.4 of Anderson *et al.* (1999) for further details.

Following the use of this routine F07JUF (ZPTCON) can be used to estimate the condition number of A and F07JVF (ZPTRFS) can be used to obtain approximate error bounds.

8 Further Comments

The total number of floating-point operations required to solve the equations $AX = B$ is proportional to nr .

The real analogue of this routine is F07JEF (DPTTRS).

9 Example

This example solves the equations

$$AX = B,$$

where A is the Hermitian positive-definite tridiagonal matrix

$$A = \begin{pmatrix} 16.0 & 16.0 - 16.0i & 0 & 0 \\ 16.0 + 16.0i & 41.0 & 18.0 + 9.0i & 0.0 \\ 0 & 18.0 - 9.0i & 46.0 & 1.0 + 4.0i \\ 0 & 0 & 1.0 - 4.0i & 21.0 \end{pmatrix}$$

and

$$B = \begin{pmatrix} 64.0 + 16.0i & -16.0 - 32.0i \\ 93.0 + 62.0i & 61.0 - 66.0i \\ 78.0 - 80.0i & 71.0 - 74.0i \\ 14.0 - 27.0i & 35.0 + 15.0i \end{pmatrix}.$$

9.1 Program Text

```
*      F07JSF Example Program Text
*      Mark 21 Release. NAG Copyright 2004.
*      .. Parameters ..
INTEGER          NIN, NOUT
PARAMETER        (NIN=5,NOUT=6)
INTEGER          NMAX, NRHSMX
PARAMETER        (NMAX=50,NRHSMX=4)
INTEGER          LDB
PARAMETER        (LDB=NMAX)
CHARACTER        UPLO
PARAMETER        (UPLO='U')
*      .. Local Scalars ..
INTEGER          I, IFAIL, INFO, J, N, NRHS
*      .. Local Arrays ..
COMPLEX *16      B(LDB,NRHSMX), E(NMAX-1)
DOUBLE PRECISION D(NMAX)
CHARACTER        CLABS(1), RLABS(1)
*      .. External Subroutines ..
EXTERNAL         X04DBF, ZPTTRF, ZPTTRS
*      .. Executable Statements ..
WRITE (NOUT,*) 'F07JSF Example Program Results'
WRITE (NOUT,*)
*      Skip heading in data file
READ (NIN,*)
READ (NIN,*) N, NRHS
IF (N.LE.NMAX .AND. NRHS.LE.NRHSMX) THEN
*

```

```

*      Read the upper bidiagonal part of the tridiagonal matrix A from
*      data file
*
      READ (NIN,*) (E(I),I=1,N-1)
      READ (NIN,*) (D(I),I=1,N)
*
*      Read the right hand matrix B
*
      READ (NIN,*) ((B(I,J),J=1,NRHS),I=1,N)
*
*      Factorize the tridiagonal matrix A
*
      CALL ZPTTRF(N,D,E,INFO)
*
      IF (INFO.EQ.0) THEN
*
*          Solve the equations AX = B
*
          CALL ZPTTRS(UPLO,N,NRHS,D,E,B,LDB,INFO)
*
*          Print the solution
*
          IFAIL = 0
          CALL X04DBF('General',' ',N,NRHS,B,LDB,'Bracketed',' ',
+                   'Solution(s)','Integer',RLABS,'Integer',CLABS,
+                   80,0,IFAIL)
*
      ELSE
          WRITE (NOUT,99999) 'The leading minor of order ', INFO,
+          ' is not positive definite'
          END IF
      ELSE
          WRITE (NOUT,*) 'NMAX and/or NRHSMX too small'
          END IF
*
99999 FORMAT (1X,A,I3,A)
      END

```

9.2 Program Data

F07JSF Example Program Data

4	2				:Values of N and NRHS
	(16.0,-16.0)	(18.0, 9.0)	(1.0, 4.0)		:End of superdiagonal E
16.0	41.0	46.0	21.0		:End of diagonal D
(64.0, 16.0)	(-16.0,-32.0)				
(93.0, 62.0)	(61.0,-66.0)				
(78.0,-80.0)	(71.0,-74.0)				
(14.0,-27.0)	(35.0, 15.0)				:End of matrix B

9.3 Program Results

F07JSF Example Program Results

Solution(s)

		1		2
1	(	2.0000,	1.0000)	(-3.0000, -2.0000)
2	(	1.0000,	1.0000)	(1.0000, 1.0000)
3	(	1.0000,	-2.0000)	(1.0000, -2.0000)
4	(	1.0000,	-1.0000)	(2.0000, 1.0000)