

NAG Library Routine Document

F07MGF (DSYCON)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F07MGF (DSYCON) estimates the condition number of a real symmetric indefinite matrix A , where A has been factorized by F07MDF (DSYTFR).

2 Specification

```

SUBROUTINE F07MGF(UPLO, N, A, LDA, IPIV, ANORM, RCOND, WORK, IWORK,
1                      INFO)
    INTEGER          N, LDA, IPIV(*), IWORK(N), INFO
    double precision A(LDA,*), ANORM, RCOND, WORK(2*N)
    CHARACTER*1      UPLO

```

The routine may be called by its LAPACK name ***dsycon***.

3 Description

F07MGF (DSYCON) estimates the condition number (in the 1-norm) of a real symmetric indefinite matrix A :

$$\kappa_1(A) = \|A\|_1 \|A^{-1}\|_1.$$

Since A is symmetric, $\kappa_1(A) = \kappa_\infty(A) = \|A\|_\infty \|A^{-1}\|_\infty$.

Because $\kappa_1(A)$ is infinite if A is singular, the routine actually returns an estimate of the **reciprocal** of $\kappa_1(A)$.

The routine should be preceded by a call to F06RCF to compute $\|A\|_1$ and a call to F07MDF (DSYTFR) to compute the Bunch–Kaufman factorization of A . The routine then uses Higham's implementation of Hager's method (see Higham (1988)) to estimate $\|A^{-1}\|_1$.

4 References

Higham N J (1988) FORTRAN codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation *ACM Trans. Math. Software* **14** 381–396

5 Parameters

1: UPLO – CHARACTER*1 *Input*
On entry: indicates how A has been factorized.
UPLO = 'U'
 $A = PUDU^T P^T$, where U is upper triangular.
UPLO = 'L'
 $A = PLDL^T P^T$, where L is lower triangular.
Constraint: UPLO = 'U' or 'L'.

- 2: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 3: A(LDA,*) – **double precision** array *Input*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: details of the factorization of A , as returned by F07MDF (DSYTRF).
- 4: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F07MGF (DSYCON) is called.
Constraint: $LDA \geq \max(1, N)$.
- 5: IPIV(*) – INTEGER array *Input*
Note: the dimension of the array IPIV must be at least $\max(1, N)$.
On entry: details of the interchanges and the block structure of D , as returned by F07MDF (DSYTRF).
- 6: ANORM – **double precision** *Input*
On entry: the 1-norm of the **original** matrix A , which may be computed by calling F06RCF with its parameter $NORM = '1'$. ANORM must be computed either **before** calling F07MDF (DSYTRF) or else from a **copy** of the original matrix A .
Constraint: $ANORM \geq 0.0$.
- 7: RCOND – **double precision** *Output*
On exit: an estimate of the reciprocal of the condition number of A . RCOND is set to zero if exact singularity is detected or the estimate underflows. If RCOND is less than **machine precision**, A is singular to working precision.
- 8: WORK($2 \times N$) – **double precision** array *Workspace*
- 9: IWORK(N) – INTEGER array *Workspace*
- 10: INFO – INTEGER *Output*
On exit: $INFO = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

$INFO < 0$

If $INFO = -i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed estimate RCOND is never less than the true value ρ , and in practice is nearly always less than 10ρ , although examples can be constructed where RCOND is much larger.

8 Further Comments

A call to F07MGF (DSYCON) involves solving a number of systems of linear equations of the form $Ax = b$; the number is usually 4 or 5 and never more than 11. Each solution involves approximately $2n^2$ floating-point operations but takes considerably longer than a call to F07MEF (DSYTRS) with one right-hand side, because extra care is taken to avoid overflow when A is approximately singular.

The complex analogues of this routine are F07MUF (ZHECON) for Hermitian matrices and F07NUF (ZSYCON) for symmetric matrices.

9 Example

This example estimates the condition number in the 1-norm (or ∞ -norm) of the matrix A , where

$$A = \begin{pmatrix} 2.07 & 3.87 & 4.20 & -1.15 \\ 3.87 & -0.21 & 1.87 & 0.63 \\ 4.20 & 1.87 & 1.15 & 2.06 \\ -1.15 & 0.63 & 2.06 & -1.81 \end{pmatrix}.$$

Here A is symmetric indefinite and must first be factorized by F07MDF (DSYTRF). The true condition number in the 1-norm is 75.68.

9.1 Program Text

```
*      F07MGF Example Program Text
*      Mark 15 Release. NAG Copyright 1991.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX, LDA, LWORK
      PARAMETER        (NMAX=8,LDA=NMAX,LWORK=64*NMAX)
*      .. Local Scalars ..
      DOUBLE PRECISION ANORM, RCOND
      INTEGER          I, INFO, J, N
      CHARACTER        UPLO
*      .. Local Arrays ..
      DOUBLE PRECISION A(LDA,NMAX), WORK(LWORK)
      INTEGER          IPIV(NMAX), IWORK(NMAX)
*      .. External Functions ..
      DOUBLE PRECISION F06RCF, X02AJF
      EXTERNAL         F06RCF, X02AJF
*      .. External Subroutines ..
      EXTERNAL         DSYCON, DSYTRF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F07MGF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN
*
*          Read A from data file
*
*          READ (NIN,*) UPLO
*          IF (UPLO.EQ.'U') THEN
*              READ (NIN,*) ((A(I,J),J=1,N),I=1,N)
*          ELSE IF (UPLO.EQ.'L') THEN
*              READ (NIN,*) ((A(I,J),J=1,I),I=1,N)
*          END IF
*
*          Compute norm of A
*
      ANORM = F06RCF('1-norm',UPLO,N,A,LDA,WORK)
*
*          Factorize A
*
      CALL DSYTRF(UPLO,N,A,LDA,IPIV,WORK,LWORK,INFO)
*
```

```

      WRITE (NOUT,*)
      IF (INFO.EQ.0) THEN
*
*         Estimate condition number
*
      CALL DSYCON(UPLO,N,A,LDA,IPIV,ANORM,RCOND,WORK,IWORK,INFO)
*
      IF (RCOND.GE.X02AJF()) THEN
        WRITE (NOUT,99999) 'Estimate of condition number =',
+          1.0D0/RCOND
      ELSE
        WRITE (NOUT,*) 'A is singular to working precision'
      END IF
    ELSE
      WRITE (NOUT,*) 'The factor D is singular'
    END IF
  END IF
*
99999 FORMAT (1X,A,1P,E10.2)
END

```

9.2 Program Data

F07MGF Example Program Data

```

4                               :Value of N
'L'                           :Value of UPLO
2.07
3.87 -0.21
4.20  1.87  1.15
-1.15  0.63  2.06 -1.81      :End of matrix A

```

9.3 Program Results

F07MGF Example Program Results

Estimate of condition number = 7.57E+01
