

# NAG Library Routine Document

## F07MUF (ZHECON)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

### 1 Purpose

F07MUF (ZHECON) estimates the condition number of a complex Hermitian indefinite matrix  $A$ , where  $A$  has been factorized by F07MRF (ZHETRF).

### 2 Specification

```
SUBROUTINE F07MUF(UPLO, N, A, LDA, IPIV, ANORM, RCOND, WORK, INFO)
INTEGER          N, LDA, IPIV(*), INFO
double precision ANORM, RCOND
complex*16      A(LDA,*), WORK(2*N)
CHARACTER*1      UPLO
```

The routine may be called by its LAPACK name ***zhecon***.

### 3 Description

F07MUF (ZHECON) estimates the condition number (in the 1-norm) of a complex Hermitian indefinite matrix  $A$ :

$$\kappa_1(A) = \|A\|_1 \|A^{-1}\|_1.$$

Since  $A$  is Hermitian,  $\kappa_1(A) = \kappa_\infty(A) = \|A\|_\infty \|A^{-1}\|_\infty$ .

Because  $\kappa_1(A)$  is infinite if  $A$  is singular, the routine actually returns an estimate of the **reciprocal** of  $\kappa_1(A)$ .

The routine should be preceded by a call to F06UCF to compute  $\|A\|_1$  and a call to F07MRF (ZHETRF) to compute the Bunch–Kaufman factorization of  $A$ . The routine then uses Higham's implementation of Hager's method (see Higham (1988)) to estimate  $\|A^{-1}\|_1$ .

### 4 References

Higham N J (1988) FORTRAN codes for estimating the one-norm of a real or complex matrix, with applications to condition estimation *ACM Trans. Math. Software* **14** 381–396

### 5 Parameters

1: UPLO – CHARACTER\*1 *Input*

*On entry:* indicates how  $A$  has been factorized.

UPLO = 'U'

$A = PUDU^H P^T$ , where  $U$  is upper triangular.

UPLO = 'L'

$A = PLDL^H P^T$ , where  $L$  is lower triangular.

*Constraint:* UPLO = 'U' or 'L'.

- 2: N – INTEGER *Input*  
*On entry:*  $n$ , the order of the matrix  $A$ .  
*Constraint:*  $N \geq 0$ .
- 3: A(LDA,\*) – **complex\*16** array *Input*  
**Note:** the second dimension of the array  $A$  must be at least  $\max(1, N)$ .  
*On entry:* details of the factorization of  $A$ , as returned by F07MRF (ZHETRF).
- 4: LDA – INTEGER *Input*  
*On entry:* the first dimension of the array  $A$  as declared in the (sub)program from which F07MUF (ZHECON) is called.  
*Constraint:*  $LDA \geq \max(1, N)$ .
- 5: IPIV(\*) – INTEGER array *Input*  
**Note:** the dimension of the array IPIV must be at least  $\max(1, N)$ .  
*On entry:* details of the interchanges and the block structure of  $D$ , as returned by F07MRF (ZHETRF).
- 6: ANORM – **double precision** *Input*  
*On entry:* the 1-norm of the **original** matrix  $A$ , which may be computed by calling F06UCF with its parameter  $NORM = '1'$ . ANORM must be computed either **before** calling F07MRF (ZHETRF) or else from a **copy** of the original matrix  $A$ .  
*Constraint:*  $ANORM \geq 0.0$ .
- 7: RCOND – **double precision** *Output*  
*On exit:* an estimate of the reciprocal of the condition number of  $A$ . RCOND is set to zero if exact singularity is detected or the estimate underflows. If RCOND is less than **machine precision**,  $A$  is singular to working precision.
- 8: WORK( $2 \times N$ ) – **complex\*16** array *Workspace*
- 9: INFO – INTEGER *Output*  
*On exit:*  $INFO = 0$  unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the routine:

$INFO < 0$

If  $INFO = -i$ , the  $i$ th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

## 7 Accuracy

The computed estimate RCOND is never less than the true value  $\rho$ , and in practice is nearly always less than  $10\rho$ , although examples can be constructed where RCOND is much larger.

## 8 Further Comments

A call to F07MUF (ZHECON) involves solving a number of systems of linear equations of the form  $Ax = b$ ; the number is usually 5 and never more than 11. Each solution involves approximately  $8n^2$  real

floating-point operations but takes considerably longer than a call to F07MSF (ZHETRS) with one right-hand side, because extra care is taken to avoid overflow when  $A$  is approximately singular.

The real analogue of this routine is F07MGF (DSYCON).

## 9 Example

This example estimates the condition number in the 1-norm (or  $\infty$ -norm) of the matrix  $A$ , where

$$A = \begin{pmatrix} -1.36 + 0.00i & 1.58 + 0.90i & 2.21 - 0.21i & 3.91 + 1.50i \\ 1.58 - 0.90i & -8.87 + 0.00i & -1.84 - 0.03i & -1.78 + 1.18i \\ 2.21 + 0.21i & -1.84 + 0.03i & -4.63 + 0.00i & 0.11 + 0.11i \\ 3.91 - 1.50i & -1.78 - 1.18i & 0.11 - 0.11i & -1.84 + 0.00i \end{pmatrix}.$$

Here  $A$  is Hermitian indefinite and must first be factorized by F07MRF (ZHETRF). The true condition number in the 1-norm is 9.10.

### 9.1 Program Text

```
*      F07MUF Example Program Text
*      Mark 15 Release. NAG Copyright 1991.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX, LDA, LWORK
      PARAMETER        (NMAX=8,LDA=NMAX,LWORK=64*NMAX)
*      .. Local Scalars ..
      DOUBLE PRECISION ANORM, RCOND
      INTEGER          I, INFO, J, N
      CHARACTER        UPLO
*      .. Local Arrays ..
      COMPLEX *16      A(LDA,NMAX), WORK(LWORK)
      DOUBLE PRECISION RWORK(NMAX)
      INTEGER          IPIV(NMAX)
*      .. External Functions ..
      DOUBLE PRECISION F06UCF, X02AJF
      EXTERNAL          F06UCF, X02AJF
*      .. External Subroutines ..
      EXTERNAL          ZHECON, ZHETRF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F07MUF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN
*
*          Read A from data file
*
*          READ (NIN,*) UPLO
          IF (UPLO.EQ.'U') THEN
              READ (NIN,*) ((A(I,J),J=1,N),I=1,N)
          ELSE IF (UPLO.EQ.'L') THEN
              READ (NIN,*) ((A(I,J),J=1,I),I=1,N)
          END IF
*
*          Compute norm of A
*
          ANORM = F06UCF('1-norm',UPLO,N,A,LDA,RWORK)
*
*          Factorize A
*
          CALL ZHETRF(UPLO,N,A,LDA,IPIV,WORK,LWORK,INFO)
*
          WRITE (NOUT,*)
          IF (INFO.EQ.0) THEN
*
*              Estimate condition number
*

```

```

      CALL ZHECON(UPLO,N,A,LDA,IPIV,ANORM,RCOND,WORK,INFO)
*
      IF (RCOND.GE.X02AJF()) THEN
        WRITE (NOUT,99999) 'Estimate of condition number =',
+         1.0D0/RCOND
      ELSE
        WRITE (NOUT,*) 'A is singular to working precision'
      END IF
    ELSE
      WRITE (NOUT,*) 'The factor D is singular'
    END IF
  END IF
END IF
*
99999 FORMAT (1X,A,1P,E10.2)
END

```

## 9.2 Program Data

F07MUF Example Program Data

|                                                         |                  |
|---------------------------------------------------------|------------------|
| 4                                                       | :Value of N      |
| 'L'                                                     | :Value of UPLO   |
| (-1.36, 0.00)                                           |                  |
| ( 1.58,-0.90) (-8.87, 0.00)                             |                  |
| ( 2.21, 0.21) (-1.84, 0.03) (-4.63, 0.00)               |                  |
| ( 3.91,-1.50) (-1.78,-1.18) ( 0.11,-0.11) (-1.84, 0.00) | :End of matrix A |

## 9.3 Program Results

F07MUF Example Program Results

Estimate of condition number = 6.68E+00

---