

NAG Library Routine Document

F08GUF (ZUPMTR)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F08GUF (ZUPMTR) multiplies an arbitrary complex matrix C by the complex unitary matrix Q which was determined by F08GSF (ZHPTRD) when reducing a complex Hermitian matrix to tridiagonal form.

2 Specification

```
SUBROUTINE F08GUF(SIDE, UPLO, TRANS, M, N, AP, TAU, C, LDC, WORK, INFO)
INTEGER          M, N, LDC, INFO
complex*16      AP(*), TAU(*), C(LDC,*), WORK(*)
CHARACTER*1      SIDE, UPLO, TRANS
```

The routine may be called by its LAPACK name *zupmtr*.

3 Description

F08GUF (ZUPMTR) is intended to be used after a call to F08GSF (ZHPTRD), which reduces a complex Hermitian matrix A to real symmetric tridiagonal form T by a unitary similarity transformation: $A = QTQ^H$. F08GSF (ZHPTRD) represents the unitary matrix Q as a product of elementary reflectors.

This routine may be used to form one of the matrix products

$$QC, Q^H C, CQ \text{ or } CQ^H,$$

overwriting the result on C (which may be any complex rectangular matrix).

A common application of this routine is to transform a matrix Z of eigenvectors of T to the matrix QZ of eigenvectors of A .

4 References

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

1: SIDE – CHARACTER*1 *Input*

On entry: indicates how Q or Q^H is to be applied to C .

SIDE = 'L'

Q or Q^H is applied to C from the left.

SIDE = 'R'

Q or Q^H is applied to C from the right.

Constraint: SIDE = 'L' or 'R'.

2: UPLO – CHARACTER*1 *Input*

On entry: this **must** be the same parameter UPLO as supplied to F08GSF (ZHPTRD).

Constraint: UPLO = 'U' or 'L'.

- 3: TRANS – CHARACTER*1 *Input*
On entry: indicates whether Q or Q^H is to be applied to C .
 TRANS = 'N'
 Q is applied to C .
 TRANS = 'C'
 Q^H is applied to C .
Constraint: TRANS = 'N' or 'C'.
- 4: M – INTEGER *Input*
On entry: m , the number of rows of the matrix C ; m is also the order of Q if SIDE = 'L'.
Constraint: $M \geq 0$.
- 5: N – INTEGER *Input*
On entry: n , the number of columns of the matrix C ; n is also the order of Q if SIDE = 'R'.
Constraint: $N \geq 0$.
- 6: AP(*) – **complex*16** array *Input/Output*
Note: the dimension of the array AP must be at least $\max(1, M \times (M + 1)/2)$ if SIDE = 'L' and at least $\max(1, N \times (N + 1)/2)$ if SIDE = 'R'.
On entry: details of the vectors which define the elementary reflectors, as returned by F08GSF (ZHPTRD).
On exit: is used as internal workspace prior to being restored and hence is unchanged.
- 7: TAU(*) – **complex*16** array *Input*
Note: the dimension of the array TAU must be at least $\max(1, M - 1)$ if SIDE = 'L' and at least $\max(1, N - 1)$ if SIDE = 'R'.
On entry: further details of the elementary reflectors, as returned by F08GSF (ZHPTRD).
- 8: C(LDC,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array C must be at least $\max(1, N)$.
On entry: the m by n matrix C .
On exit: C is overwritten by QC or $Q^H C$ or CQ or CQ^H as specified by SIDE and TRANS.
- 9: LDC – INTEGER *Input*
On entry: the first dimension of the array C as declared in the (sub)program from which F08GUF (ZUPMTR) is called.
Constraint: $LDC \geq \max(1, M)$.
- 10: WORK(*) – **complex*16** array *Workspace*
Note: the dimension of the array WORK must be at least $\max(1, N)$ if SIDE = 'L' and at least $\max(1, M)$ if SIDE = 'R'.
- 11: INFO – INTEGER *Output*
On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed result differs from the exact result by a matrix E such that

$$\|E\|_2 = O(\epsilon)\|C\|_2,$$

where ϵ is the *machine precision*.

8 Further Comments

The total number of real floating-point operations is approximately $8m^2n$ if SIDE = 'L' and $8mn^2$ if SIDE = 'R'.

The real analogue of this routine is F08GGF (DOPMTR).

9 Example

This example computes the two smallest eigenvalues, and the associated eigenvectors, of the matrix A , where

$$A = \begin{pmatrix} -2.28 + 0.00i & 1.78 - 2.03i & 2.26 + 0.10i & -0.12 + 2.53i \\ 1.78 + 2.03i & -1.12 + 0.00i & 0.01 + 0.43i & -1.07 + 0.86i \\ 2.26 - 0.10i & 0.01 - 0.43i & -0.37 + 0.00i & 2.31 - 0.92i \\ -0.12 - 2.53i & -1.07 - 0.86i & 2.31 + 0.92i & -0.73 + 0.00i \end{pmatrix},$$

using packed storage. Here A is Hermitian and must first be reduced to tridiagonal form T by F08GSF (ZHPTRD). The program then calls F08JJF (DSTEBZ) to compute the requested eigenvalues and F08JXF (ZSTEIN) to compute the associated eigenvectors of T . Finally F08GUF (ZUPMTR) is called to transform the eigenvectors to those of A .

9.1 Program Text

```
*      F08GUF Example Program Text
*      Mark 16 Release. NAG Copyright 1992.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX, LDC
      PARAMETER        (NMAX=8,LDC=NMAX)
      DOUBLE PRECISION ZERO
      PARAMETER        (ZERO=0.0D0)
*      .. Local Scalars ..
      DOUBLE PRECISION VL, VU
      INTEGER          I, IFAIL, INFO, J, M, N, NSPLIT
      CHARACTER        UPLO
*      .. Local Arrays ..
      COMPLEX *16      AP(NMAX*(NMAX+1)/2), C(LDC,NMAX), TAU(NMAX),
+                     WORK(NMAX)
      DOUBLE PRECISION D(NMAX), E(NMAX), RWORK(5*NMAX), W(NMAX)
      INTEGER          IBLOCK(NMAX), IFAILV(NMAX), ISPLIT(NMAX),
+                     IWORK(3*NMAX)
      CHARACTER        CLABS(1), RLABS(1)
*      .. External Subroutines ..
      EXTERNAL         DSTEBZ, X04DBF, ZHPTRD, ZSTEIN, ZUPMTR
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F08GUF Example Program Results'
```

```

*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN
*
*      Read A from data file
*
      READ (NIN,*) UPLO
      IF (UPLO.EQ.'U') THEN
        READ (NIN,*) ((AP(I+J*(J-1)/2),J=I,N),I=1,N)
      ELSE IF (UPLO.EQ.'L') THEN
        READ (NIN,*) ((AP(I+(2*N-J)*(J-1)/2),J=1,I),I=1,N)
      END IF
*
*      Reduce A to tridiagonal form T = (Q**H)*A*Q
*
      CALL ZHPTRD(UPLO,N,AP,D,E,TAU,INFO)
*
*      Calculate the two smallest eigenvalues of T (same as A)
*
      CALL DSTEBZ('I','B',N,VL,VU,1,2,ZERO,D,E,M,NSPLIT,W,IBLOCK,
+          ISPLIT,RWORK,IWORK,INFO)
*
      WRITE (NOUT,*)
      IF (INFO.GT.0) THEN
        WRITE (NOUT,*) 'Failure to converge.'
      ELSE
        WRITE (NOUT,*) 'Eigenvalues'
        WRITE (NOUT,99999) (W(I),I=1,M)
*
*      Calculate the eigenvectors of T, storing the result in C
*
      CALL ZSTEIN(N,D,E,M,W,IBLOCK,ISPLIT,C,LDC,RWORK,IWORK,
+          IFAILV,INFO)
*
      IF (INFO.GT.0) THEN
        WRITE (NOUT,*) 'Failure to converge.'
      ELSE
*
*      Calculate the eigenvectors of A = Q * (eigenvectors of T)
*
      CALL ZUPMTR('Left',UPLO,'No transpose',N,M,AP,TAU,C,LDC,
+          WORK,INFO)
*
*      Print eigenvectors
*
      WRITE (NOUT,*)
      IFAIL = 0
*
      CALL X04DBF('General',' ',N,M,C,LDC,'Bracketed','F7.4',
+          'Eigenvectors','Integer',RLABS,'Integer',
+          CLABS,80,0,IFAIL)
*
      END IF
    END IF
  END IF
*
99999 FORMAT (8X,4(F7.4,11X,:))
END

```

9.2 Program Data

F08GUF Example Program Data

```

4                                     :Value of N
'L'                                 :Value of UPLO
(-2.28, 0.00)
( 1.78, 2.03) (-1.12, 0.00)
( 2.26,-0.10) ( 0.01,-0.43) (-0.37, 0.00)
(-0.12,-2.53) (-1.07,-0.86) ( 2.31, 0.92) (-0.73, 0.00) :End of matrix A

```

9.3 Program Results

F08GUF Example Program Results

Eigenvalues

-6.0002 -3.0030

Eigenvectors

	1	2
1	(0.7299, 0.0000)	(-0.2595, 0.0000)
2	(-0.1663,-0.2061)	(0.5969, 0.4214)
3	(-0.4165,-0.1417)	(-0.2965,-0.1507)
4	(0.1743, 0.4162)	(0.3482, 0.4085)
