

NAG Library Routine Document

F08LSF (ZGBBRD)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F08LSF (ZGBBRD) reduces a complex m by n band matrix to real upper bidiagonal form.

2 Specification

```

SUBROUTINE F08LSF(VECT, M, N, NCC, KL, KU, AB, LDAB, D, E, Q, LDQ, PT,
1              LDPT, C, LDC, WORK, RWORK, INFO)
INTEGER          M, N, NCC, KL, KU, LDAB, LDQ, LDPT, LDC, INFO
double precision D(MIN(M,N)), E(MIN(M,N)-1), RWORK(MAX(M,N))
complex*16      AB(LDAB,*), Q(LDQ,*), PT(LDPT,*), C(LDC,*),
1              WORK(MAX(M,N))
CHARACTER*1      VECT

```

The routine may be called by its LAPACK name *zgbbrd*.

3 Description

F08LSF (ZGBBRD) reduces a complex m by n band matrix to real upper bidiagonal form B by a unitary transformation: $A = QBP^H$. The unitary matrices Q and P^H , of order m and n respectively, are determined as a product of Givens rotation matrices, and may be formed explicitly by the routine if required. A matrix C may also be updated to give $\tilde{C} = Q^H C$.

The routine uses a vectorizable form of the reduction.

4 References

None.

5 Parameters

- 1: VECT – CHARACTER*1 *Input*
- On entry:* indicates whether the matrices Q and/or P^H are generated.
- VECT = 'N'
Neither Q nor P^H is generated.
- VECT = 'Q'
 Q is generated.
- VECT = 'P'
 P^H is generated.
- VECT = 'B'
Both Q and P^H are generated.
- Constraint:* VECT = 'N', 'Q', 'P' or 'B'.

- 2: M – INTEGER *Input*
On entry: m , the number of rows of the matrix A .
Constraint: $M \geq 0$.
- 3: N – INTEGER *Input*
On entry: n , the number of columns of the matrix A .
Constraint: $N \geq 0$.
- 4: NCC – INTEGER *Input*
On entry: n_C , the number of columns of the matrix C .
Constraint: $NCC \geq 0$.
- 5: KL – INTEGER *Input*
On entry: the number of subdiagonals, k_l , within the band of A .
Constraint: $KL \geq 0$.
- 6: KU – INTEGER *Input*
On entry: the number of superdiagonals, k_u , within the band of A .
Constraint: $KU \geq 0$.
- 7: AB(LDAB,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array AB must be at least $\max(1, N)$.
On entry: the original m by n band matrix A .
The matrix is stored in rows 1 to $k_l + k_u + 1$, more precisely, the element A_{ij} must be stored in

$$AB(k_u + 1 + i - j, j) \quad \text{for } \max(1, j - k_u) \leq i \leq \min(m, j + k_l).$$
On exit: AB is overwritten by values generated during the reduction.
- 8: LDAB – INTEGER *Input*
On entry: the first dimension of the array AB as declared in the (sub)program from which F08LSF (ZGBBRD) is called.
Constraint: $LDAB \geq KL + KU + 1$.
- 9: D(min(M,N)) – **double precision** array *Output*
On exit: the diagonal elements of the bidiagonal matrix B .
- 10: E(min(M,N) – 1) – **double precision** array *Output*
On exit: the superdiagonal elements of the bidiagonal matrix B .
- 11: Q(LDQ,*) – **complex*16** array *Output*
Note: the second dimension of the array Q must be at least $\max(1, M)$ if VECT = 'Q' or 'B', and at least 1 otherwise.
On exit: if VECT = 'Q' or 'B', contains the m by m unitary matrix Q .
If VECT = 'N' or 'P', Q is not referenced.
- 12: LDQ – INTEGER *Input*
On entry: the first dimension of the array Q as declared in the (sub)program from which F08LSF (ZGBBRD) is called.

Constraints:

if VECT = 'Q' or 'B', LDQ $\geq \max(1, M)$;
otherwise LDQ ≥ 1 .

13: PT(LDPT,*) – **complex*16** array *Output*

Note: the second dimension of the array PT must be at least $\max(1, N)$ if VECT = 'P' or 'B', and at least 1 otherwise.

On exit: the n by n unitary matrix P^H , if VECT = 'P' or 'B'. If VECT = 'N' or 'Q', PT is not referenced.

14: LDPT – INTEGER *Input*

On entry: the first dimension of the array PT as declared in the (sub)program from which F08LSF (ZGBBRD) is called.

Constraints:

if VECT = 'P' or 'B', LDPT $\geq \max(1, N)$;
otherwise LDPT ≥ 1 .

15: C(LDC,*) – **complex*16** array *Input/Output*

Note: the second dimension of the array C must be at least $\max(1, NCC)$.

On entry: an m by n_C matrix C .

On exit: C is overwritten by $Q^H C$. If NCC = 0, C is not referenced.

16: LDC – INTEGER *Input*

On entry: the first dimension of the array C as declared in the (sub)program from which F08LSF (ZGBBRD) is called.

Constraints:

if NCC > 0, LDC $\geq \max(1, M)$;
if NCC = 0, LDC ≥ 1 .

17: WORK(max(M, N)) – **complex*16** array *Workspace*

18: RWORK(max(M, N)) – **double precision** array *Workspace*

19: INFO – INTEGER *Output*

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed bidiagonal form B satisfies $QBP^H = A + E$, where

$$\|E\|_2 \leq c(n)\epsilon\|A\|_2,$$

$c(n)$ is a modestly increasing function of n , and ϵ is the **machine precision**.

The elements of B themselves may be sensitive to small perturbations in A or to rounding errors in the computation, but this does not affect the stability of the singular values and vectors.

The computed matrix Q differs from an exactly unitary matrix by a matrix F such that

$$\|F\|_2 = O(\epsilon).$$

A similar statement holds for the computed matrix P^H .

8 Further Comments

The total number of real floating-point operations is approximately the sum of:

$20n^2k$, if VECT = 'N' and NCC = 0, and

$10n^2n_C(k-1)/k$, if C is updated, and

$10n^3(k-1)/k$ if either Q or P^H is generated (double this if both),

where $k = k_l + k_u$, assuming $n \gg k$. For this section we assume that $m = n$.

The real analogue of this routine is F08LEF (DGBBRD).

9 Example

This example reduces the matrix A to upper bidiagonal form, where

$$A = \begin{pmatrix} 0.96 - 0.81i & -0.03 + 0.96i & 0.00 + 0.00i & 0.00 + 0.00i \\ -0.98 + 1.98i & -1.20 + 0.19i & -0.66 + 0.42i & 0.00 + 0.00i \\ 0.62 - 0.46i & 1.01 + 0.02i & 0.63 - 0.17i & -1.11 + 0.60i \\ 0.00 + 0.00i & 0.19 - 0.54i & -0.98 - 0.36i & 0.22 - 0.20i \\ 0.00 + 0.00i & 0.00 + 0.00i & -0.17 - 0.46i & 1.47 + 1.59i \\ 0.00 + 0.00i & 0.00 + 0.00i & 0.00 + 0.00i & 0.26 + 0.26i \end{pmatrix}.$$

9.1 Program Text

```
*      F08LSF Example Program Text
*      Mark 19 Release. NAG Copyright 1999.
*      .. Parameters ..
      INTEGER                NIN, NOUT
      PARAMETER              (NIN=5,NOUT=6)
      INTEGER                MMAX, NMAX, NCCMAX, KLMAX, KUMAX, LDAB, LDQ,
+      LDPT, LDC
      PARAMETER              (MMAX=8,NMAX=8,NCCMAX=8,KLMAX=8,KUMAX=8,
+      LDAB=KLMAX+KUMAX+1,LDQ=MMAX,LDPT=NMAX,LDC=MMAX)
      CHARACTER              VECT
      PARAMETER              (VECT='N')
*      .. Local Scalars ..
      INTEGER                I, INFO, J, KL, KU, M, N, NCC
*      .. Local Arrays ..
      COMPLEX *16            AB(LDAB,NMAX), C(MMAX,NCCMAX), PT(LDPT,NMAX),
+      Q(LDQ,MMAX), WORK(MMAX+NMAX)
      DOUBLE PRECISION       D(NMAX), E(NMAX-1), RWORK(MMAX+NMAX)
*      .. External Subroutines ..
      EXTERNAL              ZGBBRD
*      .. Intrinsic Functions ..
      INTRINSIC             MAX, MIN
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F08LSF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) M, N, KL, KU, NCC
      IF (M.LE.MMAX .AND. N.LE.NMAX .AND. KL.LE.KLMAX .AND. KU.LE.
+      KUMAX .AND. NCC.LE.NCCMAX) THEN
*
*      Read A from data file
*
      READ (NIN,*) ((AB(KU+1+I-J,J),J=MAX(I-KL,1),MIN(I+KU,N)),I=1,M)
*
*      Reduce A to upper bidiagonal form
```

```

      CALL ZGBBRD(VECT,M,N,NCC,KL,KU,AB,LDAB,D,E,Q,LDQ,PT,LDPT,C,LDC,
+              WORK,RWORK,INFO)
*
*      Print bidiagonal form
*
      WRITE (NOUT,*)
      WRITE (NOUT,*) 'Diagonal'
      WRITE (NOUT,99999) (D(I),I=1,MIN(M,N))
      WRITE (NOUT,*) 'Super-diagonal'
      WRITE (NOUT,99999) (E(I),I=1,MIN(M,N)-1)
      END IF
*
99999 FORMAT (1X,8F9.4)
      END

```

9.2 Program Data

F08LSF Example Program Data

```

  6  4  2  1  0                               :Values of M, N, KL, KU and NCC
( 0.96,-0.81) (-0.03, 0.96)
(-0.98, 1.98) (-1.20, 0.19) (-0.66, 0.42)
( 0.62,-0.46) ( 1.01, 0.02) ( 0.63,-0.17) (-1.11, 0.60)
              ( 0.19,-0.54) (-0.98,-0.36) ( 0.22,-0.20)
              (-0.17,-0.46) ( 1.47, 1.59)
              ( 0.26, 0.26) :End of matrix A

```

9.3 Program Results

F08LSF Example Program Results

```

Diagonal
  2.6560   1.7501   2.0607   0.8658
Super-diagonal
  1.7033   1.2800   0.1467

```
