

NAG Library Routine Document

F08NTF (ZUNGHR)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F08NTF (ZUNGHR) generates the complex unitary matrix Q which was determined by F08NSF (ZGEHRD) when reducing a complex general matrix A to Hessenberg form.

2 Specification

```
SUBROUTINE F08NTF(N, ILO, IHI, A, LDA, TAU, WORK, LWORK, INFO)
INTEGER          N, ILO, IHI, LDA, LWORK, INFO
complex*16      A(LDA,*), TAU(*), WORK(max(1,LWORK))
```

The routine may be called by its LAPACK name ***zunghr***.

3 Description

F08NTF (ZUNGHR) is intended to be used following a call to F08NSF (ZGEHRD), which reduces a complex general matrix A to upper Hessenberg form H by a unitary similarity transformation: $A = QHQ^H$. F08NSF (ZGEHRD) represents the matrix Q as a product of $i_{hi} - i_{lo}$ elementary reflectors. Here i_{lo} and i_{hi} are values determined by F08NVF (ZGEBAL) when balancing the matrix; if the matrix has not been balanced, $i_{lo} = 1$ and $i_{hi} = n$.

This routine may be used to generate Q explicitly as a square matrix. Q has the structure:

$$Q = \begin{pmatrix} I & 0 & 0 \\ 0 & Q_{22} & 0 \\ 0 & 0 & I \end{pmatrix}$$

where Q_{22} occupies rows and columns i_{lo} to i_{hi} .

4 References

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

1: N – INTEGER *Input*
On entry: n , the order of the matrix Q .
Constraint: $N \geq 0$.

2: ILO – INTEGER *Input*
 3: IHI – INTEGER *Input*

On entry: these **must** be the same parameters ILO and IHI, respectively, as supplied to F08NSF (ZGEHRD).

Constraints:

if $N > 0$, $1 \leq ILO \leq IHI \leq N$;
 if $N = 0$, $ILO = 1$ and $IHI = 0$.

- 4: A(LDA,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: details of the vectors which define the elementary reflectors, as returned by F08NSF (ZGEHRD).
On exit: the n by n unitary matrix Q .
- 5: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F08NTF (ZUNGHR) is called.
Constraint: $LDA \geq \max(1, N)$.
- 6: TAU(*) – **complex*16** array *Input*
Note: the dimension of the array TAU must be at least $\max(1, N - 1)$.
On entry: further details of the elementary reflectors, as returned by F08NSF (ZGEHRD).
- 7: WORK($\max(1, LWORK)$) – **complex*16** array *Workspace*
On exit: if INFO = 0, the real part of WORK(1) contains the minimum value of LWORK required for optimal performance.
- 8: LWORK – INTEGER *Input*
On entry: the dimension of the array WORK as declared in the (sub)program from which F08NTF (ZUNGHR) is called, unless LWORK = -1, in which case a workspace query is assumed and the routine only calculates the optimal dimension of WORK (using the formula given below).
Suggested value: for optimal performance LWORK should be at least $(IHI - ILO) \times nb$, where nb is the **block size**.
Constraint: $LWORK \geq \max(1, IHI - ILO)$ or LWORK = -1.
- 9: INFO – INTEGER *Output*
On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

The computed matrix Q differs from an exactly unitary matrix by a matrix E such that

$$\|E\|_2 = O(\epsilon),$$

where ϵ is the **machine precision**.

8 Further Comments

The total number of real floating-point operations is approximately $\frac{16}{3}q^3$, where $q = i_{hi} - i_{lo}$.

The real analogue of this routine is F08NFF (DORGHR).

9 Example

This example computes the Schur factorization of the matrix A , where

$$A = \begin{pmatrix} -3.97 - 5.04i & -4.11 + 3.70i & -0.34 + 1.01i & 1.29 - 0.86i \\ 0.34 - 1.50i & 1.52 - 0.43i & 1.88 - 5.38i & 3.36 + 0.65i \\ 3.31 - 3.85i & 2.50 + 3.45i & 0.88 - 1.08i & 0.64 - 1.48i \\ -1.10 + 0.82i & 1.81 - 1.59i & 3.25 + 1.33i & 1.57 - 3.44i \end{pmatrix}.$$

Here A is general and must first be reduced to Hessenberg form by F08NSF (ZGEHRD). The program then calls F08NTF (ZUNGHR) to form Q , and passes this matrix to F08PSF (ZHSEQR) which computes the Schur factorization of A .

9.1 Program Text

```
*      F08NTF Example Program Text
*      Mark 16 Release. NAG Copyright 1992.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX, LDA, LDZ, LWORK
      PARAMETER        (NMAX=8,LDA=NMAX,LDZ=NMAX,LWORK=64*(NMAX-1))
*      .. Local Scalars ..
      INTEGER          I, IFAIL, INFO, J, N
*      .. Local Arrays ..
      COMPLEX *16      A(LDA,NMAX), TAU(NMAX), W(NMAX), WORK(LWORK),
+                     Z(LDZ,NMAX)
      CHARACTER        CLABS(1), RLABS(1)
*      .. External Subroutines ..
      EXTERNAL         F06TFF, X04DBF, ZGEHRD, ZHSEQR, ZUNGHR
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F08NTF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN
*
*         Read A from data file
*
*         READ (NIN,*) ((A(I,J),J=1,N),I=1,N)
*
*         Reduce A to upper Hessenberg form H = (Q**H)*A*Q
*
*         CALL ZGEHRD(N,1,N,A,LDA,TAU,WORK,LWORK,INFO)
*
*         Copy A into Z
*
*         CALL F06TFF('General',N,N,A,LDA,Z,LDZ)
*
*         Form Q explicitly, storing the result in Z
*
*         CALL ZUNGHR(N,1,N,Z,LDZ,TAU,WORK,LWORK,INFO)
*
*         Calculate the Schur factorization of H = Y*T*(Y**H) and form
*         Q*Y explicitly, storing the result in Z
*
*         Note that A = Z*T*(Z**H), where Z = Q*Y
*
*         CALL ZHSEQR('Schur form','Vectors',N,1,N,A,LDA,W,Z,LDZ,WORK,
+                     LWORK,INFO)
*
*         Print Schur form
*
*         WRITE (NOUT,*)
*         IFAIL = 0
*
*         CALL X04DBF('General',' ',N,N,A,LDA,'Bracketed','F7.4',
+                     'Schur form','Integer',RLABS,'Integer',CLABS,80,0,
+                     IFAIL)
```

```

*
*      Print Schur vectors
*
*      WRITE (NOUT,*)
*      IFAIL = 0
*
*      CALL X04DBF('General',' ',N,N,Z,LDZ,'Bracketed','F7.4',
+                'Schur vectors of A','Integer',RLABS,'Integer',
+                CLABS,80,0,IFAIL)
*
*      END IF
*
*      END

```

9.2 Program Data

F08NTF Example Program Data

```

4                                     :Value of N
(-3.97,-5.04) (-4.11, 3.70) (-0.34, 1.01) ( 1.29,-0.86)
( 0.34,-1.50) ( 1.52,-0.43) ( 1.88,-5.38) ( 3.36, 0.65)
( 3.31,-3.85) ( 2.50, 3.45) ( 0.88,-1.08) ( 0.64,-1.48)
(-1.10, 0.82) ( 1.81,-1.59) ( 3.25, 1.33) ( 1.57,-3.44) :End of matrix A

```

9.3 Program Results

F08NTF Example Program Results

Schur form

```

                                     1               2               3               4
1  (-6.0004,-6.9998) ( 0.4896,-0.1618) ( 0.4761,-0.1946) ( 0.1165,-0.9070)
2  ( 0.0000, 0.0000) (-5.0000, 2.0060) (-0.2115, 0.6907) ( 0.1447, 0.2208)
3  ( 0.0000, 0.0000) ( 0.0000, 0.0000) ( 7.9982,-0.9964) (-0.1298, 1.0704)
4  ( 0.0000, 0.0000) ( 0.0000, 0.0000) ( 0.0000, 0.0000) ( 3.0023,-3.9998)

```

Schur vectors of A

```

                                     1               2               3               4
1  (-0.5312,-0.6581) (-0.3774, 0.0799) (-0.0935,-0.2736) (-0.0345,-0.2262)
2  ( 0.2474,-0.1769) (-0.4021, 0.4108) (-0.4015, 0.6010) ( 0.1672, 0.1633)
3  ( 0.1874,-0.2637) ( 0.6241, 0.0937) (-0.5752,-0.0389) (-0.1647,-0.3709)
4  (-0.1909, 0.2262) (-0.0537,-0.3457) (-0.1537, 0.1951) ( 0.6780,-0.5183)

```
