

NAG Library Routine Document

F08ZNF (ZGGLSE)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F08ZNF (ZGGLSE) solves a complex linear equality-constrained least-squares problem.

2 Specification

```
SUBROUTINE F08ZNF(M, N, P, A, LDA, B, LDB, C, D, X, WORK, LWORK, INFO)
INTEGER          M, N, P, LDA, LDB, LWORK, INFO
complex*16      A(LDA,*), B(LDB,*), C(M), D(P), X(N),
1               WORK(max(1,LWORK))
```

The routine may be called by its LAPACK name ***zgglse***.

3 Description

F08ZNF (ZGGLSE) solves the complex linear equality-constrained least-squares (LSE) problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where A is an m by n matrix, B is a p by n matrix, c is an m element vector and d is a p element vector.

It is assumed that $p \leq n \leq m + p$, $\text{rank}(B) = p$ and $\text{rank}(E) = n$, where $E = \begin{pmatrix} A \\ B \end{pmatrix}$. These conditions ensure that the LSE problem has a unique solution, which is obtained using a generalized RQ factorization of the matrices B and A .

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia

Anderson E, Bai Z and Dongarra J (1992) Generalized QR factorization and its applications *Linear Algebra Appl. (Volume 162–164)* 243–271

Eldèn L (1980) Perturbation theory for the least-squares problem with linear equality constraints *SIAM J. Numer. Anal.* **17** 338–350

5 Parameters

- | | | |
|----|--|--------------|
| 1: | M – INTEGER | <i>Input</i> |
| | <i>On entry:</i> m , the number of rows of the matrix A . | |
| | <i>Constraint:</i> $M \geq 0$. | |
| 2: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the number of columns of the matrices A and B . | |
| | <i>Constraint:</i> $N \geq 0$. | |

- 3: P – INTEGER *Input*
On entry: p , the number of rows of the matrix B .
Constraint: $0 \leq P \leq N \leq M + P$.
- 4: A(LDA,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the m by n matrix A .
On exit: A is overwritten.
- 5: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F08ZNF (ZGGLSE) is called.
Constraint: $LDA \geq \max(1, M)$.
- 6: B(LDB,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, N)$.
On entry: the p by n matrix B .
On exit: B is overwritten.
- 7: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F08ZNF (ZGGLSE) is called.
Constraint: $LDB \geq \max(1, P)$.
- 8: C(M) – **complex*16** array *Input/Output*
On entry: the right-hand side vector c for the least-squares part of the LSE problem.
On exit: the residual sum of squares for the solution vector x is given by the sum of squares of elements $C(N - P + 1), C(N - P + 2), \dots, C(M)$; the remaining elements are overwritten.
- 9: D(P) – **complex*16** array *Input/Output*
On entry: the right-hand side vector d for the equality constraints.
On exit: D is overwritten.
- 10: X(N) – **complex*16** array *Output*
On exit: the solution vector x of the LSE problem.
- 11: WORK(max(1, LWORK)) – **complex*16** array *Workspace*
On exit: if $INFO = 0$, the real part of $WORK(1)$ contains the minimum value of $LWORK$ required for optimal performance.
- 12: LWORK – INTEGER *Input*
On entry: the dimension of the array $WORK$ as declared in the (sub)program from which F08ZNF (ZGGLSE) is called.
 If $LWORK = -1$, a workspace query is assumed; the routine only calculates the optimal size of the $WORK$ array, returns this value as the first entry of the $WORK$ array, and no error message related to $LWORK$ is issued.

Suggested value: for optimal performance, $\text{LWORK} \geq P + \min(M, N) + \max(M, N) \times nb$, where nb is the optimal **block size**.

Constraint: $\text{LWORK} \geq \max(1, M + N + P)$ or $\text{LWORK} = -1$.

13: INFO – INTEGER

Output

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If $\text{INFO} = -i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO = 1

The upper triangular factor R associated with B in the generalized RQ factorization of the pair (B, A) is singular, so that $\text{rank}(B) < p$; the least squares solution could not be computed.

INFO = 2

The $(N - P)$ by $(N - P)$ part of the upper trapezoidal factor T associated with A in the generalised RQ factorization of the pair (B, A) is singular, so that the rank of the matrix (E) comprising the rows of A and B is less than n ; the least squares solutions could not be computed.

7 Accuracy

For an error analysis, see Anderson *et al.* (1992) and Eldèn (1980). See also Section 4.6 of Anderson *et al.* (1999).

8 Further Comments

When $m \geq n = p$, the total number of real floating-point operations is approximately $\frac{8}{3}n^2(6m + n)$; if $p \ll n$, the number reduces to approximately $\frac{8}{3}n^2(3m - n)$.

9 Example

This example solves the least-squares problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where

$$c = \begin{pmatrix} -2.54 + 0.09i \\ 1.65 - 2.26i \\ -2.11 - 3.96i \\ 1.82 + 3.30i \\ -6.41 + 3.77i \\ 2.07 + 0.66i \end{pmatrix},$$

and

$$A = \begin{pmatrix} 0.96 - 0.81i & -0.03 + 0.96i & -0.91 + 2.06i & -0.05 + 0.41i \\ -0.98 + 1.98i & -1.20 + 0.19i & -0.66 + 0.42i & -0.81 + 0.56i \\ 0.62 - 0.46i & 1.01 + 0.02i & 0.63 - 0.17i & -1.11 + 0.60i \\ 0.37 + 0.38i & 0.19 - 0.54i & -0.98 - 0.36i & 0.22 - 0.20i \\ 0.83 + 0.51i & 0.20 + 0.01i & -0.17 - 0.46i & 1.47 + 1.59i \\ 1.08 - 0.28i & 0.20 - 0.12i & -0.07 + 1.23i & 0.26 + 0.26i \end{pmatrix},$$

$$B = \begin{pmatrix} 1.0 + 0.0i & 0 & -1.0 + 0.0i & 0 \\ 0 & 1.0 + 0.0i & 0 & -1.0 + 0.0i \end{pmatrix}$$

and

$$d = \begin{pmatrix} 0 \\ 0 \end{pmatrix}.$$

The constraints $Bx = d$ correspond to $x_1 = x_3$ and $x_2 = x_4$.

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

9.1 Program Text

```
*      F08ZNF Example Program Text
*      Mark 17 Release. NAG Copyright 1995.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          MMAX, NB, NMAX, PMAX
      PARAMETER        (MMAX=10,NB=64,NMAX=10,PMAX=10)
      INTEGER          LDA, LDB, LWORK
      PARAMETER        (LDA=MMAX,LDB=PMAX,LWORK=PMAX+NMAX+NB*(MMAX+NMAX)
+
*      .. Local Scalars ..
      DOUBLE PRECISION RNORM
      INTEGER          I, INFO, J, M, N, P
*      .. Local Arrays ..
      COMPLEX *16      A(LDA,NMAX), B(LDB,NMAX), C(MMAX), D(PMAX),
+
      WORK(LWORK), X(NMAX)
*      .. External Functions ..
      DOUBLE PRECISION DZNRM2
      EXTERNAL          DZNRM2
*      .. External Subroutines ..
      EXTERNAL          ZGGLSE
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F08ZNF Example Program Results'
      WRITE (NOUT,*)
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) M, N, P
      IF (M.LE.MMAX .AND. N.LE.NMAX .AND. P.LE.PMAX) THEN
*
*      Read A, B, C and D from data file
*
      READ (NIN,*) ((A(I,J),J=1,N),I=1,M)
      READ (NIN,*) ((B(I,J),J=1,N),I=1,P)
      READ (NIN,*) (C(I),I=1,M)
      READ (NIN,*) (D(I),I=1,P)
*
*      Solve the equality-constrained least-squares problem
*
*      minimize ||c - A*x|| (in the 2-norm) subject to B*x = D
*
      CALL ZGGLSE(M,N,P,A,LDA,B,LDB,C,D,X,WORK,LWORK,INFO)
*
*      Print least-squares solution
*
```

```

      WRITE (NOUT,*) 'Constrained least-squares solution'
      WRITE (NOUT,99999) (X(I),I=1,N)
*
*      Compute the square root of the residual sum of squares
*
      RNORM = DZNRM2(M-N+P,C(N-P+1),1)
      WRITE (NOUT,*)
      WRITE (NOUT,*) 'Square root of the residual sum of squares'
      WRITE (NOUT,99998) RNORM
      ELSE
      WRITE (NOUT,*)
+      'One or more of MMAX, NMAX and PMAX is too small'
      END IF
*
99999 FORMAT (4(' (',F7.4,',',F7.4,')',:))
99998 FORMAT (1X,1P,E10.2)
      END

```

9.2 Program Data

F08ZNF Example Program Data

```

      6              4              2              :Values of M, N and P

( 0.96,-0.81) (-0.03, 0.96) (-0.91, 2.06) (-0.05, 0.41)
(-0.98, 1.98) (-1.20, 0.19) (-0.66, 0.42) (-0.81, 0.56)
( 0.62,-0.46) ( 1.01, 0.02) ( 0.63,-0.17) (-1.11, 0.60)
( 0.37, 0.38) ( 0.19,-0.54) (-0.98,-0.36) ( 0.22,-0.20)
( 0.83, 0.51) ( 0.20, 0.01) (-0.17,-0.46) ( 1.47, 1.59)
( 1.08,-0.28) ( 0.20,-0.12) (-0.07, 1.23) ( 0.26, 0.26) :End of matrix A

( 1.00, 0.00) ( 0.00, 0.00) (-1.00, 0.00) ( 0.00, 0.00)
( 0.00, 0.00) ( 1.00, 0.00) ( 0.00, 0.00) (-1.00, 0.00) :End of matrix B

(-2.54, 0.09)
( 1.65,-2.26)
(-2.11,-3.96)
( 1.82, 3.30)
(-6.41, 3.77)
( 2.07, 0.66) :End of vector c

( 0.00, 0.00)
( 0.00, 0.00) :End of vector d

```

9.3 Program Results

F08ZNF Example Program Results

```

Constrained least-squares solution
( 1.0874,-1.9621) (-0.7409, 3.7297) ( 1.0874,-1.9621) (-0.7409, 3.7297)

Square root of the residual sum of squares
1.59E-01

```
