

NAG Library Routine Document

G02BXF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G02BXF calculates the sample means, the standard deviations, the variance-covariance matrix, and the matrix of Pearson product-moment correlation coefficients for a set of data. Weights may be used.

2 Specification

```
SUBROUTINE G02BXF(WEIGHT, N, M, X, LDX, WT, XBAR, STD, V, LDV, R, IFAIL)
INTEGER          N, M, LDX, LDV, IFAIL
double precision X(LDX,M), WT(*), XBAR(M), STD(M), V(LDV,M), R(LDV,M)
CHARACTER*1      WEIGHT
```

3 Description

G02BXF uses a one-pass algorithm to compute the (optionally weighted) means and sums of squares and cross-products of deviations about the means. The algorithm uses a single pass updating algorithm as implemented by G02BUF. The variance-covariance matrix, the standard deviations and the Pearson product-moment correlation matrix are then computed from these basic results, the latter by means of G02BWF.

4 References

Chan T F, Golub G H and Leveque R J (1982) *Updating Formulae and a Pairwise Algorithm for Computing Sample Variances* Compstat, Physica-Verlag

West D H D (1979) Updating mean and variance estimates: An improved method *Comm. ACM* **22** 532–555

5 Parameters

1: WEIGHT – CHARACTER*1 *Input*

On entry: indicates whether weights are to be used.

WEIGHT = 'U'

Weights are not used and unit weights are assumed.

WEIGHT = 'W' or 'V'

Weights are used and must be supplied in WT. The only difference between WEIGHT = 'W' or WEIGHT = 'V' is in computing the variance. If WEIGHT = 'W' the divisor for the variance is the sum of the weights minus one and if WEIGHT = 'V' the divisor is the number of observations with nonzero weights minus one. The former is useful if the weights represent the frequency of the observed values.

Constraint: WEIGHT = 'U', 'V' or 'W'.

2: N – INTEGER *Input*

On entry: the number of data observations in the sample.

Constraint: N > 1.

- 3: M – INTEGER *Input*
On entry: the number of variables.
Constraint: $M \geq 1$.
- 4: X(LDX,M) – **double precision** array *Input*
On entry: $X(i, j)$ must contain the i th observation for the j th variable, for $i = 1, 2, \dots, N$ and $j = 1, 2, \dots, M$.
- 5: LDX – INTEGER *Input*
On entry: the first dimension of the array X as declared in the (sub)program from which G02BXF is called.
Constraint: $LDX \geq N$.
- 6: WT(*) – **double precision** array *Input*
Note: the dimension of the array WT must be at least N if WEIGHT = 'W' or 'V', and at least 1 otherwise.
On entry: the optional weights.
 If WEIGHT = 'W' or 'V', $WT(i)$ must contain the weight for the i th observation. When WEIGHT = 'W' the effective number of observations is given by the sum of these weights as opposed to the number of nonzero weights when WEIGHT = 'V'.
 If WEIGHT = 'U', WT is not referenced.
Constraint: if WEIGHT = 'W' or 'V', $\sum_{i=1}^N WT(i) > 1$, $WT(i) \geq 0.0$, for $i = 1, 2, \dots, N$.
- 7: XBAR(M) – **double precision** array *Output*
On exit: the sample means. $XBAR(j)$ contains the mean of the j th variable.
- 8: STD(M) – **double precision** array *Output*
On exit: the standard deviations. $STD(j)$ contains the standard deviation for the j th variable.
- 9: V(LDV,M) – **double precision** array *Output*
On exit: the variance-covariance matrix. $V(j, k)$ contains the covariance between variables j and k , for $j, k = 1, 2, \dots, M$.
- 10: LDV – INTEGER *Input*
On entry: the first dimension of the arrays R and V as declared in the (sub)program from which G02BXF is called.
Constraint: $LDV \geq M$.
- 11: R(LDV,M) – **double precision** array *Output*
On exit: the matrix of Pearson product-moment correlation coefficients. $R(j, k)$ contains the correlation coefficient between variables j and k .
- 12: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then

the value 1 is recommended. Otherwise, because for this routine the values of the output parameters may be useful even if $IFAIL \neq 0$ on exit, the recommended value is -1 . **When the value -1 or 1 is used it is essential to test the value of $IFAIL$ on exit.**

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Note: G02BXF may return useful information for one or more of the following detected errors or warnings.

Errors or warnings detected by the routine:

$IFAIL = 1$

On entry, $M < 1$,
or $N \leq 1$,
or $LDX < N$,
or $LDV < M$.

$IFAIL = 2$

On entry, $WEIGHT \neq 'U', 'V'$ or $'W'$.

$IFAIL = 3$

On entry, $WEIGHT = 'W'$ or $'V'$ and a value of $WT < 0.0$.

$IFAIL = 4$

$WEIGHT = 'W'$ and the sum of weights is not greater than 1.0, or $WEIGHT = 'V'$ and fewer than 2 observations have nonzero weights.

$IFAIL = 5$

A variable has a zero variance. In this case V and STD are returned as calculated but R will contain zero for any correlation involving a variable with zero variance.

7 Accuracy

For a discussion of the accuracy of the one pass algorithm see Chan *et al.* (1982) and West (1979).

8 Further Comments

None.

9 Example

The data are some of the results from 1988 Olympic Decathlon. They are the times (in seconds) for the 100m and 400m races and the distances (in metres) for the long jump, high jump and shot. Twenty observations are input and the correlation matrix is computed and printed.

9.1 Program Text

```
*      G02BXF Example Program Text
*      Mark 17 Revised. NAG Copyright 1995.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX, MMAX
      PARAMETER        (NMAX=20,MMAX=5)
*      .. Local Scalars ..
```

```

      INTEGER          I, IFAIL, J, LDV, LDX, M, N
      CHARACTER        WEIGHT
*
      .. Local Arrays ..
      DOUBLE PRECISION R(MMAX,MMAX), STD(MMAX), V(MMAX,MMAX), WT(NMAX),
+      X(NMAX,MMAX), XBAR(MMAX)
*
      .. External Subroutines ..
      EXTERNAL          GO2BXF, X04CAF
*
      .. Executable Statements ..
      WRITE (NOUT,*) 'G02BXF Example Program Results'
*
      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) WEIGHT, N, M
      IF (M.LE.MMAX .AND. N.LE.NMAX) THEN
        IF (WEIGHT.EQ.'W' .OR. WEIGHT.EQ.'w') THEN
          DO 20 I = 1, N
            READ (NIN,*) (X(I,J),J=1,M), WT(I)
20          CONTINUE
        ELSE
          DO 40 I = 1, N
            READ (NIN,*) (X(I,J),J=1,M)
40          CONTINUE
        END IF
        LDX = NMAX
        LDV = MMAX
        IFAIL = 1
*
        CALL GO2BXF(WEIGHT,N,M,X,LDX,WT,XBAR,STD,V,LDV,R,IFAIL)
*
        IF (IFAIL.EQ.0 .OR. IFAIL.EQ.5) THEN
          WRITE (NOUT,*)
          WRITE (NOUT,*) '      Means'
          WRITE (NOUT,*)
          WRITE (NOUT,99999) (XBAR(I),I=1,M)
          WRITE (NOUT,*)
          WRITE (NOUT,*) '      Standard deviations'
          WRITE (NOUT,*)
          WRITE (NOUT,99999) (STD(I),I=1,M)
*
          Print the correlation matrix
*
          IF (IFAIL.EQ.5) THEN
            WRITE (NOUT,*)
            WRITE (NOUT,*) ' NOTE: some variances are zero'
          END IF
          WRITE (NOUT,*)
          CALL X04CAF('Upper','Non-unit',M,M,R,LDV,
+          '      Correlation matrix',IFAIL)
          WRITE (NOUT,*)
        ELSE
          WRITE (NOUT,*)
          WRITE (NOUT,99998) ' ** G02BXF returned with IFAIL = ',
+          IFAIL
        END IF
      ELSE
        WRITE (NOUT,99997) 'M or N is too large. M =', M, ', N =', N
      END IF
*
99999 FORMAT (1X,10F13.4)
99998 FORMAT (1X,A,I5)
99997 FORMAT (1X,A,I6,A,I6)
      END

```

9.2 Program Data

G02BXF Example Program Data

'u'	20	5			
11.25	48.9	7.43	2.270	15.48	
10.87	47.7	7.45	1.971	14.97	
11.18	48.2	7.44	1.979	14.20	
10.62	49.0	7.38	2.026	15.02	

```

11.02 47.4 7.43 1.974 12.92
10.83 48.3 7.72 2.124 13.58
11.18 49.3 7.05 2.064 14.12
11.05 48.2 6.95 2.001 15.34
11.15 49.1 7.12 2.035 14.52
11.23 48.6 7.28 1.970 15.25
10.94 49.9 7.45 1.974 15.34
11.18 49.0 7.34 1.942 14.48
11.02 48.2 7.29 2.063 12.92
10.99 47.8 7.37 1.973 13.61
11.03 48.9 7.45 1.974 14.20
11.09 48.8 7.08 2.039 14.51
11.46 51.2 6.75 2.008 16.07
11.57 49.8 7.00 1.944 16.60
11.07 47.9 7.04 1.947 13.41
10.89 49.6 7.07 1.798 15.84

```

9.3 Program Results

G02BXF Example Program Results

Means

```

      11.0810      48.7900      7.2545      2.0038      14.6190

```

Standard deviations

```

      0.2132      0.9002      0.2349      0.0902      1.0249

```

Correlation matrix

```

      1      2      3      4      5
1  1.0000  0.4416 -0.5427  0.0696  0.3912
2           1.0000 -0.5058 -0.0678  0.7057
3                1.0000  0.2768 -0.4352
4                     1.0000 -0.1494
5                          1.0000

```
