

NAG Library Routine Document

G02EEF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G02EEF carries out one step of a forward selection procedure in order to enable the 'best' linear regression model to be found.

2 Specification

```

SUBROUTINE G02EEF(ISTEP, MEAN, WEIGHT, N, M, X, LDX, VNAME, ISX, MAXIP,
1          Y, WT, FIN, ADDVAR, NEWVAR, CHRSS, F, MODEL, NTERM,
2          RSS, IDF, IFR, FREE, EXSS, Q, LDQ, P, WK, IFAIL)

  INTEGER          ISTEP, N, M, LDX, ISX(M), MAXIP, NTERM, IDF, IFR, LDQ,
1          IFAIL
  double precision X(LDX,M), Y(N), WT(*), FIN, CHRSS, F, RSS,
1          EXSS(MAXIP), Q(LDQ,MAXIP+2), P(MAXIP+1), WK(2*MAXIP)
  LOGICAL          ADDVAR
  CHARACTER*(*)    VNAME(M), NEWVAR, MODEL(MAXIP), FREE(MAXIP)
  CHARACTER*1      MEAN, WEIGHT

```

3 Description

One method of selecting a linear regression model from a given set of independent variables is by forward selection. The following procedure is used:

- (i) Select the best fitting independent variable, i.e., the independent variable which gives the smallest residual sum of squares. If the F -test for this variable is greater than a chosen critical value, F_c , then include the variable in the model, else stop.
- (ii) Find the independent variable that leads to the greatest reduction in the residual sum of squares when added to the current model.
- (iii) If the F -test for this variable is greater than a chosen critical value, F_c , then include the variable in the model and go to (b), otherwise stop.

At any step the variables not in the model are known as the free terms.

G02EEF allows you to specify some independent variables that must be in the model, these are known as forced variables.

The computational procedure involves the use of QR decompositions, the R and the Q matrices being updated as each new variable is added to the model. In addition the matrix $Q^T X_{\text{free}}$, where X_{free} is the matrix of variables not included in the model, is updated.

G02EEF computes one step of the forward selection procedure at a call. The results produced at each step may be printed or used as inputs to G02DDF, in order to compute the regression coefficients for the model fitted at that step. Repeated calls to G02EEF should be made until $F < F_c$ is indicated.

4 References

Draper N R and Smith H (1985) *Applied Regression Analysis* (2nd Edition) Wiley

Weisberg S (1985) *Applied Linear Regression* Wiley

5 Parameters

Note: after the initial call to G02EEF with ISTEP = 0 all parameters except FIN must not be changed by you between calls.

- 1: ISTEP – INTEGER *Input/Output*
On entry: indicates which step in the forward selection process is to be carried out.
 ISTEP = 0
 The process is initialized.
Constraint: ISTEP $\geq$ 0.
On exit: is incremented by 1.

- 2: MEAN – CHARACTER*1 *Input*
On entry: indicates if a mean term is to be included.
 MEAN = 'M'
 A mean term, intercept, will be included in the model.
 MEAN = 'Z'
 The model will pass through the origin, zero-point.
Constraint: MEAN = 'M' or 'Z'.

- 3: WEIGHT – CHARACTER*1 *Input*
On entry: indicates if weights are to be used.
 WEIGHT = 'U'
 Least-squares estimation is used.
 WEIGHT = 'W'
 Weighted least-squares is used and weights must be supplied in array WT.
Constraint: WEIGHT = 'U' or 'W'.

- 4: N – INTEGER *Input*
On entry: the number of observations.
Constraint: N $\geq$ 2.

- 5: M – INTEGER *Input*
On entry: m , the total number of independent variables in the dataset.
Constraint: M $\geq$ 1.

- 6: X(LDX,M) – **double precision** array *Input*
On entry: $X(i, j)$ must contain the i th observation for the j th independent variable, for $i = 1, 2, \dots, N$ and $j = 1, 2, \dots, M$.

- 7: LDX – INTEGER *Input*
On entry: the first dimension of the array X as declared in the (sub)program from which G02EEF is called.
Constraint: LDX $\geq$ N.

- 8: VNAME(M) – CHARACTER*(*) array *Input*
On entry: VNAME(j) must contain the name of the independent variable in column j of X, for $j = 1, 2, \dots, M$.

- 9: ISX(M) – INTEGER array *Input*
On entry: indicates which independent variables could be considered for inclusion in the regression.
 $ISX(j) \geq 2$
 The variable contained in the j th column of X is automatically included in the regression model, for $j = 1, 2, \dots, M$.
 $ISX(j) = 1$
 The variable contained in the j th column of X is considered for inclusion in the regression model, for $j = 1, 2, \dots, M$.
 $ISX(j) = 0$
 The variable in the j th column is not considered for inclusion in the model, for $j = 1, 2, \dots, M$.
Constraint: $ISX(j) \geq 0$ and at least one value of $ISX(j) = 1$, for $j = 1, 2, \dots, M$.
- 10: MAXIP – INTEGER *Input*
On entry: the maximum number of independent variables to be included in the model.
Constraints:
 if MEAN = 'M', $MAXIP \geq 1 + \text{number of values of } ISX > 0$;
 if MEAN = 'Z', $MAXIP \geq \text{number of values of } ISX > 0$.
- 11: Y(N) – **double precision** array *Input*
On entry: the dependent variable.
- 12: WT(*) – **double precision** array *Input*
Note: the dimension of the array WT must be at least N.
On entry: if WEIGHT = 'W', WT must contain the weights to be used in the weighted regression, W.
 If $WT(i) = 0.0$, the i th observation is not included in the model, in which case the effective number of observations is the number of observations with nonzero weights.
 If WEIGHT = 'U', WT is not referenced and the effective number of observations is N.
Constraint: if WEIGHT = 'W', $WT(i) \geq 0.0$ for $i = 1, 2, \dots, N$.
- 13: FIN – **double precision** *Input*
On entry: the critical value of the F statistic for the term to be included in the model, F_c .
Suggested value: 2.0 is a commonly used value in exploratory modelling.
Constraint: $FIN \geq 0.0$.
- 14: ADDVAR – LOGICAL *Output*
On exit: indicates if a variable has been added to the model.
 ADDVAR = .TRUE.
 A variable has been added to the model.
 ADDVAR = .FALSE.
 No variable had an F value greater than F_c and none were added to the model.
- 15: NEWVAR – CHARACTER*(*) *Output*
On exit: if ADDVAR = .TRUE., NEWVAR contains the name of the variable added to the model.
Constraint: the declared size of NEWVAR must be greater than or equal to the declared size of VNAME.

- 16: **CHRSS – *double precision*** *Output*
On exit: if ADDVAR = .TRUE., CHRSS contains the change in the residual sum of squares due to adding variable NEWVAR.
- 17: **F – *double precision*** *Output*
On exit: if ADDVAR = .TRUE., F contains the F statistic for the inclusion of the variable in NEWVAR.
- 18: **MODEL(MAXIP) – CHARACTER*(*) array** *Input/Output*
On entry: if ISTEP = 0, MODEL need not be set.
 If ISTEP $\neq$ 0, MODEL must contain the values returned by the previous call to G02EEF.
Constraint: the declared size of MODEL must be greater than or equal to the declared size of VNAME.
On exit: the names of the variables in the current model.
- 19: **NTERM – INTEGER** *Input/Output*
On entry: if ISTEP = 0, NTERM need not be set.
 If ISTEP $\neq$ 0, NTERM must contain the value returned by the previous call to G02EEF.
Constraint: if ISTEP $\neq$ 0, NTERM > 0.
On exit: the number of independent variables in the current model, not including the mean, if any.
- 20: **RSS – *double precision*** *Input/Output*
Constraint: if ISTEP $\neq$ 0, RSS > 0.
On entry: if ISTEP = 0, RSS need not be set.
 If ISTEP $\neq$ 0, RSS must contain the value returned by the previous call to G02EEF.
On exit: the residual sums of squares for the current model.
- 21: **IDF – INTEGER** *Input/Output*
On entry: if ISTEP = 0, IDF need not be set.
 If ISTEP $\neq$ 0, IDF must contain the value returned by the previous call to G02EEF.
On exit: the degrees of freedom for the residual sum of squares for the current model.
- 22: **IFR – INTEGER** *Input/Output*
On entry: if ISTEP = 0, IFR need not be set.
 If ISTEP $\neq$ 0, IFR must contain the value returned by the previous call to G02EEF.
On exit: the number of free independent variables, i.e., the number of variables not in the model that are still being considered for selection.
- 23: **FREE(MAXIP) – CHARACTER*(*) array** *Input/Output*
On entry: if ISTEP = 0, FREE need not be set.
 If ISTEP $\neq$ 0, FREE must contain the values returned by the previous call to G02EEF.
Constraint: the declared size of FREE must be greater than or equal to the declared size of VNAME.
On exit: the first IFR values of FREE contain the names of the free variables.

- 24: EXSS(MAXIP) – **double precision** array *Output*
On exit: the first IFR values of EXSS contain what would be the change in regression sum of squares if the free variables had been added to the model, i.e., the extra sum of squares for the free variables. EXSS(*i*) contains what would be the change in regression sum of squares if the variable FREE(*i*) had been added to the model.
- 25: Q(LDQ, MAXIP + 2) – **double precision** array *Input/Output*
On entry: if ISTEP = 0, Q need not be set.
 If ISTEP $\neq$ 0, Q must contain the values returned by the previous call to G02EEF.
On exit: the results of the *QR* decomposition for the current model:
 the first column of Q contains $c = Q^T y$ (or $Q^T W^{\frac{1}{2}} y$ where *W* is the vector of weights if used);
 the upper triangular part of columns 2 to *IP* + 1 contain the *R* matrix;
 the strictly lower triangular part of columns 2 to *IP* + 1 contain details of the *Q* matrix;
 the remaining *IP* + 1 to *IP* + IFR columns of contain $Q^T X_{free}$ (or $Q^T W^{\frac{1}{2}} X_{free}$),
 where *IP* = NTERM, or *IP* = NTERM + 1 if MEAN = 'M'.
- 26: LDQ – INTEGER *Input*
On entry: the first dimension of the array Q as declared in the (sub)program from which G02EEF is called.
Constraint: LDQ $\geq$ N.
- 27: P(MAXIP + 1) – **double precision** array *Input/Output*
On entry: if ISTEP = 0, P need not be set.
 If ISTEP $\neq$ 0, P must contain the values returned by the previous call to G02EEF.
On exit: the first *IP* elements of P contain details of the *QR* decomposition, where *IP* = NTERM, or *IP* = NTERM + 1 if MEAN = 'M'.
- 28: WK(2 $\times$ MAXIP) – **double precision** array *Workspace*
- 29: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by $X04AAF$).

Errors or warnings detected by the routine:

$IFAIL = 1$

On entry, $N < 1$,
 or $M < 1$,
 or $LDX < N$,
 or $LDQ < N$,
 or $ISTEP < 0$,
 or $ISTEP \neq 0$ and $NTERM = 0$,
 or $ISTEP \neq 0$ and $RSS \leq 0.0$,
 or $FIN < 0.0$,
 or $MEAN \neq 'M'$ or $'Z'$,
 or $WEIGHT \neq 'U'$ or $'W'$.

$IFAIL = 2$

On entry, $WEIGHT = 'W'$ and a value of $WT < 0.0$.

$IFAIL = 3$

On entry, the degrees of freedom will be zero if a variable is selected, i.e., the number of variables in the model plus 1 is equal to the effective number of observations.

$IFAIL = 4$

On entry, a value of $ISX < 0$,
 or there are no forced or free variables, i.e., no element of $ISX > 0$,
 or the value of $MAXIP$ is too small for number of variables indicated by ISX .

$IFAIL = 5$

On entry, the variables forced into the model are not of full rank, i.e., some of these variables are linear combinations of others.

$IFAIL = 6$

On entry, there are no free variables, i.e., no element of $ISX = 0$.

$IFAIL = 7$

The value of the change in the sum of squares is greater than the input value of RSS . This may occur due to rounding errors if the true residual sum of squares for the new model is small relative to the residual sum of squares for the previous model.

7 Accuracy

As $G02EEF$ uses a QR transformation the results will often be more accurate than traditional algorithms using methods based on the cross-products of the dependent and independent variables.

8 Further Comments

None.

9 Example

The data, from an oxygen uptake experiment, is given by Weisberg (1985). The names of the variables are as given in Weisberg (1985). The independent and dependent variables are read and G02EEF is repeatedly called until ADDVAR = .FALSE.. At each step the F statistic, the free variables and their extra sum of squares are printed; also, except for when ADDVAR = .FALSE., the new variable, the change in the residual sum of squares and the terms in the model are printed.

9.1 Program Text

```
*      G02EEF Example Program Text
*      Mark 14 Release. NAG Copyright 1989.
*      .. Parameters ..
INTEGER          NMAX, MMAX, LDX, MAXIP, LDQ
PARAMETER        (NMAX=20,MMAX=8,LDX=NMAX,MAXIP=MMAX,LDQ=NMAX)
INTEGER          NIN, NOUT
PARAMETER        (NIN=5,NOUT=6)
*      .. Local Scalars ..
DOUBLE PRECISION CHRSS, F, FIN, RSS
INTEGER          I, IDF, IFAIL, IFR, ISTEP, J, M, N, NTERM
LOGICAL          ADDVAR
CHARACTER        MEAN, WEIGHT
CHARACTER*3      NEWVAR
*      .. Local Arrays ..
DOUBLE PRECISION EXSS(MMAX), P(MMAX+1), Q(LDQ,MMAX+2), WK(2*MMAX),
+               WT(NMAX), X(LDX,MMAX), Y(NMAX)
INTEGER          ISX(MMAX)
CHARACTER*3      FREE(MMAX), MODEL(MMAX), VNAME(MMAX)
*      .. External Subroutines ..
EXTERNAL         G02EEF
*      .. Executable Statements ..
WRITE (NOUT,*) 'G02EEF Example Program Results'
*      Skip heading in data file
READ (NIN,*)
READ (NIN,*) N, M, MEAN, WEIGHT
IF (M.LT.MMAX .AND. N.LE.NMAX) THEN
  IF (WEIGHT.EQ.'W' .OR. WEIGHT.EQ.'w') THEN
    DO 20 I = 1, N
      READ (NIN,*) (X(I,J),J=1,M), Y(I), WT(I)
20    CONTINUE
  ELSE
    DO 40 I = 1, N
      READ (NIN,*) (X(I,J),J=1,M), Y(I)
40    CONTINUE
  END IF
  READ (NIN,*) (ISX(J),J=1,M)
  READ (NIN,*) (VNAME(J),J=1,M)
  READ (NIN,*) FIN
  ISTEP = 0
  DO 60 I = 1, M
    IFAIL = 1
*
    CALL G02EEF(ISTEP,MEAN,WEIGHT,N,M,X,LDX,VNAME,ISX,MAXIP,Y,
+             WT,FIN,ADDVAR,NEWVAR,CHRSS,F,MODEL,NTERM,RSS,
+             IDF,IFR,FREE,EXSS,Q,LDQ,P,WK,IFAIL)
*
    IF (IFAIL.NE.0) THEN
      WRITE (NOUT,*)
      WRITE (NOUT,99991) ' ** G02EEF returned with IFAIL = ',
+             IFAIL
      GO TO 80
    END IF
    WRITE (NOUT,*)
    WRITE (NOUT,99999) 'Step ', ISTEP
    IF ( .NOT. ADDVAR) THEN
      WRITE (NOUT,99998)
+      'No further variables added maximum F =', F
      WRITE (NOUT,99993) 'Free variables: ', (FREE(J),J=1,IFR)
      WRITE (NOUT,*)
    END IF
  END DO
END IF
```

```

+      'Change in residual sums of squares for free variables:'
      WRITE (NOUT,99992) ' ', (EXSS(J),J=1,IFR)
      GO TO 80
    ELSE
      WRITE (NOUT,99997) 'Added variable is ', NEWVAR
      WRITE (NOUT,99996) 'Change in residual sum of squares =',
+      CHRSS
      WRITE (NOUT,99998) 'F Statistic = ', F
      WRITE (NOUT,*)
      WRITE (NOUT,99995) 'Variables in model:',
+      (MODEL(J),J=1,NTERM)
      WRITE (NOUT,*)
      WRITE (NOUT,99994) 'Residual sum of squares = ', RSS
      WRITE (NOUT,99999) 'Degrees of freedom = ', IDF
      WRITE (NOUT,*)
      IF (IFR.EQ.0) THEN
        WRITE (NOUT,*) 'No free variables remaining'
        GO TO 80
      END IF
      WRITE (NOUT,99993) 'Free variables: ', (FREE(J),J=1,IFR)
      WRITE (NOUT,*)
+      'Change in residual sums of squares for free variables:'
      WRITE (NOUT,99992) ' ', (EXSS(J),J=1,IFR)
    END IF
60    CONTINUE
80    CONTINUE
  END IF
*
99999 FORMAT (1X,A,I2)
99998 FORMAT (1X,A,F7.2)
99997 FORMAT (1X,2A)
99996 FORMAT (1X,A,E13.4)
99995 FORMAT (1X,A,6(1X,A))
99994 FORMAT (1X,A,E13.4)
99993 FORMAT (1X,A,6(6X,A))
99992 FORMAT (1X,A,6(F9.4))
99991 FORMAT (1X,A,I5)
  END

```

9.2 Program Data

G02EEF Example Program Data

```

20 6 'M' 'U'
0. 1125.0 232.0 7160.0 85.9 8905.0 1.5563
7. 920.0 268.0 8804.0 86.5 7388.0 0.8976
15. 835.0 271.0 8108.0 85.2 5348.0 0.7482
22. 1000.0 237.0 6370.0 83.8 8056.0 0.7160
29. 1150.0 192.0 6441.0 82.1 6960.0 0.3010
37. 990.0 202.0 5154.0 79.2 5690.0 0.3617
44. 840.0 184.0 5896.0 81.2 6932.0 0.1139
58. 650.0 200.0 5336.0 80.6 5400.0 0.1139
65. 640.0 180.0 5041.0 78.4 3177.0 -0.2218
72. 583.0 165.0 5012.0 79.3 4461.0 -0.1549
80. 570.0 151.0 4825.0 78.7 3901.0 0.0000
86. 570.0 171.0 4391.0 78.0 5002.0 0.0000
93. 510.0 243.0 4320.0 72.3 4665.0 -0.0969
100. 555.0 147.0 3709.0 74.9 4642.0 -0.2218
107. 460.0 286.0 3969.0 74.4 4840.0 -0.3979
122. 275.0 198.0 3558.0 72.5 4479.0 -0.1549
129. 510.0 196.0 4361.0 57.7 4200.0 -0.2218
151. 165.0 210.0 3301.0 71.8 3410.0 -0.3979
171. 244.0 327.0 2964.0 72.5 3360.0 -0.5229
220. 79.0 334.0 2777.0 71.9 2599.0 -0.0458
0 1 1 1 1 2
'DAY' 'BOD' 'TKN' 'TS' 'TVS' 'COD'
2.0

```

9.3 Program Results

G02EEF Example Program Results

Step 1

Added variable is TS

Change in residual sum of squares = 0.4713E+00

F Statistic = 7.38

Variables in model: COD TS

Residual sum of squares = 0.1085E+01

Degrees of freedom = 17

Free variables: TKN BOD TVS

Change in residual sums of squares for free variables:

0.1175 0.0600 0.2276

Step 2

No further variables added maximum F = 1.59

Free variables: TKN BOD TVS

Change in residual sums of squares for free variables:

0.0979 0.0207 0.0217
