

NAG Library Routine Document

G05HKF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G05HKF generates a given number of terms of a type I AGARCH(p, q) process (see Engle and Ng (1993)).

2 Specification

```

SUBROUTINE G05HKF(DIST, NUM, IP, IQ, THETA, GAMMA, DF, HT, ET, FCALL,
1          RVEC, IGEN, ISEED, RWSAV, IFAIL)
    INTEGER          NUM, IP, IQ, IGEN, ISEED(4), IFAIL
    double precision THETA(IQ+IP+1), GAMMA, DF, HT(NUM), ET(NUM), RVEC(40),
1          RWSAV(9)
    LOGICAL          FCALL
    CHARACTER*1      DIST

```

3 Description

A type I AGARCH(p, q) process can be represented by:

$$h_t = \alpha_0 + \sum_{i=1}^q \alpha_i (\epsilon_{t-i} + \gamma)^2 + \sum_{i=1}^p \beta_i h_{t-i}, \quad t = 1, 2, \dots, T$$

where $\epsilon_t | \psi_{t-1} = N(0, h_t)$ or $\epsilon_t | \psi_{t-1} = S_t(df, h_t)$. Here S_t is a standardized Student's t -distribution with df degrees of freedom and variance h_t , T is the number of observations in the sequence, ϵ_t is the *observed* value of the GARCH(p, q) process at time t , h_t is the conditional variance at time t , and ψ_t the set of all information up to time t . Symmetric GARCH sequences are generated when γ is zero, otherwise asymmetric GARCH sequences are generated with γ specifying the amount by which positive (or negative) shocks are to be enhanced.

One of the initialization routines G05KBF (for a repeatable sequence if computed sequentially) or G05KCF (for a non-repeatable sequence) must be called prior to the first call to G05HKF.

4 References

Bollerslev T (1986) Generalised autoregressive conditional heteroskedasticity *Journal of Econometrics* **31** 307–327

Engle R (1982) Autoregressive conditional heteroskedasticity with estimates of the variance of United Kingdom inflation *Econometrica* **50** 987–1008

Engle R and Ng V (1993) Measuring and Testing the Impact of News on Volatility *Journal of Finance* **48** 1749–1777

Hamilton J (1994) *Time Series Analysis* Princeton University Press

5 Parameters

1: DIST – CHARACTER*1 *Input*
On entry: the type of distribution to use for ϵ_t .
DIST = 'N'
A Normal distribution is used.

- DIST = 'T'
A Student's t -distribution is used.
Constraint: DIST = 'N' or 'T'.
- 2: NUM – INTEGER *Input*
On entry: T , the number of terms in the sequence.
Constraint: NUM > 0.
- 3: IP – INTEGER *Input*
On entry: the number of coefficients, β_i , for $i = 1, 2, \dots, p$.
Constraints:

$$\text{IQ} + \text{IP} + 1 \leq 20;$$

$$\text{IP} \geq 0.$$
- 4: IQ – INTEGER *Input*
On entry: the number of coefficients, α_i , for $i = 1, 2, \dots, q$.
Constraints:

$$\text{IQ} + \text{IP} + 1 \leq 20;$$

$$\text{IQ} \geq 1.$$
- 5: THETA(IQ + IP + 1) – **double precision** array *Input*
On entry: the first element must contain the coefficient α_o , the next IQ elements must contain the coefficients α_i , for $i = 1, 2, \dots, q$. The remaining IP elements must contain the coefficients β_j , for $j = 1, 2, \dots, p$.
- 6: GAMMA – **double precision** *Input*
On entry: the asymmetry parameter γ for the GARCH(p, q) sequence.
- 7: DF – **double precision** *Input*
On entry: the number of degrees of freedom for the Student's t -distribution.
If DIST = 'N', DF is not referenced.
Constraint: if DIST = 'T', DF > 2.
- 8: HT(NUM) – **double precision** array *Output*
On exit: the conditional variances h_t , for $t = 1, 2, \dots, T$, for the GARCH(p, q) sequence.
- 9: ET(NUM) – **double precision** array *Output*
On exit: the observations ϵ_t , for $t = 1, 2, \dots, T$, for the GARCH(p, q) sequence.
- 10: FCALL – LOGICAL *Input*
On entry: if FCALL = .TRUE., a new sequence is to be generated, otherwise a given sequence is to be continued using the information in RVEC.
- 11: RVEC(40) – **double precision** array *Input/Output*
On entry: the array contains information required to continue a sequence if FCALL = .FALSE..
On exit: contains information that can be used in a subsequent call of G05HKF, with FCALL = .FALSE..

- 12: IGEN – INTEGER *Input*
On entry: must contain the identification number for the generator to be used to return a pseudorandom number and should remain unchanged following initialization by a prior call to G05KBF or G05KCF.
- 13: ISEED(4) – INTEGER array *Communication Array*
On entry: contains values which define the current state of the selected generator.
On exit: contains updated values defining the new state of the selected generator.
- 14: RWSAV(9) – **double precision** array *Communication Array*
- 15: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, IP < 0,
 or IQ < 1,
 or DF < 2,
 or NUM ≤ 0,
 or DIST ≠ 'N', and DIST ≠ 'T',
 or IQ + IP + 1 > 20.

7 Accuracy

Not applicable.

8 Further Comments

None.

9 Example

This example uses G05HKF to generate 1500 data points, with known process parameters θ for the following two time series:

- (i) an ARCH(3) sequence with Normally distributed residuals;
- (ii) a GARCH(1,2) sequence with Student's t -distributed residuals.

Here G05HKF is initially called, with the output discarded, to eliminate 'start-up effects' in these sequences. The process parameter estimates, $\hat{\theta}$, are then obtained using G13FAF, and compared with their true values, θ . Finally a four step ahead volatility estimate is computed using G13FBF.

9.1 Program Text

```

*      G05HKF Example Program Text
*      Mark 22 Release. NAG Copyright 2008.
*      .. Parameters ..
      INTEGER          NOUT
      PARAMETER        (NOUT=6)
      INTEGER          NPARMX, LDCOVR, NUM
      DOUBLE PRECISION ZERO
      PARAMETER        (NPARMX=10,LDCOVR=NPARMX,NUM=1500,ZERO=0.0D0)
      INTEGER          NUM1, NREGMX
      PARAMETER        (NUM1=3000,NREGMX=10)
*      .. Local Scalars ..
      DOUBLE PRECISION DF, FAC1, GAMMA, HP, LGF, MEAN, TOL, XTERM
      INTEGER          I, IFAIL, IGEN, IP, IQ, ISYM, K, LDX, LWORK,
+                    MAXIT, MN, NPAR, NPAR2, NREG, NT
      LOGICAL          FCALL
      CHARACTER        DIST
*      .. Local Arrays ..
      DOUBLE PRECISION BX(10), COVR(LDCOVR,NPARMX), CVAR(100),
+                    ETM(NUM1), HT(NUM1+10), HTM(NUM1), PARAM(NPARMX),
+                    RVEC(40), RWSAV(9), SC(NPARMX), SE(NPARMX),
+                    THETA(NPARMX), WORK(NUM1*3+NPARMX+NREGMX*NUM1+20*
+                    20+1), X(NUM1,10), YT(NUM1+10)
      INTEGER          ISEED(4)
      LOGICAL          COPTS(2)
*      .. External Subroutines ..
      EXTERNAL          G05HKF, G05KBF, G13FAF, G13FBF
*      .. Intrinsic Functions ..
      INTRINSIC         DBLE, SIN
*      .. Executable Statements ..
      WRITE (NOUT,*) 'G05HKF Example Program Results'
      WRITE (NOUT,*)

*
*      Initialize the generator
      ISEED(1) = 111
      IGEN = 0
      CALL G05KBF(IGEN,ISEED)
*
*      Example using Normal errors
      NREG = 0
      LDX = NUM1
      BX(1) = 1.5D0
      BX(2) = 2.5D0
      BX(3) = 3.0D0
      MEAN = 3.0D0
      DO 20 I = 1, NUM
         FAC1 = DBLE(I)*0.01D0
         X(I,1) = 0.01D0 + 0.7D0*SIN(FAC1)
         X(I,2) = 0.5D0 + FAC1*0.1D0
         X(I,3) = 1.0D0
      20 CONTINUE
*
      ISYM = 1
      MN = 1
      GAMMA = -0.4D0
      IP = 0
      IQ = 3
      PARAM(1) = 0.8D0
      PARAM(2) = 0.6D0
      PARAM(3) = 0.2D0
      PARAM(4) = 0.1D0
      NPAR = 1 + IQ + IP
      LWORK = NREG*NUM + 3*NUM + NPAR + ISYM + MN + NREG + 403
      DIST = 'N'
*
*      First call to routine
      FCALL = .TRUE.
      IFAIL = 0
      CALL G05HKF(DIST,NUM,IP,IQ,PARAM,GAMMA,DF,HT,YT,FCALL,RVEC,IGEN,
+                    ISEED,RWSAV,IFAIL)

```

```

*      Discard the first NUM values and call the routine again
      FCALL = .FALSE.
      IFAIL = 0
      CALL G05HKF(DIST,NUM,IP,IQ,PARAM,GAMMA,DF,HT,YT,FCALL,RVEC,IGEN,
+               ISEED,RWSAV,IFAIL)
*
      DO 60 I = 1, NUM
        XTERM = ZERO
        DO 40 K = 1, NREG
          XTERM = XTERM + X(I,K)*BX(K)
40      CONTINUE
        IF (MN.EQ.1) THEN
          YT(I) = MEAN + XTERM + YT(I)
        ELSE
          YT(I) = XTERM + YT(I)
        END IF
      60 CONTINUE
*
      DO 80 I = 1, NPAR
        THETA(I) = PARAM(I)*0.5D0
80      CONTINUE
*
      IF (ISYM.EQ.1) THEN
        THETA(NPAR+ISYM) = GAMMA*0.5D0
      END IF
*
*      Fit a GARCH model to the generated data
      COPTS(1) = .TRUE.
      COPTS(2) = .TRUE.
      MAXIT = 200
      TOL = 1.0D-5
      NPAR2 = 1 + IQ + IP + ISYM + MN + NREG
      IFAIL = 0
      CALL G13FAF(DIST,YT,X,LDX,NUM,IP,IQ,NREG,MN,ISYM,NPAR2,THETA,SE,
+               SC,COVR,LDCOVR,HP,ETM,HTM,LGF,COPTS,MAXIT,TOL,WORK,
+               LWORK,IFAIL)
*
*      Display the output
      WRITE (NOUT,*)
      WRITE (NOUT,*) 'Normal distribution'
      WRITE (NOUT,*)
      WRITE (NOUT,*) '          Correct      Parameter      Standard'
      WRITE (NOUT,*) '          values      estimates      errors'
      DO 100 I = 1, NPAR
        WRITE (NOUT,99998) 'PARAM(', I, ')', PARAM(I), THETA(I), SE(I)
100     CONTINUE
      IF (ISYM.EQ.1) THEN
        WRITE (NOUT,99999) 'Gamma   ', GAMMA, THETA(NPAR+1), SE(NPAR+1)
      END IF
      IF (MN.EQ.1) THEN
        WRITE (NOUT,99999) 'Mean     ', MEAN, THETA(NPAR+ISYM+1),
+               SE(NPAR+ISYM+1)
      END IF
      DO 120 I = 1, NREG
        WRITE (NOUT,99998) 'BX(', I, ')   ', BX(I),
+               THETA(NPAR+ISYM+MN+I), SE(NPAR+ISYM+MN+I)
120     CONTINUE
*
      NT = 4
      IFAIL = 0
      CALL G13FBF(NUM,NT,IP,IQ,THETA,GAMMA,CVAR,HTM,ETM,IFAIL)
      WRITE (NOUT,*)
      WRITE (NOUT,99997) 'Volatility forecast = ', CVAR(NT)
      WRITE (NOUT,*)
*
*      Example using Students T errors
      DIST = 'T'
      NREG = 2
      MN = 1
      DF = 4.1D0
      IP = 1
      IQ = 2

```

```

      ISYM = 1
      GAMMA = -0.2D0
*
      NPAR = IQ + IP + 1
      LWORK = NREG*NUM + 3*NUM + NPAR + ISYM + MN + NREG + 404
*
      PARAM(1) = 0.1D0
      PARAM(2) = 0.2D0
      PARAM(3) = 0.3D0
      PARAM(4) = 0.4D0
*
      IGEN = 0
      ISEED(1) = 111
      CALL G05KBF(IGEN,ISEED)
*
*      First call to the routine
      IFAIL = 0
      FCALL = .TRUE.
      CALL G05HKF(DIST,NUM,IP,IQ,PARAM,GAMMA,DF,HT,YT,FCALL,RVEC,IGEN,
+               ISEED,RWSAV,IFAIL)
*      Second call to the routine
      FCALL = .FALSE.
      CALL G05HKF(DIST,NUM,IP,IQ,PARAM,GAMMA,DF,HT,YT,FCALL,RVEC,IGEN,
+               ISEED,RWSAV,IFAIL)
*      Discard the previously generated values, and call the routine again
      FCALL = .FALSE.
      CALL G05HKF(DIST,NUM,IP,IQ,PARAM,GAMMA,DF,HT,YT,FCALL,RVEC,IGEN,
+               ISEED,RWSAV,IFAIL)
*
      DO 160 I = 1, NUM
        XTERM = ZERO
        DO 140 K = 1, NREG
          XTERM = XTERM + X(I,K)*BX(K)
140      CONTINUE
        IF (MN.EQ.1) THEN
          YT(I) = MEAN + XTERM + YT(I)
        ELSE
          YT(I) = XTERM + YT(I)
        END IF
160 CONTINUE
*
      COPTS(1) = .TRUE.
      COPTS(2) = .TRUE.
*
      MAXIT = 200
      TOL = 1.0D-5
*
      DO 180 I = 1, NPAR
        THETA(I) = PARAM(I)*0.5D0
180 CONTINUE
*
      THETA(NPAR+ISYM) = GAMMA*0.5D0
      THETA(NPAR+ISYM+1) = DF*0.65D0
*
      NPAR2 = 2 + IP + IQ + ISYM + MN + NREG
      IFAIL = 0
      CALL G13FAF(DIST,YT,X,LDX,NUM,IP,IQ,NREG,MN,ISYM,NPAR2,THETA,SE,
+               SC,COVR,LDCOVR,HP,ETM,HTM,LGF,COPTS,MAXIT,TOL,WORK,
+               LWORK,IFAIL)
*
      WRITE (NOUT,*)
      WRITE (NOUT,*) 'Students t distribution'
      WRITE (NOUT,*)
      WRITE (NOUT,*) '          Correct      Parameter      Standard'
      WRITE (NOUT,*) '          values      estimates      errors'
      DO 200 I = 1, NPAR
        WRITE (NOUT,99998) 'PARAM(', I, ')', PARAM(I), THETA(I), SE(I)
200 CONTINUE
      IF (ISYM.EQ.1) THEN
        WRITE (NOUT,99999) 'Gamma      ', GAMMA, THETA(NPAR+ISYM),
+               SE(NPAR+ISYM)

```

```

      END IF
      WRITE (NOUT,99999) 'DF          ', DF, THETA(NPAR+ISYM+1),
+ SE(NPAR+ISYM+1)
      IF (MN.EQ.1) THEN
        WRITE (NOUT,99999) 'Mean      ', MEAN, THETA(NPAR+ISYM+2),
+ SE(NPAR+ISYM+2)
      END IF
      DO 220 I = 1, NREG
        WRITE (NOUT,99998) 'BX(', I, ')    ', BX(I),
+ THETA(NPAR+ISYM+1+MN+I), SE(NPAR+ISYM+1+MN+I)
      220 CONTINUE
*
      NT = 4
      IFAIL = 0
      CALL G13FBF(NUM,NT,IP,IQ,THETA,GAMMA,CVAR,HTM,ETM,IFAIL)
*
      WRITE (NOUT,*)
      WRITE (NOUT,99997) 'Volatility forecast = ', CVAR(NT)
*
99999 FORMAT (1X,A,3(F10.2,2X))
99998 FORMAT (1X,A,I1,A,3(F10.2,2X))
99997 FORMAT (1X,A,F12.2)
      END

```

9.2 Program Data

None.

9.3 Program Results

G05HKF Example Program Results

Normal distribution

	Correct values	Parameter estimates	Standard errors
PARAM(1)	0.80	0.80	0.08
PARAM(2)	0.60	0.62	0.06
PARAM(3)	0.20	0.18	0.03
PARAM(4)	0.10	0.09	0.02
Gamma	-0.40	-0.51	0.07
Mean	3.00	2.99	0.03

Volatility forecast = 2.80

Students t distribution

	Correct values	Parameter estimates	Standard errors
PARAM(1)	0.10	0.09	0.02
PARAM(2)	0.20	0.22	0.05
PARAM(3)	0.30	0.28	0.09
PARAM(4)	0.40	0.36	0.08
Gamma	-0.20	-0.32	0.06
DF	4.10	4.50	0.52
Mean	3.00	3.02	0.05
BX(1)	1.50	1.47	0.03
BX(2)	2.50	2.46	0.03

Volatility forecast = 0.42