

NAG Library Routine Document

G07DCF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G07DCF computes an M -estimate of location with (optional) simultaneous estimation of scale, where you provide the weight functions.

2 Specification

```

SUBROUTINE G07DCF(CHI, PSI, ISIGMA, N, X, BETA, THETA, SIGMA, MAXIT,
1              TOL, RS, NIT, WRK, IFAIL)
      INTEGER          ISIGMA, N, MAXIT, NIT, IFAIL
      double precision CHI, PSI, X(N), BETA, THETA, SIGMA, TOL, RS(N), WRK(N)
      EXTERNAL         CHI, PSI

```

3 Description

The data consists of a sample of size n , denoted by $x_1, x_2, \dots, x_n$, drawn from a random variable X .

The x_i are assumed to be independent with an unknown distribution function of the form,

$$F((x_i - \theta)/\sigma)$$

where θ is a location parameter, and σ is a scale parameter. M -estimators of θ and σ are given by the solution to the following system of equations;

$$\begin{aligned} \sum_{i=1}^n \psi\left((x_i - \hat{\theta})/\hat{\sigma}\right) &= 0 \\ \sum_{i=1}^n \chi\left((x_i - \hat{\theta})/\hat{\sigma}\right) &= (n-1)\beta \end{aligned}$$

where ψ and χ are user-supplied weight functions, and β is a constant. Optionally the second equation can be omitted and the first equation is solved for $\hat{\theta}$ using an assigned value of $\sigma = \sigma_c$.

The constant β should be chosen so that $\hat{\sigma}$ is an unbiased estimator when x_i , for $i = 1, 2, \dots, n$ has a Normal distribution. To achieve this the value of β is calculated as:

$$\beta = E(\chi) = \int_{-\infty}^{\infty} \chi(z) \frac{1}{\sqrt{2\pi}} \exp\left\{-\frac{z^2}{2}\right\} dz$$

The values of $\psi\left(\frac{x_i - \hat{\theta}}{\hat{\sigma}}\right)\hat{\sigma}$ are known as the Winsorized residuals.

The equations are solved by a simple iterative procedure, suggested by Huber:

$$\hat{\sigma}_k = \sqrt{\frac{1}{\beta(n-1)} \left(\sum_{i=1}^n \chi\left(\frac{x_i - \hat{\theta}_{k-1}}{\hat{\sigma}_{k-1}}\right) \right) \hat{\sigma}_{k-1}^2}$$

and

$$\hat{\theta}_k = \hat{\theta}_{k-1} + \frac{1}{n} \sum_{i=1}^n \psi\left(\frac{x_i - \hat{\theta}_{k-1}}{\hat{\sigma}_k}\right) \hat{\sigma}_k$$

or

$$\hat{\sigma}_k = \sigma_c$$

if σ is fixed.

The initial values for $\hat{\theta}$ and $\hat{\sigma}$ may be user-supplied or calculated within G07DBF as the sample median and an estimate of σ based on the median absolute deviation respectively.

G07DCF is based upon subroutine LYHALG within the ROBETH library, see Marazzi (1987).

4 References

Hampel F R, Ronchetti E M, Rousseeuw P J and Stahel W A (1986) *Robust Statistics. The Approach Based on Influence Functions* Wiley

Huber P J (1981) *Robust Statistics* Wiley

Marazzi A (1987) Subroutines for robust estimation of location and scale in ROBETH *Cah. Rech. Doc. IUMSP, No. 3 ROB 1* Institut Universitaire de Médecine Sociale et Préventive, Lausanne

5 Parameters

- 1: CHI – **double precision** FUNCTION, supplied by the user. *External Procedure*

CHI must return the value of the weight function χ for a given value of its argument. The value of χ must be non-negative.

The specification of CHI is:

```
double precision FUNCTION CHI(T)
double precision          T
```

1: T – **double precision** *Input*

On entry: the argument for which CHI must be evaluated.

CHI must be declared as EXTERNAL in the (sub)program from which G07DCF is called. Parameters denoted as *Input* must **not** be changed by this procedure.

- 2: PSI – **double precision** FUNCTION, supplied by the user. *External Procedure*

PSI must return the value of the weight function ψ for a given value of its argument.

The specification of PSI is:

```
double precision FUNCTION PSI(T)
double precision          T
```

1: T – **double precision** *Input*

On entry: the argument for which PSI must be evaluated.

PSI must be declared as EXTERNAL in the (sub)program from which G07DCF is called. Parameters denoted as *Input* must **not** be changed by this procedure.

- 3: ISIGMA – INTEGER *Input*

On entry: the value assigned to ISIGMA determines whether $\hat{\sigma}$ is to be simultaneously estimated.

ISIGMA = 0

The estimation of $\hat{\sigma}$ is bypassed and SIGMA is set equal to σ_c .

- ISIGMA = 1
 $\hat{\sigma}$ is estimated simultaneously.
- 4: N – INTEGER *Input*
On entry: n , the number of observations.
Constraint: $N > 1$.
- 5: X(N) – **double precision** array *Input*
On entry: the vector of observations, $x_1, x_2, \dots, x_n$.
- 6: BETA – **double precision** *Input*
On entry: the value of the constant β of the chosen CHI function.
Constraint: $BETA > 0.0$.
- 7: THETA – **double precision** *Input/Output*
On entry: if $SIGMA > 0$, then THETA must be set to the required starting value of the estimate of the location parameter $\hat{\theta}$. A reasonable initial value for $\hat{\theta}$ will often be the sample mean or median.
On exit: the M -estimate of the location parameter $\hat{\theta}$.
- 8: SIGMA – **double precision** *Input/Output*
On entry: the role of SIGMA depends on the value assigned to ISIGMA as follows:
 if ISIGMA = 1, SIGMA must be assigned a value which determines the values of the starting points for the calculation of $\hat{\theta}$ and $\hat{\sigma}$. If $SIGMA \leq 0.0$, then G07DCF will determine the starting points of $\hat{\theta}$ and $\hat{\sigma}$. Otherwise, the value assigned to SIGMA will be taken as the starting point for $\hat{\sigma}$, and THETA must be assigned a relevant value before entry, see above;
 if ISIGMA = 0, SIGMA must be assigned a value which determines the values of σ_c , which is held fixed during the iterations, and the starting value for the calculation of $\hat{\theta}$. If $SIGMA \leq 0$, then G07DCF will determine the value of σ_c as the median absolute deviation adjusted to reduce bias (see G07DAF) and the starting point for θ . Otherwise, the value assigned to SIGMA will be taken as the value of σ_c and THETA must be assigned a relevant value before entry, see above.
On exit: the M -estimate of the scale parameter $\hat{\sigma}$, if ISIGMA was assigned the value 1 on entry, otherwise SIGMA will contain the initial fixed value σ_c .
- 9: MAXIT – INTEGER *Input*
On entry: the maximum number of iterations that should be used during the estimation.
Suggested value: MAXIT = 50.
Constraint: MAXIT > 0.
- 10: TOL – **double precision** *Input*
On entry: the relative precision for the final estimates. Convergence is assumed when the increments for THETA, and SIGMA are less than $TOL \times \max(1.0, \sigma_{k-1})$.
Constraint: TOL > 0.0.
- 11: RS(N) – **double precision** array *Output*
On exit: the Winsorized residuals.
- 12: NIT – INTEGER *Output*
On exit: the number of iterations that were used during the estimation.

13: WRK(N) – *double precision* array *Output*
On exit: if $\text{SIGMA} \leq 0.0$ on entry, WRK will contain the n observations in ascending order.

14: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $N \leq 1$,
 or $\text{MAXIT} \leq 0$,
 or $\text{TOL} \leq 0.0$,
 or $\text{ISIGMA} \neq 0$ or 1.

IFAIL = 2

On entry, $\text{BETA} \leq 0.0$.

IFAIL = 3

On entry, all elements of the input array X are equal.

IFAIL = 4

SIGMA, the current estimate of σ , is zero or negative. This error exit is very unlikely, although it may be caused by too large an initial value of SIGMA.

IFAIL = 5

The number of iterations required exceeds MAXIT.

IFAIL = 6

On completion of the iterations, the Winsorized residuals were all zero. This may occur when using the ISIGMA = 0 option with a redescending ψ function, i.e., $\psi = 0$ if $|t| > \tau$, for some positive constant τ .

If the given value of σ is too small, then the standardized residuals $\frac{x_i - \hat{\theta}_k}{\sigma_c}$, will be large and all the residuals may fall into the region for which $\psi(t) = 0$. This may incorrectly terminate the iterations thus making THETA and SIGMA invalid.

Re-enter the routine with a larger value of σ_c or with ISIGMA = 1.

IFAIL = 7

The value returned by the CHI function is negative.

7 Accuracy

On successful exit the accuracy of the results is related to the value of TOL, see Section 5.

8 Further Comments

Standard forms of the functions ψ and χ are given in Hampel *et al.* (1986), Huber (1981) and Marazzi (1987). G07DBF calculates M -estimates using some standard forms for ψ and χ .

When you supply the initial values, care has to be taken over the choice of the initial value of σ . If too small a value is chosen then initial values of the standardized residuals $\frac{x_i - \hat{\theta}_k}{\sigma}$ will be large. If the redescending ψ functions are used, i.e., $\psi = 0$ if $|t| > \tau$, for some positive constant τ , then these large values are Winsorized as zero. If a sufficient number of the residuals fall into this category then a false solution may be returned, see page 152 of Hampel *et al.* (1986).

9 Example

The following program reads in a set of data consisting of eleven observations of a variable X .

The PSI and CHI functions used are Hampel's Piecewise Linear Function and Hubers CHI function respectively.

Using the following starting values various estimates of θ and σ are calculated and printed along with the number of iterations used:

- (a) G07DCF determined the starting values, σ is estimated simultaneously.
- (b) You must supply the starting values, σ is estimated simultaneously.
- (c) G07DCF determined the starting values, σ is fixed.
- (d) You must supply the starting values, σ is fixed.

9.1 Program Text

```
*      G07DCF Example Program Text
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NMAX
      PARAMETER        (NMAX=25)
*      .. Local Scalars ..
      DOUBLE PRECISION BETA, SIGMA, SIGSAV, THESAV, THETA, TOL
      INTEGER          I, IFAIL, ISIGMA, MAXIT, N, NIT
*      .. Local Arrays ..
      DOUBLE PRECISION RS(NMAX), WRK(NMAX), X(NMAX)
*      .. External Functions ..
      DOUBLE PRECISION CHI, PSI
      EXTERNAL          CHI, PSI
*      .. External Subroutines ..
      EXTERNAL          G07DCF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'G07DCF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      WRITE (NOUT,*)
      IF (N.LE.NMAX) THEN
        READ (NIN,*) (X(I),I=1,N)
        READ (NIN,*) BETA, MAXIT
        WRITE (NOUT,*)
+      '      Input parameters      Output parameters'
        WRITE (NOUT,*) 'ISIGMA  SIGMA  THETA  TOL  SIGMA  THETA'
20      READ (NIN,*,END=40) ISIGMA, SIGMA, THETA, TOL
        SIGSAV = SIGMA
```

```

      THESAV = THETA
      IFAIL = 0
*
      CALL G07DCF(CHI,PSI,ISIGMA,N,X,BETA,THETA,SIGMA,MAXIT,TOL,RS,
+           NIT,WRK,IFAIL)
*
      WRITE (NOUT,99999) ISIGMA, SIGSAV, THESAV, TOL, SIGMA, THETA
      GO TO 20
    ELSE
      WRITE (NOUT,99998) 'N is out of range: N =', N
    END IF
  40 CONTINUE
*
99999 FORMAT (1X,I3,3X,2F8.4,F7.4,1X,2F8.4)
99998 FORMAT (1X,A,I5)
      END
*
      DOUBLE PRECISION FUNCTION PSI(T)
*      Hampel's Piecewise Linear Function.
*      .. Parameters ..
      DOUBLE PRECISION ZERO
      PARAMETER      (ZERO=0.0D+0)
      DOUBLE PRECISION H1, H2, H3
      PARAMETER      (H1=1.5D0,H2=3.0D0,H3=4.5D0)
*      .. Scalar Arguments ..
      DOUBLE PRECISION T
*      .. Local Scalars ..
      DOUBLE PRECISION ABST
*      .. Intrinsic Functions ..
      INTRINSIC      ABS, MIN
*      .. Executable Statements ..
      ABST = ABS(T)
      IF (ABST.LT.H3) THEN
        IF (ABST.LE.H2) THEN
          PSI = MIN(H1,ABST)
        ELSE
          PSI = H1*(H3-ABST)/(H3-H2)
        END IF
        IF (T.LT.ZERO) PSI = -PSI
      ELSE
        PSI = ZERO
      END IF
      RETURN
      END
*
      DOUBLE PRECISION FUNCTION CHI(T)
*      Huber's CHI function.
*      .. Parameters ..
      DOUBLE PRECISION DCHI
      PARAMETER      (DCHI=1.5D0)
*      .. Scalar Arguments ..
      DOUBLE PRECISION T
*      .. Local Scalars ..
      DOUBLE PRECISION ABST, PS
*      .. Intrinsic Functions ..
      INTRINSIC      ABS, MIN
*      .. Executable Statements ..
      ABST = ABS(T)
      PS = MIN(DCHI,ABST)
      CHI = PS*PS/2
      RETURN
      END

```

9.2 Program Data

G07DCF Example Program Data

```

11                               : N, NUMBER OF OBSERVATIONS
13.0 11.0 16.0 5.0 3.0 18.0 9.0 8.0 6.0 27.0 7.0 : X, OBSERVATIONS
0.3892326      50               : BETA      MAXIT
      1      -1.0      0.0      0.0001      : ISIGMA  SIGMA  THETA  TOL
      1       7.0      2.0      0.0001
      0      -1.0      0.0      0.0001
      0       7.0      2.0      0.0001

```

9.3 Program Results

G07DCF Example Program Results

	Input parameters				Output parameters	
ISIGMA	SIGMA	THETA	TOL	SIGMA	THETA	
1	-1.0000	0.0000	0.0001	6.3247	10.5487	
1	7.0000	2.0000	0.0001	6.3249	10.5487	
0	-1.0000	0.0000	0.0001	5.9304	10.4896	
0	7.0000	2.0000	0.0001	7.0000	10.6500	
