

NAG Library Routine Document

S01EAF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

S01EAF evaluates the exponential function e^z , for ***complex*16*** z .

2 Specification

```
complex*16 FUNCTION S01EAF(Z, IFAIL)
INTEGER                                IFAIL
complex*16                          Z
```

3 Description

S01EAF evaluates the exponential function e^z , taking care to avoid machine overflow, and giving a warning if the result cannot be computed to more than half precision. The function is evaluated as $e^z = e^x(\cos y + i \sin y)$, where x and y are the real and imaginary parts respectively of z .

Since $\cos y$ and $\sin y$ are less than or equal to 1 in magnitude, it is possible that e^x may overflow although $e^x \cos y$ or $e^x \sin y$ does not. In this case the alternative formula $\text{sign}(\cos y)e^{x+\ln|\cos y|}$ is used for the real part of the result, and $\text{sign}(\sin y)e^{x+\ln|\sin y|}$ for the imaginary part. If either part of the result still overflows, a warning is returned through parameter IFAIL.

If $\text{Im}(z)$ is too large, precision may be lost in the evaluation of $\sin y$ and $\cos y$. Again, a warning is returned through IFAIL.

4 References

None.

5 Parameters

1: Z – ***complex*16*** *Input*

On entry: the argument z of the function.

2: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

The real part of the result overflows, and is set to the largest safe number with the correct sign. The imaginary part of the result is meaningful.

IFAIL = 2

The imaginary part of the result overflows, and is set to the largest safe number with the correct sign. The real part of the result is meaningful.

IFAIL = 3

Both real and imaginary parts of the result overflow, and are set to the largest safe number with the correct signs.

IFAIL = 4

The computed result is accurate to less than half precision, due to the size of $\text{Im}(z)$.

IFAIL = 5

The computed result has no precision, due to the size of $\text{Im}(z)$, and is set to zero.

7 Accuracy

Accuracy is limited in general only by the accuracy of the standard functions in the computation of $\sin y$, $\cos y$ and e^x , where $x = \text{Re}(z)$, $y = \text{Im}(z)$. As y gets larger, precision will probably be lost due to argument reduction in the evaluation of the sine and cosine functions, until the warning error IFAIL = 4 occurs when y gets larger than $\sqrt{1/\epsilon}$, where ϵ is the *machine precision*. Note that on some machines, the intrinsic functions SIN and COS will not operate on arguments larger than about $\sqrt{1/\epsilon}$, and so IFAIL can never return as 4.

In the comparatively rare event that the result is computed by the formulae $\text{sign}(\cos y)e^{x+\ln|\cos y|}$ and $\text{sign}(\sin y)e^{x+\ln|\sin y|}$, a further small loss of accuracy may be expected due to rounding errors in the logarithmic function.

8 Further Comments

None.

9 Example

This example reads values of the argument z from a file, evaluates the function at each value of z and prints the results.

9.1 Program Text

```
*      S01EAF Example Program Text
*      Mark 14 Release. NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
*      .. Local Scalars ..
      COMPLEX *16      W, Z
      INTEGER          IFAIL
```

```

*      .. External Functions ..
      COMPLEX *16      S01EAF
      LOGICAL          A00ACF
      EXTERNAL          S01EAF, A00ACF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'S01EAF Example Program Results'
      WRITE (NOUT,*)
      IF (A00ACF()) THEN
*          Skip heading in data file
          READ (NIN,*)
          WRITE (NOUT,*)
+          '          Z          exp(Z)'
20      READ (NIN,*,END=40) Z
          IFAIL = 0
*
          W = S01EAF(Z,IFAIL)
*
          WRITE (NOUT,99999) Z, W
          GO TO 20
      ELSE
          WRITE (NOUT,*) ' ** A valid licence key was not found'
      END IF
40  CONTINUE
*
99999 FORMAT (1X,'(',F12.4,',',F12.4,')          (',F12.4,',',F12.4,')')
      END

```

9.2 Program Data

S01EAF Example Program Data
 (1.0, 0.0)
 (-0.5, 2.0)
 (0.0,-2.0)
 (-2.5,-1.5)

9.3 Program Results

S01EAF Example Program Results

Z	exp(Z)
(1.0000, 0.0000)	(2.7183, 0.0000)
(-0.5000, 2.0000)	(-0.2524, 0.5515)
(0.0000, -2.0000)	(-0.4161, -0.9093)
(-2.5000, -1.5000)	(0.0058, -0.0819)
